



GOVERNMENT GAZETTE

OF THE

REPUBLIC OF NAMIBIA

N\$140.80

WINDHOEK - 8 May 2025

No. 8643

CONTENTS

Page

GENERAL NOTICES

No. 294	Withdrawal of General Notice No. 163 of 31 March 2025: Communications Act, 2009	1
No. 295	The Frequency Band Plan of Namibia: Communications Act, 2009	2

General Notices

COMMUNICATIONS REGULATORY AUTHORITY OF NAMIBIA

No. 294

2025

WITHDRAWAL OF GENERAL NOTICE NO. 163 OF 31 MARCH 2025: COMMUNICATIONS ACT, 2009

The Communications Regulatory Authority of Namibia, under section 100(6) hereby withdraw the Frequency Band Plan of Namibia published under General Notice No. 163, Government Gazette No. 8612 of 31 March 2025.

T. MUFETI

CHAIRPERSON

COMMUNICATIONS REGULATORY AUTHORITY OF NAMIBIA

COMMUNICATIONS REGULATORY AUTHORITY OF NAMIBIA

No. 295

2025

**THE FREQUENCY BAND PLAN OF NAMIBIA:
COMMUNICATIONS ACT, 2009**

In terms of section 100(1) and (6) of the Communications Act (Act No.8 of 2009, the Communications Regulatory Authority of Namibia hereby –

- (a) makes the Frequency Band Plan of Namibia as set out in the Schedule; and
- (b) repeals the Frequency Band Plan of Namibia as published under General Notice No. 448 of 31 August 2021.

T. MUFETI
CHAIRPERSON

COMMUNICATIONS REGULATORY AUTHORITY OF NAMIBIA

SCHEDULE**Definitions**

- 1.** In this plan, any word or expression to which a meaning is assigned in the Act, shall have the same meaning and –

ITU means International Telecommunications Union;

the Act means the Communications Act, 2009 (Act No. 8 of 2009); and

WRC-23 means World Radio Conference held from 20 November 2023 to 15 December 2023 in Dubai, United Arab Emirates.

Purpose

- 2.** The frequency band plan of Namibia is set out in terms of section 100 of the Act and the Final Acts of ITU WRC-23.

Applicability

- 3.** This Frequency Band Plan is applicable in the assignment of spectrum licences issued in terms of section 101 of the Act and Regulations prescribing Procedures regarding the Application for and Amendment, Renewal, Transfer and Cancellation of Spectrum Licences as published in Government Gazette No. 6888, General Notice No. 104 on 29 April 2019, as may be amended from time to time.

Table of Frequency Allocation

- 4.** (1) The table of frequency allocation in the Annexure lists all the planned allocations for the radio frequency spectrum in the Republic of Namibia for spectrum band from 8.3 kHz to 3000 GHz.

(2) The table is similar to the table set out by the ITU in its Radio Regulations based on the outcomes of WRC-23 and the 2024 SADC Frequency Allocation Plan.

(3) Column 4 of the table provides the spectrum allocations applicable in the Republic of Namibia.

(4) The ITU philosophy for reflecting radiocommunication services in terms of primary and secondary, placing of footnotes and using French alphabetical order therefore also applies, and of particular importance is to note the following:

- (a) all primary services are printed in capitals;
- (b) all secondary services are printed in lower case;
- (c) the order of listing in each frequency band category does not establish priority withing each category (listed alphabetically according to the French langue);
- (d) where a footnote is printed next to a service that footnote applies only to that service; and
- (e) where a footnote is printed at the bottom of a frequency band that footnote applies to more than one service, or all services allocated to the particular frequency band.

ANNEXURE
NAMIBIA TABLE OF FREQUENCY ALLOCATIONS

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation(s) and relevant ITU footnotes	Additional information
Below 8.3 kHz (Not allocated) 5.535.54	Below 8.3 kHz (Not allocated) 5.535.54		Below 8.3 kHz (Not allocated) 5.535.54	
8.3 – 9 kHz METEORO LOGICAL AIDS 5.54A 5.54B 5.54C	8.3 – 9 kHz METEORO LOGICAL AIDS 5.54A 5.54B 5.54C		8.3 – 9 kHz METEORO LOGICAL AIDS 5.54A 5.54B 5.54C	
9 – 11.3 kHz METEORO LOGICAL AIDS 5.54A RADIO NAVIGATION	9 – 11.3 kHz METEORO LOGICAL AIDS 5.54A RADIO NAVIGATION		9 – 11.3 kHz METEORO LOGICAL AIDS 5.54A RADIO NAVIGATION	
11.3-14 kHz RADIO NAVIGATION	11.3-14 kHz RADIO NAVIGATION	SRDs – inductive short-range radio communications (9 kHz-135 kHz) Navigational Aids	11.3-14 kHz RADIO NAVIGATION	SRDs - see ITU-R Rec. SM.2153
14-19.95 kHz FIXED MARITIME MOBILE 5.57 5.555.56	14-19.95 kHz FIXED MARITIME MOBILE 5.57 5.56	SRDs – inductive short-range radio communications (9 kHz-135 kHz) Maritime mobile communications	14-19.95 kHz FIXED MARITIME MOBILE 5.57 5.56	SRDs - see ITU-R Rec. SM.2153
19.95-20.05 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	19.95-20.05 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	SRDs – inductive short-range radio communications (9 kHz-135 kHz)	19.95-20.05 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 kHz)	SRDs - see ITU-R Rec. SM.2153
20.05-70 kHz FIXED MARITIME MOBILE 5.57 5.565.58	20.05-70 kHz FIXED MARITIME MOBILE 5.57 5.56	SRDs – inductive short-range radio communications (9 kHz-135 kHz) Maritime mobile communications	20.05-70 kHz FIXED MARITIME MOBILE 5.57 5.56	SRDs - see ITU-R Rec. SM.2153
70-72 kHz RADIONAVIGATION 5.60	70-72 kHz RADION AVIGATION 5.60	SRDs – inductive short-range radio communications (9 kHz-135 kHz) Navigational Aids	70-72 kHz RADION AVIGATION 5.60	SRDs - see ITU-R Rec. SM.2153
72-84 kHz FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.60 5.56	72-84 kHz FIXED MARITIME MOBILE 5.57 RADION AVIGATION 5.60 5.56	SRDs – inductive short-range radiocommunications (9 kHz-135 kHz) Maritime mobile communications Navigational Aids	72-84 kHz FIXED MARITIME MOBILE 5.57 RADIO NAVIGATION 5.60 5.56	SRDs - see ITU-R Rec. SM.2153
84-86 kHz RADIONAVIGATION 5.60	84-86 kHz RADIONAVIGATION 5.60	SRDs – inductive short-range radiocommunications (9 kHz-135 kHz) Navigational Aids	84-86 kHz RADION AVIGATION 5.60	SRDs - see ITU-R Rec. SM.2153

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
86-90 kHz FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.56	86-90 kHz FIXED MARITIME MOBILE 5.57 RADIONAVIGATION 5.56	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Maritime mobile communications Navigational Aids	86-90 kHz FIXED MARITIME MOBILE 5.57 RADION AVIGATION 5.56	SRDs - see ITU-R Rec. SM.2153
90-110 kHz RADIONAVIGATION 5.62 Fixed 5.64	90-110 kHz RADIONAVIGATION 5.62 Fixed 5.64	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Navigational Aids	90-110 kHz RADION AVIGATION 5.62 Fixed 5.64	SRDs - see ITU-R Rec. SM.2153
110-112 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.64	110-112 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.64	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Maritime mobile communications Navigational Aids	110-112 kHz FIXED MARITIME MOBILE RADIONA VIGATION 5.64	SRDs - see ITU-R Rec. SM.2153
112-115 kHz RADIONAVIGATION 5.60	112-115 kHz RADIONAVIGATION 5.60	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Navigational Aids	112-115 kHz RADION AVIGATION 5.60	SRDs - see ITU-R Rec. SM.2153
115-117.6 kHz RADIONAVIGATION 5.60 Fixed Maritime mobile 5.645.66	115-117.6 kHz RADIONAVIGATION 5.60 Fixed Maritime mobile 5.64	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Navigational Aids Maritime mobile communications	115-117.6 kHz RADION AVIGATION 5.60 Fixed Maritime mobile 5.64	SRDs - see ITU-R Rec. SM.2153
117.6-126 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	117.6-126 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Navigational Aids Maritime mobile communications	117.6-126 kHz FIXED MARITIME MOBILE RADIO NAVIGATION 5.60 5.64	SRDs - see ITU-R Rec. SM.2153
126-129 kHz RADIONAVIGATION 5.60	126-129 kHz RADIONAVIGATION 5.60	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Navigational Aids	126-129 kHz RADIO NAVIGATION 5.60	SRDs - see ITU-R Rec. SM.2153
129-130 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	129-130 kHz FIXED MARITIME MOBILE RADIONAVIGATION 5.60 5.64	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Navigational Aids Maritime mobile communications	129-130 kHz FIXED MARITIME MOBILE RADIO NAVIGATION 5.60 5.64	SRDs - see ITU-R Rec. SM.2153
130-135.7 kHz FIXED MARITIME MOBILE 5.64 5.67	130-135.7 kHz FIXED MARITIME MOBILE 5.64	SRDs – inductive short- range radiocommunications (9 kHz-135 kHz) Maritime mobile communications	130-135.7 kHz FIXED MARITIME MOBILE 5.64	SRDs - see ITU-R Rec. SM.2153

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
135.7-137.8 kHz FIXED MARITIME MOBILE Amateur 5.67A 5.64 5.67 5.67B	135.7-137.8 kHz FIXED MARITIME MOBILE Amateur 5.67A 5.64	Maritime mobile communications Amateur	135.7-137.8 kHz FIXED MARITIME MOBILE Amateur 5.67A 5.64	Amateur (135.7-137.8 kHz) services are limited to maximum radiated power of 1 W (e.i.r.p).
137.8-148.5 kHz FIXED MARITIME MOBILE 5.645.67	137.8-148.5 kHz FIXED MARITIME MOBILE 5.64	Maritime mobile communications	137.8-148.5 kHz FIXED MARITIME MOBILE 5.64	
148.5-255 kHz BROADCASTING 5.68 5.69 5.70	148.5-200 kHz BROADCASTING 5.68	Broadcasting	148.5-200 kHz BROADCASTING 5.68	Frequency assignment Plan (GE75) applies
	200-255 kHz AERONAUTICAL RADIONAVIGATION SERVICE 5.70		200-255 kHz AERONAUTICAL RADIO NAVIGATION SERVICE 5.70	
255-283.5 kHz BROADCASTING AERONAUTICAL RADIONAVIGATION 5.70	255-283.5 kHz AERONAUTICAL RADIONAVIGATION 5.70		255-283.5 kHz AERONAUTICAL RADIO NAVIGATION 5.70	
283.5-315 kHz AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73 5.74	283.5-315 kHz AERONAUTICAL RADIONAVIGATION MARITIME RADIONAVIGATION (radiobeacons) 5.73 5.74		283.5-315 kHz AERONAUTICAL RADIO NAVIGATION MARITIME RADIO NAVIGATION (radiobeacons) 5.73 5.74	
315-325 kHz AERONAUTICAL RADIONAVIGATION Maritime radionavigation (radiobeacons) 5.73 5.75	315-325 kHz AERONAUTICAL RADIONAVIGATION Maritime radionavigation (radiobeacons) 5.73		315-325 kHz AERONAUTICAL RADIO NAVIGATION Maritime radionavigation (radiobeacons) 5.73	
325-405 kHz AERONAUTICAL RADIONAVIGATION	325-405 kHz AERONAUTICAL RADIO NAVIGATION		325-405 kHz AERONAUTICAL RADIO NAVIGATION	
405-415 kHz RADIONAVIGATION 5.76	405-415 kHz RADIONAVIGATION 5.76	Navigational Aids	405-415 kHz RADIO NAVIGATION 5.76	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
415-435 kHz MARITIME MOBILE 5.79 AERONAUTICAL RADIO NAVIGATION	415-435 kHz MARITIME MOBILE 5.79 AERONAUTICAL RADIONAVIGATION	Maritime mobile communications Under the MMS the use of the band 415-495 kHz is limited to radiotelegraphy.	415-435 kHz MARITIME MOBILE 5.79 AERONAUTICAL RADIO NAVIGATION	
435-472 kHz MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77 5.82	435-472 kHz MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77 5.82	Maritime mobile communications Coast Stations in the NAVTEX service on 490 kHz; Res.339 applies. Transmission of navigational and meteorological warnings and urgent info for ships (NBDP telegraphy). Articles 31 and 52 apply.	435-472 kHz MARITIME MOBILE 5.79 Aeronautical radionavigation 5.77 5.82	
472-479 kHz MARITIME MOBILE 5.79 Amateur 5.A123 Aeronautical radionavigation 5.77 5.80 5.82 5.B123	472-479 kHz MARITIME MOBILE 5.79 Amateur 5.A123 Aeronautical radionavigation 5.77 5.80 5.82 5.B123		472-479 kHz MARITIME MOBILE 5.79 Amateur 5.A123 Aeronautical radionavigation 5.77 5.80 5.82 5.B123	
479-495 kHz MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.82	479-495 kHz MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.82		479-495 kHz MARITIME MOBILE 5.79 5.79A Aeronautical radionavigation 5.77 5.82	
495-505 kHz MARITIME MOBILE 5.82C 5.82D	495-505 kHz MARITIME MOBILE 5.82C 5.82D	Limited to radiotelegraphy; Articles 31 and 52 apply. Maritime GMDSS Broadcasting safety information from coast stations	495-505 kHz MARITIME MOBILE 5.82C 5.82D	For international NAVDAT systems Rec. ITU-R M.2010 applies. Resolution 364 (WRC-23) applies.
505-526.5 kHz MARITIME MOBILE 5.79 5.84 AERONAUTICAL RADIONAVIGATION	505-526.5 kHz MARITIME MOBILE 5.79 5.84 AERONAUTICAL RADIONAVIGATION	Maritime mobile communications Coast Stations in the NAVTEX service on 518 kHz; Res.339 applies. Articles 31 and 52 apply. Under the MMS the use of the band 505-526.5 kHz is limited to radiotelegraphy.	505-526.5 kHz MARITIME MOBILE 5.79 5.84 AERONAUTICAL RADIONAVIGATION	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
526.5-1 606.5 kHz BROADCASTING 5.87	526.5-535 kHz BROADCASTING Mobile 5.87	Land and/or maritime mobile communications MW Sound broadcasting (535.5-1606.5 kHz); GE75 applies	526.5-535 kHz BROADCASTING Mobile 5.87	
	535-1 606.5 kHz BROADCASTING 5.87		535-1 606.5 kHz BROADCASTING 5.87	
1 606.5-1 625 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	1 606.5-1 625 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	Maritime mobile communications Land mobile communications	1 606.5-1 625 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	
1 625-1 635 kHz RADIOLOCATION 5.93	1 625-1 635 kHz RADIOLOCATION 5.93	Navigational Aids	1 625-1 635 kHz RADIOLOCATION 5.93	
1 635-1 800 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92 5.96	1 635-1 800 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	Maritime mobile communications Land mobile communications	1 635-1 800 kHz FIXED MARITIME MOBILE 5.90 LAND MOBILE 5.92	
1 800-1 810 kHz RADIOLOCATION 5.93	1 800-1 810 kHz RADIOLOCATION 5.93	Navigational Aids	1 800-1 810 kHz RADIOLOCATION 5.93	
1 810-1 850 kHz AMATEUR 5.98 5.99 5.100	1 810-1 850 kHz AMATEUR 5.98 5.100	Amateur communications	1 810-1 850 kHz AMATEUR 5.98 5.100	
1 850-2 000 kHz FIXED MOBILE except aeronautical mobile 5.92 5.96 5.103	1 850-2 000 kHz FIXED MOBILE except aeronautical mobile 5.92 5.103	Maritime and/or land mobile communications	1 850-2 000 kHz FIXED MOBILE except aeronautical mobile 5.92 5.103	
2 000-2 025 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	2 000-2 025 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	Maritime and/or land mobile communications	2 000-2 025 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	
2 025-2 045 kHz FIXED MOBILE except aeronautical mobile (R) Meteorological aids 5.92 5.103 5.104	2 025-2 045 kHz FIXED MOBILE except aeronautical mobile (R) Meteorological aids 5.92 5.103 5.104	Maritime and/or land mobile communications	2 025-2 045 kHz FIXED MOBILE except aeronautical mobile (R) Meteorological aids 5.92 5.103 5.104	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
2 045-2 160 kHz FIXED MARITIME MOBILE LAND MOBILE 5.92	2 045-2 160 kHz FIXED MARITIME MOBILE LAND MOBILE 5.92	Maritime and/ or land mobile communications	2 045-2 160 kHz FIXED MARITIME MOBILE LAND MOBILE 5.92\	
2 160-2 170 kHz RADIOLOCATION 5.93 5.107	2 160-2 170 kHz RADIOLOCATION 5.93 5.107	Navigational aids	2 160-2 170 kHz RADIOLOCATION 5.93 5.107	
2 170-2 173.5 kHz MARITIME MOBILE	2 170-2 173.5 kHz MARITIME MOBILE	Maritime mobile communications	2 170-2 173.5 kHz MARITIME MOBILE	
2 173.5-2 190.5 kHz MOBILE (distress and calling) 5.108 5.109 5.110 5.111	2 173.5-2 190.5 kHz MOBILE (distress and calling) 5.108 5.109 5.110 5.111	2182 kHz is an international distress and calling frequency for radiotelephony. 2 187.5 kHz – DSC for distress and calling; Article 31 applies. 2174.5 kHz – is used for Automatic Connection System (ACS) as described in Recommendation ITU- R M.541.	2 173.5-2 190.5 kHz MOBILE (distress and calling) 5.108 5.109 5.110 5.111	Articles 31 and 52 applies. Recommendation ITU-R M.541 applies.
2 190.5-2 194 kHz MARITIME MOBILE	2 190.5-2 194 kHz MARITIME MOBILE	Maritime mobile communications	2 190.5-2 194 kHz MARITIME MOBILE	
2 194-2 300 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103 5.112	2 194-2 300 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	Maritime and/or land mobile communications	2 194-2 300 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	
2 300-2 498 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.103	2 300-2 498 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.103	Maritime and/or land mobile communications	2 300-2 498 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.103	
2 498-2 501 kHz STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)	2 498-2 501 kHz STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)		2 498-2 501 kHz STANDARD FREQUENCY AND TIME SIGNAL (2 500 kHz)	
2 501-2 502 kHz STANDARD FREQUENCY AND TIME SIGNAL Space Research	2 501-2 502 kHz STANDARD FREQUENCY AND TIME SIGNAL Space Research		2 501-2 502 kHz STANDARD FREQUENCY AND TIME SIGNAL Space Research	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
2 502-2 625 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103 5.114	2 502-2 625 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	Maritime and/or land mobile communications	2 502-2 625 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	
2 625-2 650 kHz MARITIME MOBILE MARITIME RADIONAVIGATION 5.92	2 625-2 650 kHz MARITIME MOBILE MARITIME RADIONAVIGATION 5.92	Maritime mobile communications	2 625-2 650 kHz MARITIME MOBILE MARITIME RADION AVIGATION 5.92	
2 650-2 850 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	2 650-2 850 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	Maritime and/or land mobile communications	2 650-2 850 kHz FIXED MOBILE except aeronautical mobile (R) 5.92 5.103	
2 850-3 025 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	2 850-3 025 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	Aeronautical mobile (R) 3 023 kHz may be used under the MMS for search and rescue operations (see Article 31)	2 850-3 025 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	Appendix 27 Allotment Plan applies
3 025-3 155 kHz AERONAUTICAL MOBILE (OR)	3 025-3 155 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile (OR)	3 025-3 155 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies
3 155-3 200 kHz FIXED MOBILE except aeronautical mobile (R) 5.116 5.117	3 155-3 200 kHz FIXED MOBILE except aeronautical mobile (R) 5.116	Maritime and/or land mobile communications SRDs: Wireless hearing aides	3 155-3 200 kHz FIXED MOBILE except aeronautical mobile (R) 5.116	Worldwide channel for low power hearing aids (3155-3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz; see also ITU-R SM.2153
3 200-3 230 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116	3 200-3 230 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116	Maritime and/or land mobile communications	3 200-3 230 kHz FIXED MOBILE except aeronautical mobile (R) BROADCASTING 5.113 5.116	Worldwide channel for low power hearing aids (3155-3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz.
3 230-3 400 kHz FIXED MOBILE except aeronautical mobile BROADCASTING 5.113 5.116 5.118	3 230-3 400 kHz FIXED MOBILE except aeronautical mobile BROADCASTING 5.113 5.116	Maritime and/or land mobile communications	3 230-3 400 kHz FIXED MOBILE except aeronautical mobile BROADCASTING 5.113 5.116	Worldwide channel for low power hearing aids (3155-3195 kHz). Additional channels may be assigned in the band 3155-3400 kHz.
3 400-3 500 kHz AERONAUTICAL MOBILE (R)	3 400-3 500 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)	3 400-3 500 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
3 500-3 800 kHz AMATEUR FIXED MOBILE except aeronautical mobile 5.92	3 500-3 800 kHz AMATEUR FIXED MOBILE except aeronautical mobile 5.92	Amateur communications Maritime and/ or land mobile communications	3 500-3 800 kHz AMATEUR FIXED MOBILE except aeronautical mobile 5.92	
3 800-3 900 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	3 800-3 900 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	Aeronautical mobile (OR)	3 800-3 900 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	Appendix 26 Allotment Plan applies
3 900-3 950 kHz AERONAUTICAL MOBILE (OR) 5.123	3 900-3 950 kHz AERONAUTICAL MOBILE (OR) BROADCASTING 5.123	Aeronautical mobile (OR)	3 900-3 950 kHz AERONAUTICAL MOBILE (OR) BROADCASTING 5.123	Appendix 26 Allotment Plan applies
3 950-4 000 kHz FIXED BROADCASTING	3 950-4 000 kHz FIXED BROADCASTING		3 950-4 000 kHz FIXED BROADCASTING	
4 000-4 063 kHz FIXED MARITIME MOBILE 5.127 5.126	4 000-4 063 kHz FIXED MARITIME MOBILE 5.127	Maritime mobile communications Use of the band 4000- 4063 kHz by the MMS is limited to ship stations using radiotelephony	4 000-4 063 kHz FIXED MARITIME MOBILE 5.127	
4 063-4 438 kHz MARITIME MOBILE 5.79A 5.82D 5.109 5.110 5.128 5.130 5.131 5.132	4 063-4 438 kHz MARITIME MOBILE 5.79A 5.82D 5.109 5.110 5.128 5.130 5.131 5.132	Maritime mobile communications 4209.5 kHz- Coast Stations in the NAVTEX service; Res.339 applies. Articles 31, 52 apply 4207.5 kHz – DSC for distress and calling; Article 31 applies 4177.5 kHz – Automatic Connection System (ACS), as described in the most recent version of Rec. ITU-R M.541. 4125 kHz – use of this frequency prescribed in Article 31. 4209.5 kHz – exclusive for transmission by coast stations of meteorological and navigational warnings and urgent information to ships (NBDP). 4210 kHz – maritime safety information (MSI); App.17 applies.	4 063-4 438 kHz MARITIME MOBILE 5.79A 5.82D 5.109 5.110 5.128 5.130 5.131 5.132	ITU RR Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Recommendation ITU-R M.541 applies Resolution 364 (WRC-23) applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
4 438-4 488 kHz FIXED MOBILE except aeronautical mobile (R) Radiolocation 5.132A 5.132B	4 438-4 488 kHz FIXED MOBILE except aeronautical mobile (R) Radiolocation 5.132A 5.133B	Maritime and/or land mobile communications	4 438-4 488kHz FIXED MOBILE except aeronautical mobile (R) Radiolocation 5.132A 5.133B	
4 488 -4 650 kHz FIXED MOBILE except aeronautical mobile (R)	4 488 -4 650 kHz FIXED MOBILE except aeronautical mobile (R)		4 488 -4 650 kHz FIXED MOBILE except aeronautical mobile (R)	
4650 – 4700 kHz AERONAUTICAL MOBILE (R)	4650 – 4700 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile (R)	4650 – 4700 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies
4 700-4 750 kHz AERONAUTICAL MOBILE (OR)	4 700-4 750 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile (OR)	4 700-4 750 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies
4 750-4 850 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE BROADCASTING 5.113	4 750-4 850 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE BROADCASTING 5.113	Aeronautical and/or land mobile Sound broadcasting	4 750-4 850 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE BROADCASTING 5.113	
4 850-4 995 kHz FIXED LAND MOBILE BROADCASTING 5.113	4 850-4 995 kHz FIXED	Land mobile Sound broadcasting	4 850-4 995 kHz FIXED LAND MOBILE BROADCASTING 5.113	
	LAND MOBILE			
	BROADCASTING			
	5.113			
4 995-5 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)	4 995-5 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)		4 995-5 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (5 000 kHz)	
5 003-5 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	5 003-5 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research		5 003-5 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	
5 005-5 060 kHz FIXED BROADCASTING 5.113	5 005-5 060 kHz FIXED BROADCASTING 5.113	Sound broadcasting	5 005-5 060 kHz FIXED BROADCASTING 5.113	
5 060-5 250 kHz FIXED Mobile except aeronautical mobile 5.133	5 060-5 250 kHz FIXED Mobile except aeronautical mobile	SADC harmonised HF frequencies for cross- border mobile communications; see Annex G.	5 060-5 250 kHz FIXED Mobile except aeronautical mobile	
5 250-5 275 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A 5.133A	5 250-5275 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A 5.133A	SADC harmonised HF frequencies for cross- border mobile communications; see Annex G.	5 250-5275 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A 5.133A	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
5 275 -5 351.5kHz FIXED MOBILE except aeronautical mobile	5 275 -5 351.5kHz FIXED MOBILE except aeronautical mobile	Aeronautical mobile	5 275 -5 351.5kHz FIXED MOBILE except aeronautical mobile	
5 351.5 -5 366.5 kHz FIXED MOBILE except aeronautical mobile Amateur 5.133B	5 351.5 -5 366.5 kHz FIXED MOBILE except aeronautical mobile Amateur 5.133B	Amateur	5 351.5 -5 366.5 kHz FIXED MOBILE except aeronautical mobile Amateur 5.133B	
5 366.5 -5 450 kHz FIXED MOBILE except aeronautical mobile	5 366.5 -5 450 kHz FIXED MOBILE except aeronautical mobile		5 366.5 -5 450 kHz FIXED MOBILE except aeronautical mobile	
5 450 kHz – 5 480 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	5 450 kHz – 5 480 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	Aeronautical mobile (OR)	5 450 kHz – 5 480 kHz FIXED AERONAUTICAL MOBILE (OR) LAND MOBILE	Appendix 27 Allotment plan applies
5 480-5 680 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	5 480-5 680 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	Aeronautical mobile	5 480-5 680 kHz AERONAUTICAL MOBILE (R) 5.111 5.115	Appendix 27 Allotment Plan applies
5 680-5 730 kHz AERONAUTICAL MOBILE (OR) 5.111 5.115	5 680-5 730 kHz AERONAUTICAL MOBILE (OR) 5.111 5.115	5 680 kHz may be used under the MMS for search and rescue operations (see Article 31). 6215 kHz – use of this frequency prescribed in Article 31. SRD applications (6 765- 6 795 kHz)	5 680-5 730 kHz AERONAUTICAL MOBILE (OR) 5.111 5.115	Appendix 26 Allotment Plan applies Common international SRD band; see ITU-R Rec.SM. [SRD]
5 730-5 900 kHz FIXED LAND MOBILE	5 730-5 900 kHz FIXED LAND MOBILE	Land mobile	5 730-5 900 kHz FIXED LAND MOBILE	
5 900-5 950 kHz BROADCASTING 5.134 5.136	5 900-5 950 kHz BROADCASTING 5.134 5.136	HF Sound Broadcasting	5 900-5 950 kHz BROADCASTING 5.134 5.136	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
5 950-6 200 kHz BROADCASTING	5 950-6 200 kHz BROADCASTING	HF Sound Broadcasting	5 950-6 200 kHz BROAD CASTING	ITU RR Article 12 Planning Procedures applies
6 200-6 525 kHz MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137 5.137A	6 200-6 525 kHz MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137 5.137A	Maritime mobile communications 6312 kHz , 6215 kHz – DSC for distress and calling; Article 31 applies. 6268 kHz – Automatic Connection System (ACS), as described in the most recent version of Rec. ITU-R M.541. 6314 kHz– maritime safety information (MSI); App.15, App.17 applies	6 200-6 525 kHz MARITIME MOBILE 5.109 5.110 5.130 5.132 5.137 5.137A	ITU RR Appendix 15 and Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Recommendation ITU-R M.541.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
6 525-6 685 kHz AERONAUTICAL MOBILE (R)	6 525-6 685 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	6 525-6 685 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies
6 685-6 765 kHz AERONAUTICAL MOBILE (OR)	6 685-6 765 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	6 685-6 765 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies
6 765-7 000 kHz FIXED MOBILE except aeronautical mobile (R) 5.138 5.138A 5.139	6 765-7 000 kHz FIXED MOBILE except aeronautical mobile (R) 5.138 5.138A	Maritime and/ or land mobile communications The band 6765-6795 kHz is designated for ISM applications (5.138).	6 765-7 000 kHz FIXED MOBILE except aeronautical mobile (R) 5.138 5.138A	
7 000-7 100 kHz AMATEUR AMATEUR- SATELLITE 5.140 5.141 5.141A	7 000-7 100 kHz AMATEUR AMATEUR- SATELLITE 5.140 5.141	Amateur communications Amateur-satellite communications	7 000-7 100 kHz AMATEUR AMATEUR- SATELLITE 5.140 5.141	
7 100-7 200 kHz AMATEUR 5.141A 5.141B 5.141C 5.142	7 100-7 200 kHz AMATEUR 5.141B 5.141C 5.142	Amateur communications	7 100-7 200 kHz AMATEUR 5.141B 5.141C 5.142	
7 200-7 300 kHz BROADCASTING	7 200-7 300 kHz BROADCASTING	HF Sound Broadcasting	7 200-7 300 kHz BROADCASTING	ITU RR Article 12 Planning Procedures applies
7 300-7 400 kHz BROADCASTING 5.134 5.143 5.143A 5.143B 5.143C 5.143D	7 300-7 400 kHz BROADCASTING 5.134 5.143 5.143B	HF Sound Broadcasting	7 300-7 400 kHz BROADCASTING 5.134 5.143 5.143B	Article 12 Planning Procedures and Res.517 apply.
7 400-7 450 kHz BROADCASTING 5.143B 5.143C	7 400-7 450 kHz BROADCASTING 5.143B	HF Sound Broadcasting	7 400-7 450 kHz BROADCASTING 5.143B	ITU RR Article 12 Planning Procedures applies
7 450-8 100 kHz FIXED MOBILE except aeronautical mobile (R) 5.143E 5.144	7 450-8 100 kHz FIXED MOBILE except aeronautical mobile (R) 5.143E	SADC harmonised HF frequencies for cross- border mobile communications; see Annex G.	7 450-8 100 kHz FIXED MOBILE except aeronautical mobile (R) 5.143E	
8 100-8 195 kHz FIXED MARITIME MOBILE	8 100-8 195 kHz FIXED MARITIME MOBILE	Maritime mobile communications	8 100-8 195 kHz FIXED MARITIME MOBILE	
8 195-8 815 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145 5.111	8 195-8 815 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145 5.111	Maritime mobile communications 8414.5 kHz – DSC for distress and calling; Article 31 applies 8 376.5 kHz – ACS , as described in the most recent version of Recommendation ITU-R M.541.8416.5 kHz – maritime safety information; Appendix 15, 17 applies. 8443 kHz – maritime safety information (MSI); Appendix 15, 17 applies.	8 195-8 815 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145 5.111	ITU RR Appendix 15 and Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Recommendation ITU-R M.541.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
8 815-8 965 kHz AERONAUTICAL MOBILE (R)	8 815-8 965 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	8 815-8 965 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies
8 965-9 040 kHz AERONAUTICAL MOBILE (OR)	8 965-9 040 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	8 965-9 040 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies
9 040-9 305 kHz FIXED	9 040-9 305 kHz FIXED	Fixed	9 040-9 305 kHz FIXED	
9 305 -9 355 kHz FIXED Radiolocation 5.145A 5.145B	9 305 -9 355 kHz FIXED Radiolocation 5.145A 5.145B		9 305 -9 355 kHz FIXED Radiolocation 5.145A 5.145B	
9355-9 400 kHz FIXED	9355-9 400 kHz FIXED		9355-9 400 kHz FIXED	
9400-9500 kHz BROADCASTING 5.134 5.146	9400-9500 kHz BROADCASTING 5.134 5.146	HF Sound Broadcasting	9400-9500 kHz BROADCASTING 5.134 5.146	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
9 500-9 900 kHz BROADCASTING 5.147	9 500-9 900 kHz BROADCASTING 5.147	HF Sound Broadcasting	9 500-9 900 kHz BROADCASTING 5.147	ITU RR Article 12 Planning Procedures applies
9 900-9 995 kHz FIXED	9 900-9 995 kHz FIXED	Fixed	9 900-9 995 kHz FIXED	
9 995-10 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111	9 995-10 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111		9 995-10 003 kHz STANDARD FREQUENCY AND TIME SIGNAL (10 000 kHz) 5.111	
10 003-10 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	10 003-10 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111		10 003-10 005 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	
10 005-10 100 kHz AERONAUTICAL MOBILE (R) 5.111	10 005-10 100 kHz AERONAUTICAL MOBILE (R) 5.111	Aeronautical mobile communications	10 005-10 100 kHz AERONAUTICAL MOBILE (R) 5.111	Appendix 27 Allotment Plan applies
10 100-10 150 kHz FIXED Amateur	10 100-10 150 kHz FIXED Amateur	Fixed Amateur communications	10 100-10 150 kHz FIXED Amateur	
10 150-11 175 kHz FIXED Mobile except aeronautical mobile (R)	10 150-11 175 kHz FIXED Mobile except aeronautical mobile (R)	SADC harmonised HF frequencies for cross- border mobile communications; see Annex G.	10 150-11 175 kHz FIXED Mobile except aeronautical mobile (R)	
11 175-11 275 kHz AERONAUTICAL MOBILE (OR)	11 175-11 275 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	11 175-11 275 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations / utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
11 275-11 400 kHz AERONAUTICAL MOBILE (R)	11 275-11 400 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	11 275-11 400 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies
11 400-11 600 kHz FIXED	11 400-11 600 kHz FIXED	Fixed	11 400-11 600 kHz FIXED	
11 600-11 650 kHz BROADCASTING 5.134 5.146	11 600-11 650 kHz BROADCASTING 5.134 5.146	HF Sound Broadcasting	11 600-11 650 kHz BROADCASTING 5.134 5.146	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
11 650-12 050 kHz BROADCASTING 5.147	11 650-12 050 kHz BROADCASTING 5.147	HF Sound Broadcasting	11 650-12 050 kHz BROADCASTING 5.147	ITU RR Article 12 Planning Procedures applies
12 050-12 100 kHz BROADCASTING 5.134 5.146	12 050-12 100 kHz BROADCASTING 5.134 5.146	HF Sound Broadcasting	12 050-12 100 kHz BROADCASTING 5.134 5.146	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
12 100-12 230 kHz FIXED	12 100-12 230 kHz FIXED	Fixed	12 100-12 230 kHz FIXED	
12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	Maritime mobile communications 12 577 kHz – DSC for distress and calling; Article 31 applies 12520 kHz – ACS as described in the most recent version of Recommendation ITU-R M.541. 12579 kHz – MSI; App 15 and App.17 applies. 12663.5 kHz – MSI; App 15 and App.17 applies.	12 230-13 200 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	ITU RR Appendix 15 and Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies.
13 200-13 260 kHz AERONAUTICAL MOBILE (OR)	13 200-13 260 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	13 200-13 260 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies
13 260-13 360 kHz AERONAUTICAL MOBILE (R)	13 260-13 360 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	13 260-13 360 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies
13 360-13 410 kHz FIXED RADIO ASTRONOMY 5.149	13 360-13 410 kHz FIXED RADIO ASTRONOMY 5.149	Radio astronomy	13 360-13 410 kHz FIXED RADIO ASTRONOMY 5.149	
13 410-13 450 kHz FIXED Mobile except aeronautical mobile (R)	13 410-13 450 kHz FIXED Mobile except aeronautical mobile (R)	Maritime and/ or land mobile communications The band 13 553-13 567 kHz is designated for ISM applications (5.150). SRD applications (13 553-13 567kHz)	13 410-13 450 kHz FIXED Mobile except aeronautical mobile (R)	Common international SRD band; see ITU-R Rec.SM.2153

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
13 450-13 550 KHz FIXED Mobile except aeronautical mobile (R) Radiolocation 5.132A 5.149A	13 450-13 550 KHz FIXED Mobile except aeronautical mobile (R) Radiolocation 5.132A 5.149A		13 450-13 550 KHz FIXED Mobile except aeronautical mobile (R) Radiolocation 5.132A 5.149A	
13 550-13 570 KHz FIXED Mobile except aeronautical mobile (R) 5.150	13 550-13 570 KHz FIXED Mobile except aeronautical mobile (R) 5.150		13 550-13 570 KHz FIXED Mobile except aeronautical mobile (R) 5.150	
13 570-13 600 kHz BROADCASTING 5.134 5.151	13 570-13 600 kHz BROADCASTING 5.134 5.151	HF Sound Broadcasting	13 570-13 600 kHz BROADCASTING 5.134 5.151	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
13 600-13 800 kHz BROADCASTING	13 600-13 800 kHz BROADCASTING	HF Sound Broadcasting	13 600-13 800 kHz BROADCASTING	ITU RR Article 12 Planning Procedures applies
13 800-13 870 kHz BROADCASTING 5.134 5.151	13 800-13 870 kHz BROADCASTING 5.134 5.151	HF Sound Broadcasting	13 800-13 870 kHz BROADCASTING 5.134 5.151	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
13 870-14 000 kHz FIXED Mobile except aeronautical mobile (R)	13 870-14 000 kHz FIXED Mobile except aeronautical mobile (R)	Maritime and/ or land mobile communications	13 870-14 000 kHz FIXED Mobile except aeronautical mobile (R)	
14 000-14 250 kHz AMATEUR AMATEUR- SATELLITE	14 000-14 250 kHz AMATEUR AMATEUR SATELLITE	Amateur communications Amateur-satellite communications	14 000-14 250 kHz AMATEUR AMATEUR- SATELLITE	
14 250-14 350 kHz AMATEUR 5.152	14 250-14 350 kHz AMATEUR	Amateur communications	14 250-14 350 kHz AMATEUR	
14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R)	14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R)	SADC harmonised HF frequencies for cross- border mobile communications; see Annex G.	14 350-14 990 kHz FIXED Mobile except aeronautical mobile (R)	
14 990-15 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (15000 kHz)5.111	14 990-15 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (15000 kHz) 5.111		14 990-15 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (15000kHz) 5.111	
15 005-15 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	15 005-15 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research		15 005-15 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	
15 010-15 100 kHz AERONAUTICAL MOBILE (OR)	15 010-15 100 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	15 010-15 100 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies
15 100-15 600 kHz BROADCASTING	15 100-15 600 kHz BROADCASTING	HF Sound Broadcasting	15 100-15 600 kHz BROADCASTING	ITU RR Article 12 Planning Procedures applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
15 600-15 800 kHz BROADCASTING 5.134 5.146	15 600-15 800 kHz BROADCASTING 5.134 5.146	HF Sound Broadcasting	15 600-15 800 kHz BROADCASTING 5.134 5.146	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
15 800-16 100 kHz FIXED 5.153	15 800-16 100 kHz FIXED 5.153	Fixed	15 800-16 100 kHz FIXED 5.153	
16 100-16 200 KHz FIXED Radiolocation 5.145A 5.145B	16 100-16 200 KHz FIXED Radiolocation 5.145A 5.145B		16 100-16 200 KHz FIXED Radiolocation 5.145A 5.145B	
16 200-16 360 KHz FIXED	16 200-16 360 KHz FIXED		16 200-16 360 KHz FIXED	
16 360-17 410 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	16 360-17 410 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	Maritime mobile communications 16 804.5kHz – DSC for distress and calling; Article 31 applies. 16695 kHz – Automatic Connection System (ACS), as described in the most recent version of Recommendation ITU-R M.541. 16806.5 kHz – maritime safety information (MSI); App 15 and App.17 applies. 16909.5 kHz – maritime safety information (MSI); App 15 and App.17 applies.	16 360-17 410 kHz MARITIME MOBILE 5.109 5.110 5.132 5.137A 5.145	ITU RR and Appendix 15 Appendix 17 Channelling Plan applies ITU RR Appendix 25 Allotment Plan applies Recommendation ITU-R M.541.
17 410-17 480 kHz FIXED	17 410-17 480 kHz FIXED	Fixed	17 410-17 480 kHz FIXED	
17 480-17 550 kHz BROADCASTING 5.134 5.146	17 480-17 550 kHz BROADCASTING 5.134 5.146	HF Sound Broadcasting	17 480-17 550 kHz BROADCASTING 5.134 5.146	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
17 550-17 900 kHz BROADCASTING	17 550-17 900 kHz BROADCASTING	HF Sound Broadcasting	17 550-17 900 kHz BROADCASTING	ITU RR Article 12 Planning Procedures applies
17 900-17 970 kHz AERONAUTICAL MOBILE (R)	17 900-17 970 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	17 900-17 970 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies
17 970-18 030 kHz AERONAUTICAL MOBILE (OR)	17 970-18 030 kHz AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	17 970-18 030 kHz AERONAUTICAL MOBILE (OR)	Appendix 26 Allotment Plan applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
18 030-18 052 kHz FIXED	18 030-18 052 kHz FIXED	Fixed	18 030-18 052 kHz FIXED	
18 052-18 068 kHz FIXED Space research	18 052-18 068 kHz FIXED Space research	Fixed	18 052-18 068 kHz FIXED Space research	
18 068-18 168 kHz AMATEUR AMATEUR- SATELLITE 5.154	18 068-18 168 kHz AMATEUR AMATEUR- SATELLITE	Amateur communications Amateur-satellite communications	18 068-18 168 kHz AMATEUR AMATEUR- SATELLITE	
18 168-18 780 kHz FIXED Mobile except aeronautical mobile	18 168-18 780 kHz FIXED Mobile except aeronautical mobile	Maritime and/ or land mobile communications	18 168-18 780 kHz FIXED Mobile except aeronautical mobile	
18 780-18 900 kHz MARITIME MOBILE	18 780-18 900 kHz MARITIME MOBILE	Maritime mobile communications	18 780-18 900 kHz MARITIME MOBILE	ITU RR Appendix 17 Channelling Plan applies
18 900-19 020 kHz BROADCASTING 5.134 5.146	18 900-19 020 kHz BROADCASTING 5.134 5.146	HF Sound Broadcasting	18 900-19 020 kHz BROADCASTING 5.134 5.146	Article 12 Planning Procedures and Res.517 (WRC- 19) applies
19 020-19 680 kHz FIXED	19 020-19 680 kHz FIXED	Fixed	19 020-19 680 kHz FIXED	
19 680-19 800 kHz MARITIME MOBILE 5.132	19 680-19 800 kHz MARITIME MOBILE 5.132	19 680.5 kHz – maritime safety information (MSI); App.17 applies	19 680-19 800 kHz MARITIME MOBILE 5.132	The frequency 19 680.5 kHz is the international frequency for transmission of MSI.
19 800-19 990 kHz FIXED	19 800-19 990 kHz FIXED	Fixed	19 800-19 990 kHz FIXED	
19 990-19 995 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	19 990-19 995 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111		19 990-19 995 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research 5.111	
19 995-20 010 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111	19 995-20 010 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111		19 995-20 010 kHz STANDARD FREQUENCY AND TIME SIGNAL (20 000 kHz) 5.111	
20 010-21 000 kHz FIXED Mobile	20 010-21 000 kHz FIXED Mobile		20 010-21 000 kHz FIXED Mobile	
21 000-21 450 kHz AMATEUR AMATEUR- SATELLITE	21 000-21 450 kHz AMATEUR AMATEUR- SATELLITE	Amateur communications Amateur-satellite communications	21 000-21 450 kHz AMATEUR AMATEUR SATELLITE	
21 450-21 850 kHz BROADCASTING	21 450-21 850 kHz BROADCASTING	HF Sound Broadcasting	21 450-21 850 kHz BROADCASTING	ITU RR Article 12 Planning Procedures applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
21 850-21 870 kHz FIXED 5.155A 5.155	21 850-21 870 kHz FIXED	Fixed	21 850-21 870 kHz FIXED	
21 870-21 924 kHz FIXED 5.155B	21 870-21 924 kHz FIXED 5.155B	Fixed	21 870-21 924 kHz FIXED 5.155B	This band is used by the FS for services related to aircraft flight safety (5.155B)
21 924-22 000 kHz AERONAUTICAL MOBILE (R)	21 924-22 000 kHz AERONAUTICAL MOBILE (R)	Aeronautical mobile communications	21 924-22 000 kHz AERONAUTICAL MOBILE (R)	Appendix 27 Allotment Plan applies
22 000-22 855 kHz MARITIME MOBILE 5.132 5.137A 5.156	22 000-22 855 kHz MARITIME MOBILE 5.132 5.137A	22 376 kHz – maritime safety information (MSI); App.17 applies.	22 000-22 855 kHz MARITIME MOBILE 5.132 5.137A	ITU RR Appendix 17 Channelling Plan applies. ITU RR Appendix 25 Allotment Plan applies. The frequency 22 376 kHz is the international frequency for transmission of MSI.
22 855-23 000 kHz FIXED 5.156	22 855-23 000 kHz FIXED	Fixed	22 855-23 000 kHz FIXED	
23 000-23 200 kHz FIXED Mobile except aeronautical mobile (R) 5.156	23 000-23 200 kHz FIXED Mobile except aeronautical mobile (R)		23 000-23 200 kHz FIXED Mobile except aeronautical mobile (R)	
23 200-23 350 kHz FIXED 5.156A AERONAUTICAL MOBIL (OR)	23 200-23 350 kHz FIXED 5.156A AERONAUTICAL MOBILE (OR)	Aeronautical mobile communications	23 200-23 350 kHz FIXED 5.156A AERONAUTICAL MOBILE (OR)	The use of this band by the FS is limited to the provision of services related to aircraft flight safety (5.156A)
23 350-24 000 kHz FIXED MOBILE except aeronautical mobile 5.157	23 350-24 000 kHz FIXED MOBILE except aeronautical mobile 5.157		23 350-24 000 kHz FIXED MOBILE except aeronautical mobile 5.157	The use of this band by the MMS is limited to inter-ship radiotelegraphy (5.157).
24 000-24 450 kHz FIXED LAND MOBILE	24 000-24 450 kHz FIXED LAND MOBILE		24 000-24 450 kHz FIXED LAND MOBILE	
24 450 -24 600 kHz FIXED LAND MOBILE Radiolocation 5.132A 5.158	24 450 -24 600 kHz FIXED LAND MOBILE Radiolocation 5.132A 5.158		24 450 -24 600 kHz FIXED LAND MOBILE Radiolocation 5.132A 5.158	
24 600-24 890 KHz FIXED LAND MOBILE	24 600-24 890 KHz FIXED LAND MOBILE		24 600-24 890 KHz FIXED LAND MOBILE	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
24 990-25 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)	24 990-25 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)		24 990-25 005 kHz STANDARD FREQUENCY AND TIME SIGNAL (25 000 kHz)	
25 005-25 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	25 005-25 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research		25 005-25 010 kHz STANDARD FREQUENCY AND TIME SIGNAL Space research	
25 010-25 070 kHz FIXED MOBILE except aeronautical mobile	25 010-25 070 kHz FIXED MOBILE except aeronautical mobile		25 010-25 070 kHz FIXED MOBILE except aeronautical mobile	
25 070-25 210 kHz MARITIME MOBILE	25 070-25 210 kHz MARITIME MOBILE	Maritime mobile communications	25 070-25 210 kHz MARITIME MOBILE	ITU RR Appendix 17 Channelling Plan applies
25 210-25 550 kHz FIXED MOBILE except aeronautical mobile	25 210-25 550 kHz FIXED MOBILE except aeronautical mobile		25 210-25 550 kHz FIXED MOBILE except aeronautical mobile	
25 550-25 670 kHz RADIO ASTRONOMY 5.149	25 550-25 670 kHz RADIO ASTRONOMY 5.149	Radio astronomy	25 550-25 670 kHz RADIO ASTRONOMY 5.149	
25 670-26 100 kHz BROADCASTING	25 670-26 100 kHz BROADCASTING	HF Sound Broadcasting	25 670-26 100 kHz BROADCASTING	ITU RR Article 12 Planning Procedures applies.
26 100-26 175 kHz MARITIME MOBILE 5.132	26 100-26 175 kHz MARITIME MOBILE 5.132	26 100.5 kHz – maritime safety information (MSI); App.17 applies	26 100-26 175 kHz MARITIME MOBILE 5.132	ITU RR Appendix 17 Channelling Plan applies. ITU RR Appendix 25 Allotment Plan applies. The frequency 26 100.5 kHz is the international frequency for transmission of MSI.
26 175-26200 kHz FIXED MOBILE except aeronautical mobile	26 175-2 620 kHz MOBILE except aeronautical mobile	Mobile systems (single frequency) CB Radio (26.96- 27.410 MHz) ISM applications (26.975-27.283 MHz) SRD applications (26 957-27 283 kHz)	26 175-2 620 kHz MOBILE except aeronautical mobile	Common international SRD band; see ITU-R Rec.SM.2153
26 200-26 350 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	26 200-26 350 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A		26 200-26 350 kHz FIXED MOBILE except aeronautical mobile Radiolocation 5.132A	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
26 350-27 500 kHz FIXED MOBILE except aeronautical mobile 5.150	26 350-27 500 kHz FIXED MOBILE except aeronautical mobile 5.150 SADC1		26 350-27 500 kHz FIXED MOBILE except aeronautical mobile 5.150 SADC1	
27.5-28 MHz METEOROLOGICAL AIDS FIXED MOBILE	27.5-28 MHz METEOROLOGICAL AIDS FIXED MOBILE		27.5-28 MHz METEOROLOGICAL AIDS FIXED MOBILE	
28-29.7 MHz AMATEUR AMATEUR- SATELLITE	28-29.7 MHz AMATEUR AMATEUR- SATELLITE	Amateur communications Amateur-satellite communications	28-29.7 MHz AMATEUR AMATEUR- SATELLITE	
29.7-30.005 MHz FIXED MOBILE	29.7-30.005 MHz FIXED MOBILE SADC2	Government use	29.7-30.005 MHz FIXED MOBILE SADC2	
30.005-30.01 MHz SPACE OPERATION (satellite identification) FIXED MOBILE SPACE RESEARCH	30.005-30.01 MHz SPACE OPERATION (satellite identification) FIXED MOBILE SPACE RESEARCH	Government use	30.005-30.01 MHz SPACE OPERATION (satellite identification) FIXED MOBILE SPACE RESEARCH	
30.01-37.5 MHz FIXED MOBILE	30.01-37.5 MHz MOBILE	Government use PMR	30.01-37.5 MHz MOBILE	
37.5-38.25 MHz FIXED MOBILE Radio astronomy 5.149	37.5-38.25 MHz MOBILE Radio astronomy 5.149	PMR Radio astronomy	37.5-38.25 MHz MOBILE Radio astronomy 5.149	
38.25-39 MHz FIXED MOBILE	38.25-39 MHz MOBILE	PMR	38.25-39 MHz MOBILE	
39-39.5 MHz FIXED MOBILE Radiolocation 5.132A 5.159	39-39.5 MHz FIXED MOBILE Radiolocation 5.132A 5.159		39-39.5 MHz FIXED MOBILE Radiolocation 5.132A 5.159	
39.5-39.986 MHz FIXED MOBILE	39.5-39.986 MHz FIXED MOBILE		39.5-39.986 MHz FIXED MOBILE	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
39.986-40.0 MHz FIXED MOBILE Space research	39.986-40.0 MHz FIXED MOBILE Space research	PMR	39.986-40.0 MHz FIXED MOBILE Space research	
40.0-40.02 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Space research	40.0-40.02 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Space research	Private Mobile Radio (walkie talkies) Fixed applications SRD (40.66 – 40.7 MHz): Radio Microphone Wireless control devices Measurement equipment Earth exploration-satellite (active) Space research	40.0-40.02 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Space research	Rec. ITU-R SM.1896-X, Report ITU-R SM.2153- X ISM band (40.66-40.70 MHz): centre frequency 40.68 MHz
40.02-40.98 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.150	40.02-40.98 MHz MOBILE Earth exploration-satellite (active) 5.159A 5.150 SADC3	PMR ISM (40.66-40.70 MHz) SRD applications (40.66-40.77 MHz)	40.02-40.98 MHz MOBILE Earth exploration-satellite (active) 5.159A 5.150 SADC3	Common international SRD band; see ITU-R Rec.SM.2153
40.98-41.015 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Space research 5.160 5.161	40.98-41.015 MHz MOBILE Earth exploration-satellite (active) 5.159A Space research 5.160	PMR	40.98-41.015 MHz MOBILE Earth exploration-satellite (active) 5.159A Space research 5.160	
41.015-42MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.160 5.161	41.015-42 MHz MOBILE Earth exploration-satellite (active) 5.159A 5.160	PMR	41.015-42 MHz MOBILE Earth exploration-satellite (active) 5.159A 5.160	
42-42.5 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Radiolocation 5.132A 5.160 5.161B	42-42.5 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Radiolocation 5.132A 5.160 5.161B	Fixed and mobile applications Earth exploration-satellite (active) Radiolocation	42-42.5 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A Radiolocation 5.132A 5.160 5.161B	
42.5-44 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.160 5.161 5.161A	42.5-44 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.160 5.161 5.161A	Fixed and mobile applications Earth exploration-satellite (active)	42.5-44 MHz FIXED MOBILE Earth exploration-satellite (active) 5.159A 5.160 5.161 5.161A	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
44-47 MHz FIXED MOBILE Earth exploration- satellite (active) 5.159A 5.162 5.162A	44-47 MHz FIXED MOBILE Earth exploration- satellite (active) 5.159A		44-47 MHz FIXED MOBILE Earth exploration- satellite (active) 5.159A	
47-50 MHz BROADCASTING Earth exploration- satellite (active) 5.159A 5.162A 5.163 5.164 5.165	47-50 MHz BROADCASTING Earth exploration- satellite (active) 5.159A 5.164 5.165		47-50 MHz BROADCASTING Earth exploration- satellite (active) 5.159A 5.164 5.165	
50-52 MHz BROADCASTING Amateur 5.166A 5.166B 5.166C 5.166D 5.166E 5.169 5.169A 5.162A 5.164 5.165	50-54 MHz AMATEUR 5.166A 5.166C 5.169 5.169A 5.164 5.165		50-54 MHz AMATEUR 5.166A 5.166C 5.169 5.169A 5.164 5.165	
52-68 MHz BROADCASTING 5.162A 5.163 5.164 5.165 5.169 5.169A 5.169B 5.171	54-68 MHz FIXED MOBILE except aeronautical mobile 5.164 5.165 5.171		54-68 MHz FIXED MOBILE except aeronautical mobile 5.164 5.165 5.171	
68-74.8 MHz FIXED MOBILE except aeronautical mobile 5.149 5.175 5.177 5.179	68-74.8 MHz MOBILE except aeronautical mobile 5.149 SADC4	PMR and/or PAMR	68-74.8 MHz MOBILE except aeronautical mobile 5.149 SADC4	
74.8-75.2 MHz AERONAUTICAL RADIONAVIGATION 5.180 5.181	74.8-75.2 MHz AERONAUTICAL RADIONAVIGATION 5.180	Instrument Landing System (ILS) Marker beacons (75 MHz)	74.8-75.2 MHz AERONAUTICAL RADIONAVIGATION 5.180	
75.2-87.5 MHz FIXED MOBILE except aeronautical mobile 5.175 5.179 5.187	75.2-87.5 MHz MOBILE except aeronautical mobile	PMR and/or PAMR	75.2-87.5 MHz MOBILE except aeronautical mobile	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
87.5-100 MHz BROADCASTING 5.190	87.5-100 MHz BROADCASTING	FM Sound broadcasting (87.5-108 MHz)	87.5-100 MHz BROADCASTING	Geneva agreement GE84
100-108 MHz BROADCASTING 5.192 5.194	100-108 MHz BROADCASTING		100-108 MHz BROADCASTING	
108-117.975 MHz AERONAUTICAL RADIONAVIGATION 5.197 5.197A	108-117.975 MHz AERONAUTICAL RADIONAVIGATION 5.197A	Instrument Landing System (ILS) / Localiser (108-112 MHz) VHF Omni-directional Range (VOR) (112-117.975 MHz) Aeronautical mobile communications (108-117.975 MHz)	108-117.975 MHz AERONAUTICAL RADIONAVIGATION 5.197A	AM(R)S shall operate in accordance with Res.413(Rev. WRC-07). Safety and regularity of flights; in the band 108- 112 MHz AM(R) S limited to ground based transmitters.
117.975-137 MHz AERONAUTICAL MOBILE (R) AERONAUTICAL MOBILE- SATELLITE (R) 5.198A 5.198B 5.111 5.200 5.201 5.202	117.975-137 MHz AERONAUTICAL MOBILE (R) AERONAUTICAL MOBILE- SATELLITE (R) 5.198A 5.198B 5.111 5.200 5.201	117.975-121.450 MHz Aeronautical mobile communications 121.450-121.550 MHz International Distress Frequency (121.5 MHz) 121.550-137.000 MHz Aeronautical mobile communications	117.975-137 MHz AERONAUTICAL MOBILE (R) AERONAUTICAL MOBILE- SATELLITE (R) 5.198A 5.198B 5.111 5.200 5.201	Safety and regularity of flights
				EPIRBs at 121.5 MHz ITU RR Article 31 applies
				123.1 MHz - auxiliary emergency frequency
137-137.025 MHz SPACE OPERATION (space-to-Earth) 5.203C METEORO LOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	137-137.025 MHz SPACE OPERATION (space-to-Earth) 5.203C METEORO LOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Mobile except aeronautical mobile (R) 5.208		137-137.025 MHz SPACE OPERATION (space-to-Earth) 5.203C METEORO LOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Mobile except aeronautical mobile (R) 5.208	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
137.025-137.175 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL- SATELLITE (space-to-Earth) SPACE RESEARCH (space-to- Earth) Fixed Mobile-satellite (space-to- Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	137.025-137.175 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL- SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Mobile-satellite (space- to-Earth 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.208		137.025-137.175 MHz SPACE OPERATION (space-to-Earth) 5.203C METEORO LOGICAL- SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Mobile-satellite (space- to-Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.208	
137.175-137.825 MHz SPACE OPERATION (space- to-Earth) 5.203C 5.209A METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE-SATELLITE (space- to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to- Earth) Fixed Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	137.175-137.825 MHz SPACE OPERATION (space-to-Earth) 5.203C 5.209A METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space- to-Earth) Mobile except aeronautical mobile (R) 5.208	NOAA meteorology satellite (137.500- 137.620 MHz)	137.175-137.825 MHz SPACE OPERATION (space-to-Earth) 5.203C 5.209A METEOROLOGICAL- SATELLITE (space-to- Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) Mobile except aeronautical mobile (R) 5.208	
137.825-138 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL- SATELLITE (space-to-Earth) SPACE RESEARCH (space-to- Earth) Fixed Mobile-satellite (space- to- Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.204 5.205 5.206 5.207 5.208	137.825-138 MHz SPACE OPERATION (space-to-Earth) 5.203C METEOROLOGICAL- SATELLITE (space-to- Earth) SPACE RESEARCH (space-to-Earth) Mobile-satellite (space- to-Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.208		137.825-138 MHz SPACE OPERATION (space-to-Earth) 5.203C METEORO LOGICAL- SATELLITE (space-to-Earth) SPACE RESEARCH (space-to-Earth) Mobile-satellite (space- to-Earth) 5.208A 5.208B 5.209 Mobile except aeronautical mobile (R) 5.208	
138-143.6 MHz AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	138-143.6 MHz MOBILE 5.211 5.212 5.214 SADC5	PMR and / or PAMR	138-143.6 MHz MOBILE 5.211 5.212 5.214 SADC5	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
143.6-143.65 MHz AERONAUTICAL MOBILE (OR) SPACE RESEARCH (space-to-Earth) 5.211 5.212 5.214	143.6-143.65 MHz MOBILE 5.211 5.212 5.214	PMR and/or PAMR	143.6-143.65 MHz MOBILE 5.211 5.212 5.214	
143.65-144 MHz AERONAUTICAL MOBILE (OR) 5.210 5.211 5.212 5.214	143.65-144 MHz MOBILE 5.211 5.212 5.214	PMR and/or PAMR	143.65-144 MHz MOBILE 5.211 5.212 5.214	
144-146 MHz AMATEUR AMATEUR- SATELLITE 5.216	144-146 MHz AMATEUR AMATEUR- SATELLITE		144-146 MHz AMATEUR AMATEUR- SATELLITE	
146-148 MHz FIXED MOBILE except aeronautical mobile (R)	146-148 MHz MOBILE except aeronautical mobile (R)	PMR and/or PAMR	146-148 MHz MOBILE except aeronautical mobile (R)	
148-149.9 MHz FIXED MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221	148-149.9 MHz MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221 SADC6	Mobile satellite communications (Little LEO)	148-149.9 MHz MOBILE except aeronautical mobile (R) MOBILE-SATELLITE (Earth-to-space) 5.209 5.218 5.218A 5.219 5.221 SADC6	For some Little LEO systems this band is supplemented by the band 149.9- 150.05 MHz.
149.9-150.05 MHz MOBILE-SATELLITE (Earth- to-space) 5.209 5.220	149.9-150.05 MHz MOBILE-SATELLITE (Earth-to-space) 5.209 5.220	Mobile satellite communications (Little LEO)	149.9-150.05 MHz MOBILE-SATELLITE (Earth-to-space) 5.209 5.220	
150.05-153 MHz FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149	150.05-153 MHz MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149	PMR and/or PAMR Paging	150.05-153 MHz MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149	
153-154 MHz FIXED MOBILE except aeronautical mobile (R) Meteorological Aids	153-154 MHz MOBILE except aeronautical mobile (R)	PMR and/or PAMR	153-154 MHz MOBILE except aeronautical mobile (R)	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
154-156.4875 MHz FIXED MOBILE except aeronautical mobile (R) 5.225A 5.226	154-156.4875 MHz FIXED MOBILE except aeronautical mobile (R) 5.225A 5.226	154-156 MHz PMR and/or PAMR	154-156.4875 MHz FIXED MOBILE except aeronautical mobile (R) 5.225A 5.226	
		156.00-156.4875 MHz Maritime mobile communications (Ship stations) Land mobile in areas remote from coast		Paired with 160.625-160.950 MHz, single frequency 156.3 MHz and in the band 156.375-156.475 MHz. ITU RR Articles 31 and 52 and Appendix 18 apply.
156.4875-156.5625 MHz MARITIME MOBILE (distress and calling via DSC) 5.111 5.226 5.227	156.4875-156.5625 MHz MARITIME MOBILE (distress and calling via DSC) 5.111 5.226 5.227	Maritime mobile distress, safety and calling frequency 156.525 MHz for maritime mobile VHF radiotelephone service using DSC. The bands 156.4875-156.5125 MHz and 156.5375-156.5625 MHz may also be used for land mobile services while protecting the maritime mobile service.	156.4875-156.5625 MHz MARITIME MOBILE (distress and calling via DSC) 5.111 5.226 5.227	ITU RR Articles 31 and 52 and Appendix 18 apply.
156.5625-156.7625 MHz FIXED MOBILE except aeronautical mobile (R) 5.226	156.5625-156.7625 MHz MOBILE except aeronautical mobile (R) 5.226	156.5625-156.7625 MHz Maritime mobile communications. Land mobile in areas remote from coast.	156.5625-156.7625 MHz MOBILE except aeronautical mobile (R) 5.226	Single frequency applications, ITU RR Articles 31 and 52 and Appendix 18 apply.
156.7625-156.7875 MHz MARITIME MOBILE (earth-to space) 5.111 5.226 5.228	156.7625-156.8375 MHz MARITIME MOBILE (earth to space) 5.111 5.226 5.228	International distress, safety and calling frequency at 156.8 MHz for the maritime mobile VHF radiotelephone service.	156.7625-156.8375 MHz MARITIME MOBILE (earth-to space) 5.111 5.226 5.228	ITU RR Article 31 and Appendix 18 apply to the use of the frequency 156.8 MHz and this band.
156.7875-156.8125 MHz MARITIME MOBILE (distress and calling) 5.111 5.226	156.7875-156.8125 MHz MARITIME MOBILE (distress and calling) 5.111 5.226		156.7875-156.8125 MHz MARITIME MOBILE (distress and calling) 5.111 5.226	
156.8125-156.8375 MHz MARITIME MOBILE Mobile-satellite (Earth-to- space) 5.111 5.226 5.228	156.8125-156.8375 MHz MARITIME MOBILE Mobile-satellite (Earth-to- space) 5.111 5.226 5.228		156.8125-156.8375 MHz MARITIME MOBILE Mobile-satellite (Earth-to- space) 5.111 5.226 5.228	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
156.8375-157.1875 MHz FIXED MOBILE except aeronautical mobile 5.226	156.8375-157.1875 MHz FIXED MOBILE except aeronautical mobile 5.226	156.8375-157.45 MHz Maritime mobile communications (ship stations). Land mobile in areas remote from coast. 157.450-160.6 MHz PMR and/or PAMR 160.600-160.975 MHz Maritime mobile communications (Coast stations). Land mobile in areas remote from coast. 160.975-161.475 MHz PMR and/or PAMR	156.8375-157.1875 MHz FIXED MOBILE except aeronautical mobile 5.226	Paired with 161.5-162.0 MHz and single frequency applications; ITU RR Articles 31 and 52 and Appendix 18 applies. Paired with 156.025-156.350 MHz; ITU RR Articles 31 and 52 and Appendix 18 applies. Single frequency applications.
157.1875-157.3375 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	157.1875-157.3375 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite MOD 5.208A 5.208B 5.228AB 5.228AC 5.226		157.1875-157.3375 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite MOD 5.208A 5.208B 5.228AB 5.228AC 5.226	
157.3375-161.7875 MHz FIXED MOBILE except MO aeronautical mobile ae 5.226	157.3375-161.7875 MHz FIXED BILE except ronautical mobile 5.226		157.3375-161.7875 MHz FIXED MOBILE except aeronautical mobile 5.226	
161.7875-161.9375 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	161.7875-161.9375 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226		161.7875-161.9375 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite 5.208A 5.208B 5.228AB 5.228AC 5.226	
161.9375-161.9625 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226	161.9375-161.9625 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226		161.9375-161.9625 MHz FIXED MOBILE except aeronautical mobile Maritime mobile-satellite (Earth-to-space) 5.228AA 5.226	
161.9625-161.9875 MHz FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	161.9625-161.9875 MHz FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B		161.9625-161.9875 MHz FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth-to-space) 5.228F 5.226 5.228A 5.228B	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
161.9875-162.0125 FIXED MOBILE except aeronautical mobile Maritime mobile- satellite (Earth-to-space) 5.228AA 5.226	161.9875-162.0125 FIXED MOBILE except aeronautical mobile Maritime mobile- satellite (Earth-to-space) 5.228AA 5.226		161.9875-162.0125 FIXED MOBILE except aeronautical mobile Maritime mobile- satellite (Earth-to- space) 5.228AA 5.226	
162.0125-162.0375 FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth- to- space) 5.228F 5.226 5.228A 5.228B	162.0125-162.0375 FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth- to- space) 5.228F 5.226 5.228A 5.228B		162.0125-162.0375 FIXED MOBILE except aeronautical mobile Mobile-satellite (Earth- to-space) 5.228F 5.226 5.228A 5.228B	
162.0375-174 FIXED MOBILE except aeronautical mobile 5.226	162.0375-174 FIXED MOBILE except aeronautical mobile 5.226 SADC7		162.0375-174 FIXED MOBILE except aeronautical mobile 5.226 SADC7	
174-223 MHz BROADCASTING 5.235 5.237 5.243	174-223 MHz BROADCASTING 5.237	TV Broadcasting (174-214 MHz) T-DAB (214-230 MHz)	174-223 MHz BROADCASTING 5.237	TV Band III Migration from analogue to digital in accordance with SADC timelines.
223-230 MHz BROADCASTING Fixed Mobile 5.243 5.246 5.247	223-230 MHz BROADCASTING	TV Broadcasting (174-214 MHz) T-DAB (214-230 MHz)	223-230 MHz BROADCASTING	TV Band III Migration from analogue to digital in accordance with SADC timelines.
230-235 MHz FIXED MOBILE 5.247 5.251 5.252	230-235 MHz BROADCASTING 5.252 SADC8	TV Broadcasting	230-235 MHz BROADCASTING 5.252 SADC8	TV Band III (Analogue television to migrate according to SADC timelines)

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
235-267 MHz FIXED MOBILE 5.111 5.252 5.254 5.256 5.256A	235-238 MHz BROADCASTING 5.2525.254 SADC9	TV Broadcasting	235-238 MHz BROADCASTING 5.2525.254 SADC9	TV Band III
	238-246 MHz MOBILE 5.111 5.254 5.256 SADC9	238-242.95 MHz PMR and/or PAMR	238-246 MHz MOBILE 5.111 5.254 5.256 SADC9	
		242.95-243.05 MHz International Distress Frequency (243MHz)		Band available for distress and safety purposes.
		243.05-246.00 MHz Low-power devices		Low-power devices ancillary to the broadcasting service.
	246-254 MHz BROADCASTING 5.252 5.254 SADC9	TV Broadcasting (channel 13) (246.18-254.18 MHz)	246-254 MHz BROADCASTING 5.252 5.254 SADC9	TV Band III
	254-267 MHz MOBILE 5.254 SADC9	PMR and/or PAMR	254-267 MHz MOBILE 5.254 SADC9	
267-272 MHz FIXED MOBILE Space operation (space-to- Earth) 5.2545.257	267-272 MHz FIXED MOBILE 5.2545.257	Government use	267-272 MHz FIXED MOBILE 5.2545.257	
272-273 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE 5.254	272-273 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE 5.254	Government use	272-273 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE 5.254	
273-312 MHz FIXED MOBILE 5.254	273-312 MHz FIXED MOBILE 5.254	Government use	273-312 MHz FIXED MOBILE 5.254	
312-315 MHz FIXED MOBILE Mobile-satellite (Earth-to- space) 5.254 5.255	312-315 MHz FIXED MOBILE 5.254 5.255	Government use	312-315 MHz FIXED MOBILE 5.254 5.255	
315-322 MHz FIXED MOBILE 5.254	315-322 MHz FIXED MOBILE 5.254	Government use	315-322 MHz FIXED MOBILE 5.254	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
322-328.6 MHz FIXED MOBILE RADIO ASTRONOMY 5.149	322-328.6 MHz FIXED MOBILE RADIO ASTRONOMY 5.149	Government use	322-328.6 MHz FIXED MOBILE RADIO ASTRONOMY 5.149	
328.6-335.4 MHz AERONAUTICAL RADIONAVIGATION 5.258 5.259	328.6-335.4 MHz AERONAUTICAL RADIONAVIGATION 5.258	Instrument Landing Systems (ILS) (glide path)	328.6-335.4 MHz AERONAUTICAL RADIONAVIGATION 5.258	
335.4-387 MHz FIXED MOBILE 5.254	335.4-387 MHz FIXED MOBILE 5.254	335.4-336 MHz PMR and/or PAMR	335.4-387 MHz FIXED MOBILE 5.254	
		336-346 MHz Fixed Wireless Access		PTP/PTMP rural system; Paired with 356-366 MHz
		346.0-356.0 MHz PMR and/or PAMR		
		356.0-366.0 MHz Fixed Wireless Access		PTP/PTMP rural system; Paired with 336-346 MHz
		366.0-380.0 MHz PMR and/or PAMR		
		380.0-387.0 MHz PPDR		Paired with 390.0-397.0 MHz To be used mainly for digital systems.
387-390 MHz FIXED MOBILE Mobile-satellite (space- to- Earth) 5.208A 5.208B 5.254 5.255	387-390 MHz MOBILE Mobile-satellite (space- to-Earth) 5.208A 5.208B 5.254 5.255 SADC10	387.0-390.0 MHz PMR and/or PAMR	387-390 MHz MOBILE Mobile-satellite (space- to-Earth) 5.208A 5.208B 5.254 5.255 SADC10	Paired with 397.0-399.9 MHz To be used mainly for digital systems.
390-399.9 MHz FIXED MOBILE 5.254	390-399.9 MHz MOBILE 5.254 SADC10	390.0-397.0 MHz PPDR	390-399.9 MHz MOBILE 5.254 SADC10	Paired with 380.0-387.0 MHz To be used mainly for digital systems.
		397.0-399.9 MHz PMR and/or PAMR		Paired with 387.0-390.0 MHz To be used mainly for digital systems.
399.9-400.05 MHz MOBILE-SATELLITE (Earth- to-space) 5.209 5.220 5.260A 5.260B	399.9-400.05 MHz MOBILE-SATELLITE (Earth-to-space) 5.209 5.220 5.260A 5.260B		399.9-400.05 MHz MOBILE-SATELLITE (Earth-to-space) 5.209 5.220 5.260A 5.260B	
400.05-400.15 MHz STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262	400.05-400.15 MHz STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262		400.05-400.15 MHz STANDARD FREQUENCY AND TIME SIGNAL- SATELLITE (400.1 MHz) 5.261 5.262	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
400.15-401 MHz METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space- to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to- Earth) 5.263 Space operation (space-to- Earth) 5.262 5.264	400.15-401 MHz METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) 5.263 5.262 5.264		400.15-401 MHz METEOROLOGICAL AIDS METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208A 5.208B 5.209 SPACE RESEARCH (space-to-Earth) 5.263 5.262 5.264	
401-402 MHz METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	401-402 MHz METEOROLOGICAL AIDS SPACE OPERATION (space-to-Earth) EARTH EXPLORATION-SATELLITE (Earth-to- space) METEOROLOGICAL-SATELLITE (Earth-to-space) 5.264A 5.264B			
402-403 MHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) Fixed Mobile except aeronautical mobile 5.264A 5.264B	402-403 MHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) 5.264A 5.264B	SRDs – ultra low power active medical implants	402-403 MHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (Earth-to-space) METEOROLOGICAL-SATELLITE (Earth-to-space) 5.264A 5.264B	SRDs – see ITU-R Rec. SM.2153 and Rec. RS.1346
403-406 MHz METEOROLOGICAL AIDS Fixed Mobile except aeronautical mobile 5.265	403-406 MHz METEOROLOGICAL AIDS		403-406 MHz METEOROLOGICAL AIDS	
406-406.1 MHz MOBILE-SATELLITE (Earth-to-space) 5.266 5.267 5.265	406-406.1 MHz MOBILE-SATELLITE (Earth-to-space) 5.266 5.267 5.265	Low power satellite EPIRBs (distress and safety purposes)	406-406.1 MHz MOBILE-SATELLITE (Earth-to-space) 5.266 5.267 5.265	ITU RR Articles 32 and 34 and Appendix 15 applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
406.1-410 MHz FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.265	406.1-410 MHz MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.265	PMR and/or PAMR PPDR	406.1-410 MHz MOBILE except aeronautical mobile RADIO ASTRONOMY 5.149 5.265	The use of this band for PPDR to be studied.
410-420 MHz FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to- space) 5.268	410-420 MHz MOBILE except aeronautical mobile SADC11	PMR and/or PAMR PPDR	410-420 MHz MOBILE except aeronautical mobile SADC11	The use of this band for PPDR to be studied.
420-430 MHz FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271	420-430 MHz MOBILE except aeronautical mobile SADC11	PMR and/or PAMR PPDR	420-430 MHz MOBILE except aeronautical mobile SADC11	The use of this band for PPDR to be studied.
430-432 MHz AMATEUR RADIOLOCATION 5.271 5.272 5.273 5.274 5.275 5.276 5.277	430-432 MHz AMATEUR RADIOLOCATION 5.276 5.277 SADC11	Amateur	430-432 MHz AMATEUR RADIOLOCATION 5.276 5.277 SADC11	
432-438 MHz AMATEUR RADIOLOCATION Earth exploration- satellite (active) 5.279A 5.138 5.271 5.272 5.276 5.277 5.280 5.281 5.282	432-438 MHz AMATEUR RADIOLOCATION Earth exploration- satellite (active) 5.279A 5.138 5.276 5.277 5.282 SADC11	Amateur (432-438 MHz) Amateur-satellite (435- 438 MHz) ISM (433.0-434.79 MHz)	432-438 MHz AMATEUR RADIOLOCATION Earth exploration- satellite (active) 5.279A 5.138 5.276 5.277 5.282 SADC11	Conditions for amateur satellite service is given in 5.282
438-440 MHz AMATEUR RADIOLOCATION 5.271 5.273 5.274 5.275 5.276 5.277 5.283	438-440 MHz AMATEUR RADIOLOCATION 5.276 5.277	Amateur	438-440 MHz AMATEUR RADIOLOCATION 5.276 5.277	
440-450 MHz FIXED MOBILE except aeronautical mobile Radiolocation 5.269 5.270 5.271 5.284 5.285 5.286	440-450 MHz FIXED MOBILE except aeronautical mobile 5.286	PMR and/or PAMR PPDR PMR446 (446-446.1 MHz) FIXED (telemetry, dual frequency alarm systems)	440-450 MHz FIXED MOBILE except aeronautical mobile 5.286	The use of this band for PPDR to be studied. PMR446-ERC/ DEC/(98)25

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
450-455 MHz FIXED MOBILE 5.286AA 5.209 5.271 5.286 5.286A 5.286B 5.286C 5.286D 5.286E	450-455 MHz FIXED MOBILE 5.286AA 5.286 5.286A	Fixed links (PTP) IMT (450-470 MHz) PMR and/or PAMR	450-455 MHz FIXED MOBILE 5.286AA 5.286 5.286A	This band is currently used for a variety of fixed and mobile systems in the various SADC countries. This band is also identified for IMT (Res.224 applies).
455-456 MHz FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	455-456 MHz FIXED MOBILE 5.286AA 5.2095.286A		455-456 MHz FIXED MOBILE 5.286AA 5.2095.286A	
456-459 MHz FIXED MOBILE 5.286AA 5.271 5.287 5.288	456-459 MHz FIXED MOBILE 5.286AA 5.287 5.288		456-459 MHz FIXED MOBILE 5.286AA 5.287 5.288	
459-460 MHz FIXED MOBILE 5.286AA 5.209 5.271 5.286A 5.286B 5.286C 5.286E	459-460 MHz FIXED MOBILE 5.286AA 5.209 5.286A		459-460 MHz FIXED MOBILE 5.286AA 5.209 5.286A	
460-470 MHz FIXED MOBILE 5.286AA Meteorological-satellite (space-to-Earth) 5.287 5.288 5.289 5.290	460-470 MHz FIXED MOBILE 5.286AA Meteorological-satellite (space-to-Earth) 5.287 5.289		460-470 MHz FIXED MOBILE 5.286AA Meteorological-satellite (space-to-Earth) 5.287 5.289	
470-694 MHz BROADCASTING 5.149 5.291A 5.294 5.295A 5.296 5.296A 5.300 5.304 5.306 5.307A 5.307B 5.312	470-694 MHz BROADCASTING 5.149 5.291A 5.294 5.295A 5.296 5.296A 5.300 5.304 5.306 5.307A 5.307B 5.312	DTT broadcasting (470-694 MHz) IMT (614-694 MHz) VLBI Observations (608 – 614 MHz) Services ancillary to broadcasting and program making (SAB/SAP) SRD: Wireless Audio Applications Radio Microphones	470-694 MHz BROADCASTING Mobile 5.307B 5.149 5.291A 5.294 5.295A 5.296 5.296A 5.300 5.304 5.306 5.307A 5.312	Resolutions 223 (Rev. WRC-23) applies. In Namibia 614-694 MHz is allocated to the mobile service on a secondary basis. GE06 Plan applies SAB/SAP: Report ITU-R BT.2338-X and Report ITU-R BT.2344-X Wireless microphones, see Rec. ITU-R BT.1871- X and ETSI EN 300 422

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
694-790 MHz MOBILE except aeronautical mobile 5.312A 5.312B 5.317A BROADCASTING 5.300 5.312	694-790 MHz MOBILE except aeronautical mobile 5.312A 5.312B 5.317A 5.300 5.312	Digital dividend band II for International mobile telecommunication systems (IMT) IMT (703-733 MHz Uplink) IMT (758-788 MHz Downlink) Broadband PPDR (698 – 703 paired with 753 – 758 MHz) Broadband PPDR (733 – 736 paired with 788-791 MHz High-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS).	694-790 MHz MOBILE except aeronautical mobile 5.312A 5.312B 5.317A 5.300 5.312	Res 646 (rev. WRC-19), Rec. ITU-R M. 2015, Rec. ITU-R M. 1036 and Res. 760 (rev. WRC- 19) apply Resolution 224 (Rev. WRC-19) and Resolution 213 (Rev.WRC-23) applies. IMT Radio Frequency Channel arrangement according to ITU-R M.1036 A7
790-862 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.316B 5.317A BROADCASTING 5.312 5.319	790-862 MHz MOBILE except aeronautical mobile 5.312B 5.316B 5.317A SADC13	Digital dividend band I for International mobile telecommunication systems (IMT) IMT (832-862 MHz Uplink) IMT (791- 821MHz Downlink) High-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS).	790-862 MHz MOBILE except aeronautical mobile 5.312B 5.316B 5.317A SADC13	Res. 224 (Rev. WRC-19 and Resolution 213 (Rev.WRC- 23)) applies. IMT Radio Frequency Channel arrangement according to ITU-R M.1036 A3
862-890 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.317A BROADCASTING 5.322 5.319 5.323	862-890 MHz MOBILE except aeronautical mobile 5.312B 5.317A 5.322 SADC14	862-876 MHz IMT	862-890 MHz MOBILE except aeronautical mobile 5.312 5.317A 5.322 SADC14	Resolution 213 (Rev.WRC-23) applies This band is paired with 824-849 MHz
		876-880 MHz IMT PMR and/or PAMR		Resolution 213 (Rev.WRC-23) applies This band is paired with 921-925 MHz.
		880-915 MHz IMT		Resolution 213 (Rev.WRC-23) applies Paired with 925-960 MHz.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
890-942 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.317A BROADCASTING 5.322 Radiolocation 5.323	890-942 MHz MOBILE except aeronautical mobile 5.312B 5.317A		890-942 MHz MOBILE except aeronautical mobile 5.312B 5.317A	
		915-921 MHz PMR and/or PMR		
		921-925 MHz IMT PMR and/or PAMR		Resolution 213 (Rev.WRC-23) applies Paired with 876- 880 MHz.
		925-960 MHz IMT		Resolution 213 (Rev.WRC-23) applies Paired with 880- 915 MHz.
942-960 MHz FIXED MOBILE except aeronautical mobile 5.312B 5.317A BROADCASTING 5.322 5.323	942-960 MHz MOBILE except aeronautical mobile 5.312B 5.317A 5.322		942-960 MHz MOBILE except aeronautical mobile 5.312B 5.317A 5.322	
960-1 164 MHz AERONAUTICAL RADIONAVIGATION 5.328 5.328AA AERONAUTICAL MOBILE (R) 5.327A	960-1 164 MHz AERONAUTICAL RADIONAVIGATION 5.328 5.328AA AERONAUTICAL MOBILE (R) 5.327A	Distance measuring equipment. Secondary surveillance radar 1087.7-1092.3 MHz Automatic Dependent Surveillance- Broadcast (ADS-B)	960-1 164 MHz AERONAUTICAL RADIONAVIGATION 5.328 5.328AA AERONAUTICAL MOBILE (R) 5.327A	Res. 425 (WRC- 19) applies (global flight tracking for civil aviation)
1 164-1 215 MHz AERONAUTICAL RADIONAVIGATION 5.328 RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.328A	1 164-1 215 MHz AERONAUTICAL RADIONAVIGATION 5.328 RADIO NAVIGATION- SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.328A	Galileo (1164-1214 MHz) GLONASS (1190.3- 1213.8 MHz)	1 164-1 215 MHz AERONAUTICAL RADIO NAVIGATION 5.328 RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.328A	
1 215-1 240 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332	1 215-1 240 MHz EARTH EXPLORATION- SATELLITE (active) RADIO LOCATION RADIO NAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332	GLONASS (1237.8- 1253.8 MHz) GPS (1215.6-1239.6 MHz)	1 215-1 240 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION- SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) 5.330 5.331 5.332	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
1 240-1 300 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.330 5.331 5.332 5.332A 5.335 5.335A	1 240-1 300 MHz EARTH EXPLORATION-SATELLITE (active) RADIO LOCATION RADIO NAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.330 5.331 5.332 5.332A 5.335A	GLONASS (1237.8-1253.8 MHz) Galileo (1260-1300 MHz)	1 240-1 300 MHz EARTH EXPLORATION-SATELLITE (active) RADIO LOCATION RADIO NAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.329 5.329A SPACE RESEARCH (active) Amateur 5.282 5.330 5.331 5.332 5.332A 5.335A	
1 300-1 350 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION RADIONAVIGATION-SATELLITE (Earth-to-space) 5.149 5.337A	1 300-1 350 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION RADIONAVIGATION-SATELLITE (Earth-to-space) 5.149 5.337A		1 300-1 350 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION RADIONAVIGATION-SATELLITE (Earth-to-space) 5.149 5.337A	
1 350-1 400 MHz FIXED MOBILE RADIOLOCATION 5.149 5.3385.338A 5.339	1 350-1 400 MHz FIXED RADIOLOCATION 5.149 5.338A 5.339	1 350-1 375 MHz Fixed links (duplex)	1 350-1 400 MHz FIXED RADIOLOCATION 5.149 5.338A 5.339	Paired with 1492-1517 MHz; CEPT T/R 13-01 refers.
		1 375-1 400 MHz Fixed links (duplex)		Paired with 1427-1452 MHz; CEPT T/R 13-01 refers.
1 400-1 427 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	1 400-1 427 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		1 400-1 427 MHz EARTH EXPLORATION-SATELLIT (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	
1 427-1 429 MHz SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.341A 5.338A 5.341 5.342	1 427-1 429 MHz SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.341A 5.338A 5.341	1 427-1 452 MHz Fixed links (duplex)	1 427-1 429 MHz SPACE OPERATION (Earth-to-space) FIXED MOBILE except aeronautical mobile 5.341A 5.338A 5.341	Paired with 1375-1400 MHz; CEPT T/R 13-01 refers.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
1 429-1 452 MHz FIXED MOBILE except aeronautical mobile 5.341A 5.338A 5.341 5.342	1 429-1 452 MHz FIXED MOBILE except aeronautical mobile 5.341A 5.338A 5.341		1 429-1 452 MHz FIXED MOBILE except aeronautical mobile 5.341A 5.338A 5.341	
1 452-1 492 MHz FIXED MOBILE except aeronautical mobile 5.346 BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.342 5.345	1 452-1 492 MHz FIXED MOBILE except aeronautical mobile 5.346 BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.345	1 452-1 467 MHz Terrestrial Digital Audio Broadcasting (T-DAB) IMT Res. 223 (Rev. WRC- 15)	1 452-1 492 MHz FIXED MOBILE except aeronautical mobile 5.346 BROADCASTING BROADCASTING-SATELLITE 5.208B 5.341 5.345	.
		1 467-1 492 MHz Satellite Digital Audio Broadcasting (S-DAB) IMT Res. 223 (Rev. WRC- 15)		
1 492-1 518 MHz FIXED MOBILE except aeronautical mobile 5.341A 5.341 5.342	1 492-1 518 MHz FIXED MOBILE except aeronautical mobile 5.341A 5.341 SADC15	1 492-1 517 MHz Fixed links (dual frequency) IMT Res. 223 (Rev. WRC- 15)	1 492-1 518 MHz FIXED MOBILE except aeronautical mobile 5.341A 5.341 SADC15	Paired with 1350-1375 MHz; CEPT T/R 13-01 refers.
		1 517-1 518 MHz Fixed links (single frequency) IMT Res. 223 (Rev. WRC- 15)		
1 518-1 525 MHz FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (space- to-Earth) 5.348 5.348A 5.348B 5.351A 5.341 5.342	1 518-1 525 MHz FIXED MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A 5.341	1518-1525 MHz Fixed links (single frequency)	1 518-1 525 MHz FIXED MOBILE-SATELLITE (space-to-Earth) 5.348 5.348A 5.348B 5.351A 5.341	The band 1518-1559 MHz is identified for satellite component of IMT; Res.225 applies.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
1 525-1 530 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A Earth exploration- satellite Mobile except aeronautical mobile 5.349 5.341 5.342 5.350 5.351 5.352A 5.354	1 525-1 530 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.354 5.352A		1 525-1 530 MHz SPACE OPERATION (space-to-Earth) FIXED MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.354 5.352A	The band 1518-1559 MHz is identified for satellite component of IMT; Res.225 applies.
1 530-1 535 MHz SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A Earth exploration-satellite Fixed Mobile except aeronautical mobile 5.341 5.342 5.351 5.354	1 530-1 535 MHz SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A 5.341 5.351 5.354		1 530-1 535 MHz SPACE OPERATION (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.353A 5.341 5.351 5.354	The band 1518-1559 MHz is identified for satellite component of IMT; Res.225 applies. In the band 1530-1544 MHz priority for maritime mobile distress, urgency and safety communications (GMDSS); Res.222 applies.
1 535-1 559 MHz MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.353A 5.354 5.355 5.356 5.357 5.357A 5.359 5.362A	1 535-1 559 MHz MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.353A 5.354 5.356 5.357 5.357A 5.359		1 535-1 559 MHz MOBILE-SATELLITE (space-to-Earth) 5.208B 5.351A 5.341 5.351 5.353A 5.354 5.356 5.357 5.357A 5.359	The band 1518-1559 MHz is identified for satellite component of IMT; Res.225 applies. In the band 1530-1544 MHz priority for maritime mobile distress, urgency and safety communications (GMDSS); Res.222 applies.
1 559-1 610 MHz AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341 5.362B 5.362C	1 559-1 610 MHz AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341 5.362B	Galileo (1559.42-1591.42 MHz) GLONASS (1592.9-1610.5 MHz) GPS (1563.42-1587.42 MHz)	1 559-1 610 MHz AERONAUTICAL RADIONAVIGATION RADIONAVIGATION-SATELLITE (space-to-Earth) (space-to-space) 5.208B 5.328B 5.329A 5.341 5.362B	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
1 610-1 610.6 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372	1 610-1 610.6 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION 5.341 5.364 5.366 5.367 5.368 5.369 5.371 5.372	GLONASS (1592.9-1610.5 MHz)	1 610-1 610.6 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION 5.341 5.364 5.366 5.367 5.368 5.369 5.371 5.372	The band 1610-1645.5 MHz is identified for satellite component of IMT; Res.225 applies. This band is designated world-wide for the MSS. Paired with 2483.5-2484.1 MHz for some systems.
1 610.6-1 613.8 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION 5.149 5.341 5.355 5.359 5.364 5.366 5.367 5.368 5.369 5.371 5.372	1 610.6-1 613.8 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION 5.149 5.341 5.364 5.366 5.367 5.368 5.369 5.371 5.372		1 610.6-1 613.8 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY AERONAUTICAL RADIONAVIGATION 5.149 5.341 5.364 5.366 5.367 5.368 5.369 5.371 5.372	The band 1610-1645.5 MHz is identified for satellite component of IMT; Res.225 applies. This band is designated world-wide for the MSS. Paired with 2484.1-2487.3 MHz for some systems.
1 613.8-1 621.35 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) (space-to-Earth) 5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372 5.372A	1 613.8-1 621.35 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) 5.208B 5.341 5.355 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372 5.372A		1 613.8-1 621.35 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) 5.208B 5.341 5.355 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372 5.372A	The band 1610-1645.5 MHz is identified for satellite component of IMT; Res.225 applies. Resolution 365 (WRC-23) applies. Paired with 1593-1594 MHz for aeronautical public correspondence
1621.35-1626.5 MHz MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) except maritime mobile satellite (space-to-Earth) 5.208B 5.341 5.355 5.359 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372	1621.35-1626.5 MHz MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) except maritime mobile satellite (space-to-Earth) 5.208B 5.341 5.355 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372		1621.35-1626.5 MHz MARITIME MOBILE-SATELLITE (space-to-Earth) 5.373 5.373A MOBILE-SATELLITE (Earth-to-space) 5.351A AERONAUTICAL RADIONAVIGATION Mobile-satellite (space-to-Earth) except maritime mobile satellite (space-to-Earth) 5.208B 5.341 5.355 5.364 5.365 5.366 5.367 5.368 5.369 5.371 5.372	The band 1610-1645.5 MHz is identified for satellite component of IMT; Res.225 applies. Paired with 1593-1594 MHz for aeronautical public correspondence

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
1 626.5-1 660 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A 5.341 5.351 5.353A 5.354 5.355 5.357A 5.359 5.362A 5.374 5.375 5.376	1 626.5-1 660 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A 5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376		1 626.5-1 660 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A 5.341 5.351 5.353A 5.354 5.357A 5.374 5.375 5.376	The bands 1610-1645.5 MHz and 1646.5-1660.5 MHz are identified for satellite component of IMT; Res.225 applies. In the band 1626.5- 1645.5 MHz priority is given to maritime mobile distress, urgency and safety communications (GMDSS); Res.222 applies.
1 660-1 660.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY 5.149 5.341 5.351 5.354 5.362A 5.376A	1 660-1 660.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY 5.149 5.341 5.351 5.354 5.376A		1 660-1 660.5 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A RADIO ASTRONOMY 5.149 5.341 5.351 5.354 5.376A	The band 1610-1645.5 MHz and 1646.5-1660.5 MHz are identified for satellite component of IMT; Res.225 applies.
1 660.5-1 668 MHz RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	1 660.5-1 668 MHz RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.341 5.379A		1 660.5-1 668 MHz RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.341 5.379A	
1 668-1 668.4 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B5.379C RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.341 5.379 5.379A	1 668-1 668.4 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B5.379C RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.341 5.379 5.379A		1 668-1 668.4 MHz MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B5.379C RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.341 5.379 5.379A	The band 1668-1675 MHz is identified for satellite component of IMT; Res.225 applies.
1 668.4-1 670 MHz METEOROLOGICAL AIDS FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY 5.149 5.341 5.379D 5.379E	1 668.4-1 670 MHz METEOROLOGICAL AIDS FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY 5.149 5.341 5.379D 5.379E		1 668.4-1 670 MHz METEOROLOGICAL AIDS FIXED MOBILE except aeronautical mobile MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.379C RADIO ASTRONOMY 5.149 5.341 5.379D 5.379E	The band 1668-1675 MHz is identified for satellite component of IMT; Res.225 applies.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
1 670-1 675 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (Earth- to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A	1 670-1 675 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A		1 670-1 675 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.379B 5.341 5.379D 5.379E 5.380A	The band 1668- 1675 MHz is identified for satellite component of IMT; Res.225 applies.
1 675-1 690 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.341	1 675-1 690 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.341		1 675-1 690 MHz METEOROLOGICAL AIDS FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.341	
1 690-1 700 MHz METEOROLOGICAL AIDS METEOROLOGICAL- SATELLITE (space-to-Earth) Fixed Mobile except aeronautical mobile 5.289 5.341 5.382	1 690-1 700 MHz METEOROLOGICAL AIDS METEOROLOGICAL- SATELLITE (space-to-Earth) Fixed Mobile except aeronautical mobile 5.289 5.341 5.382		1 690-1 700 MHz METEOROLOGICAL AIDS METEOROLOGICAL- SATELLITE (space-to-Earth) Fixed Mobile except aeronautical mobile 5.289 5.341 5.382	
1 700-1 710 MHz FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341	1 700-1 710 MHz FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341	Fixed links (single frequency)	1 700-1 710 MHz FIXED METEOROLOGICAL- SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.289 5.341	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
1 710-1 930 MHz FIXED MOBILE 5.384A 5.388A 5.149 5.341 5.385 5.386 5.387 5.388	1 710-1 930 MHz FIXED MOBILE 5.384A 5.388A 5.149 5.341 5.385 5.388	1 710-1 785 MHz IMT	1 710-1 930 MHz FIXED MOBILE 5.384A 5.388A 5.149 5.341 5.385 5.388	Resolution 221 (Rev.WRC-23) applies Paired with 1805-1880 MHz.
		1785-1805 MHz BFWA		
		1 805-1 880 MHz IMT (terrestrial)		Resolution 221 (Rev.WRC-23) applies Paired with 1710-1785 MHz.
		1 880-1 900 MHz FWA Cordless telephone		
		1 900-1 920 MHz FWA IMT (terrestrial)		
		1 920-1 980 MHz IMT (terrestrial)		Resolution 221 (Rev.WRC-23) applies Paired with 2110-2170 MHz
1 930-1 970 MHz FIXED MOBILE 5.388A 5.388	1 930-1 970 MHz MOBILE 5.388A 5.388		1 930-1 970 MHz MOBILE 5.388A 5.388	
1 970-1 980 MHz FIXED MOBILE 5.388A 5.388	1 970-1 980 MHz MOBILE 5.388A 5.388		1 970-1 980 MHz MOBILE 5.388A 5.388	
1 980-2 010 MHz FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.388 5.389A 5.389B 5.389F	1 980-2 010 MHz MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.388 5.389A 5.389B	IMT (satellite) (1980-2010 MHz)	1 980-2 010 MHz MOBILE MOBILE-SATELLITE (Earth-to-space) 5.351A 5.388 5.389A 5.389B	Resolution 221 (Rev.WRC-23) applies Paired with 2170 - 2200 MHz. The development of satellites for IMT services to be monitored.
2 010-2 025 MHz FIXED MOBILE 5.388A 5.388	2 010-2 025 MHz MOBILE 5.388A 5.388	IMT (terrestrial) (2010-2025 MHz)	2 010-2 025 MHz MOBILE 5.388A 5.388	TDD
2 025-2 110 MHz SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392	2 025-2 110 MHz SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392	Fixed links (2025-2110 MHz paired with 2200- 2285 MHz)	2 025-2 110 MHz SPACE OPERATION (Earth-to-space) (space-to-space) EARTH EXPLORATION-SATELLITE (Earth-to-space) (space-to-space) FIXED SPACE RESEARCH (Earth-to-space) (space-to-space) 5.392	Radio Frequency channel arrangement according to ITU-R F.1098.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
2 110-2 120 MHz FIXED MOBILE 5.388A SPACE RESEARCH (deep space) (Earth-to-space) 5.388	2 110-2 120 MHz MOBILE 5.388A SPACE RESEARCH (deep space) (Earth-to-space) 5.388	IMT (terrestrial) (2110-2170 MHz)	2 110-2 120 MHz MOBILE 5.388A SPACE RESEARCH (deepspace) (Earth-to-space) 5.388	Resolution 221 (Rev.WRC-23) applies Paired with 1920-1980 MHz
2 120-2 160 MHz FIXED MOBILE 5.388A 5.388	2 120-2 170 MHz MOBILE 5.388A 5.388		2 120-2 170 MHz MOBILE 5.388A 5.388	
2 160-2 170 MHz FIXED MOBILE 5.388A 5.388	2 160-2 170 MHz MOBILE 5.388A 5.388		2 160-2 170 MHz MOBILE 5.388A 5.388	
2 170-2 200 MHz FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A 5.388 5.389A 5.389F	2 170-2 200 MHz MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A 5.388 5.389A 5.389F	IMT (satellite) (2170-2200 MHz)	2 170-2 200 MHz MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A 5.388 5.389A 5.389F	Resolution 221 (Rev.WRC-23) applies Paired with 1980-2010 MHz. The development of satellites for IMT services to be monitored.
2 200-2 290 MHz SPACE OPERATION (space-to-Earth) (space-to-space) EARTH EXPLORATION-SATELLITE (space-to-Earth) (space-to-space) FIXED MOBILE 5.391 SPACE RESEARCH (space-to- Earth) (space-to-space) 5.392	2 200-2 290 MHz SPACE OPERATION (space-to-Earth) (space-to-space) EARTH EXPLORATION-SATELLITE (space-to-Earth) (space-to-space) FIXED SPACE RESEARCH (space- to-Earth) (space-to-space) 5.392	Fixed links (2025-2110 MHz paired with 2200- 2285 MHz)	2 200-2 290 MHz SPACE OPERATION (space-to-Earth) (space- to-space) EARTH EXPLORATION-SATELLITE (space-to- Earth) (space-to-space) FIXED SPACE RESEARCH (space- to-Earth) (space-to-space) 5.392	Radio Frequency channel arrangement according to ITU-R F.1098.
		BFWA (2 285-2 300 MHz)		
2 290-2 300 MHz FIXED MOBILE except aeronautical mobile SPACE RESEARCH (deep space) (space-to-Earth)	2 290-2 300 MHz FIXED MOBILE except aeronautical mobile SPACE RESEARCH (deep space) (space-to-Earth)	BFWA (2 285-2 300 MHz)	2 290-2 300 MHz FIXED MOBILE except aeronautical mobile SPACE RESEARCH (deep space) (space-to-Earth)	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
2 300-2 450 MHz FIXED MOBILE 5.384A Amateur Radiolocation 5.150 5.282 5.395	2 300-2 450 MHz FIXED MOBILE 5.384A Amateur Radiolocation 5.150 5.282	2300-2400 MHz Fixed links PTP/ PTMP IMT (TDD) BFWA	2 300-2 450 MHz FIXED MOBILE 5.384A Amateur Radiolocation 5.150 5.282	Fixed paired with 2400- 2500 MHz. IMT Radio Frequency Channel arrangement according to ITU-R M.1036
2 450-2 483.5 MHz FIXED MOBILE Radiolocation 5.150 5.397	2 450-2 483.5 MHz FIXED MOBILE Radiolocation 5.150 5.397	2400-2500 MHz Fixed links PTP/ PTMP The band 2 400-2 500 MHz is designated for ISM applications (5.150). SRD applications (2 400- 2 483.5 MHz)	2 450-2 483.5 MHz FIXED MOBILE Radiolocation 5.150 5.397	FS paired with 2300- 2400 MHz. The band 2483.5-2500 MHz is identified for satellite component of IMT; Res.225 applies. Common international SRD band; see ITU-R Rec.SM.2153 Resolution 365 (WRC-23) applies
2 483.5-2 500 MHz FIXED MOBILE MOBILE-SATELLITE (space- to-Earth) 5.351A RADIODETER MINATIONSAT ELLITE (space-to-Earth) 5.398 Radiolocation 5.398A 5.150 5.368 5.372A 5.399 5.401 5.402	2 483.5-2 500 MHz FIXED MOBILE MOBILE-SATELLITE (space-to-Earth) 5.351A RADIODETER MINATIONS ATELLITE (space-to-Earth) 5.398 Radiolocation 5.398A 5.150 5.368 5.372A 5.399 5.401 5.402		2 483.5-2 500 MHz FIXED MOBILE MOBILE- SATELLITE (space- to-Earth) 5.351A RADIODETER MINATIONS ATELLITE (space-to-Earth) 5.398 Radiolocation 5.398A 5.150 5.368, 5.372A 5.399 5.401 5.402	
2 500-2 520 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.405 5.412	2 500-2 520 MHz FIXED MOBILE except aeronautical mobile 5.384A 5.412	BFWA (2500-2690 MHz) IMT (2500- 2690 MHz)	2 500-2 520 MHz FIXED MOBILE except aeronautical mobile 5.384A	Resolution 218 (WRC-23) applies
2 520-2 655 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.409A BROADCASTING- SATELLITE 5.413 5.416 5.339 5.412 5.418B 5.418C	2 520-2 655 MHz FIXED MOBILE except aeronautical mobile 5.384A 5.409A BROADCASTING- SATELLITE 5.413 5.416 5.339 5.412 5.418B 5.418C		2 520-2 655 MHz FIXED MOBILE except aeronautical mobile 5.384A 5.409A BROADCASTING- SATELLITE 5.413 5.416 5.339 5.412 5.418B 5.418C	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
2 655-2 670 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.409A BROADCASTING-SATELLITE 5.208B 5.413 5.416 Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.412	2 655-2 670 MHz FIXED MOBILE except aeronautical mobile 5.384A 5.409A 5.149 5.412	BFWA (2500-2690 MHz) IMT (2500-2690 MHz)	2 655-2 670 MHz FIXED MOBILE except aeronautical mobile 5.384A 5.409A 5.149 5.412	Resolution 218 (WRC-23) applies.
2 670-2 690 MHz FIXED 5.410 MOBILE except aeronautical mobile 5.384A 5.409A Earth exploration-satellite (passive) Radio astronomy Space research (passive) 5.149 5.412	2 670-2 690 MHz FIXED MOBILE except aeronautical mobile 5.384A 5.409A 5.149 5.412		2 670-2 690 MHz FIXED MOBILE except aeronautical mobile 5.384A 5.409 5.149 5.412	
2 690-2 700 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.422	2 690-2 700 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.422		2 690-2 700 MHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.422	
2 700-2 900 MHz AERONAUTICAL RADIONAVIGATION 5.337 Radiolocation 5.423 5.424	2 700-2 900 MHz AERONAUTICAL RADIONAVIGATION 5.337 5.423		2 700-2 900 MHz AERONAUTICAL RADIONAVIGATION 5.337 5.423	
2 900-3 100 MHz RADIOLOCATION 5.424A RADIONAVIGATION 5.426 5.425 5.427	2 900-3 100 MHz RADIOLOCATION 5.424A RADIONAVIGATION 5.426 5.425 5.427		2 900-3 100 MHz RADIOLOCATION 5.424A RADIONAVIGATION 5.426 5.425 5.427	
3 100-3 300 MHz RADIOLOCATION Earth exploration-satellite (active) Space research (active) 5.149 5.428	3 100-3 300 MHz RADIOLOCATION 5.149	Government use	3 100-3 300 MHz RADIOLOCATION 5.149	
3 300-3 400 MHz RADIOLOCATION 5.149 5.429 5.429A 5.429B 5.430	3 300-3 400 MHz RADIOLOCATION MOBILE except aeronautical mobile 5.149 5.429 5.429A 5.429B	IMT Res. 223 (Rev. WRC- 23)	3 300-3 400 MHz RADIOLOCATION MOBILE except aeronautical mobile 5.149 5.429 5.429A 5.429B	IMT Radio Frequency Channel arrangement according to ITU-R M.1036

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
3 400-3 600 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.430A Radiolocation 5.431	3 400-3 600 MHz FIXED MOBILE except aeronautical mobile 5.430A Radiolocation SADC16	IMT (3400-3600 MHz)	3 400-3 600 MHz MOBILE except aeronautical mobile 5.430A Radiolocation SADC16	IMT Radio Frequency Channel arrangement according to ITU-R M.1036
3 600-3 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.433B 5.434A 5.434B 5.435A	3 600-3 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.433B 5.434A 5.434B 5.435A	IMT (3600-3800 MHz)	3 600-3 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.434A 5.434B	The conditions of RR. No. 5.434A shall apply.
3 800 -4 200 MHz FIXED FIXED-SATELLITE (space-to-Earth) Mobile	3 800-4 200 MHz FIXED FIXED-SATELLITE (space-to-Earth) SADC17	Fixed-satellite (space-to-Earth) (PTP/VSAT/ SNG) (3800-4200 MHz)	3 800-4 200 MHz FIXED FIXED-SATELLITE (space-to-Earth) SADC17	In Namibia 3900-4200 is reserved for Fixed Satellite services
4 200-4 400 MHz AERONAUTICAL MOBILE(R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 5.439 5.440	4 200-4 400 MHz AERONAUTICAL MOBILE(R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 5.440	Radio altimeters on board aircraft	4 200-4 400 MHz AERONAUTICAL MOBILE(R) 5.436 AERONAUTICAL RADIONAVIGATION 5.438 5.440	
4 400-4 500 MHz FIXED MOBILE 5.440A	4 400-4 500 MHz FIXED MOBILE	Government use	4 400-4 500 MHz FIXED MOBILE	
4 500-4 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE 5.440A	4 500-4 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE	Government use	4 500-4 800 MHz FIXED FIXED-SATELLITE (space-to-Earth) 5.441 MOBILE	The band 4 500-4 800 MHz is part of the APP30B Plan (FSS space-to-Earth). Refer to Annex B.
4 800-4 990 MHz FIXED MOBILE 5.440A 5.441A 5.441B 5.442 Radio astronomy 5.149 5.339 5.443	4 800-4 990 MHz FIXED MOBILE 5.441B 5.442 Radio Astronomy 5.149 5.339	Government use	4 800-4 990 MHz FIXED MOBILE 5.441B 5.442 Radio Astronomy 5.149 5.339	Band identified for IMT

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
4 990-5 000 MHz FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY Space research (passive) 5.149	4 990-5 000 MHz FIXED MOBILE except Aeronautical Mobile RADIO ASTRONOMY Space Research (passive) 5.149	Government use	4 990-5 000 MHz FIXED MOBILE except Aeronautical Mobile RADIO ASTRONOMY Space Research (passive) 5.149	
5 000-5 010 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.443AA AERONAUTICAL RADIO NAVIGATION RADIO NAVIGATION- SATELLITE (Earth-to-space)	5 000-5 010 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.443AA AERONAUTICAL RADIO NAVIGATION RADIO NAVIGATION- SATELLITE (Earth-to- space)		5 000-5 010 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION RADIO NAVIGATION- SATELLITE (Earth-to- space)	
5 010-5 030 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.B103 AERONAUTICAL RADIO NAVIGATION RADIO NAVIGATION- SATELLITE (space-to-Earth) (space-to-space) 5.328B 5.443B	5 010-5 030 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.B103 AERONAUTICAL RADIONAVIGATION RADIO NAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.443B		5 010-5 030 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.B103 AERONAUTICAL RADIONAVIGATION RADIO NAVIGATION- SATELLITE (space-to- Earth) (space-to-space) 5.328B 5.443B	
5 030-5 091 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.D103 AERONAUTICAL RADIO NAVIGATION 5.444	5 030-5 091 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.D103 AERONAUTICAL RADIO NAVIGATION 5.444	Microwave Landing systems.	5 030-5 091 MHz AERONAUTICAL MOBILE- SATELLITE (R) 5.D103 AERONAUTICAL RADIO NAVIGATION 5.444	
5 091-5 150 MHz FIXED SATELLITE (Earth-to-Space) 5.444A AERONAUTICAL MOBILE 5.444B AERONAUTICAL MOBILE- SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION 5.444	5 091-5 150 MHz FIXED SATELLITE (Earth-to-Space) 5.444A AERONAUTICAL MOBILE 5.444B AERONAUTICAL MOBILE- SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION 5.444		5 091-5 150 MHz FIXED SATELLITE (Earth-to-Space) 5.444A AERONAUTICAL MOBILE 5.444B AERONAUTICAL MOBILE- SATELLITE (R) 5.443AA AERONAUTICAL RADIONAVIGATION 5.444	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
5 150-5 250 MHz FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B AERONAUTICAL RADIONAVIGATION 5.446 5.446C 5.447B 5.447C	5 150-5 250 MHz FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B AERONAUTICAL RADIONAVIGATION 5.446 5.446C 5.447B 5.447C	Wireless Access Systems (WAS)/RLAN	5 150-5 250 MHz FIXED-SATELLITE (Earth-to-space) 5.447A MOBILE except aeronautical mobile 5.446A 5.446B AERONAUTICAL RADIONAVIGATION 5.446 5.446C 5.447B 5.447C	
5 250-5 255 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.447D MOBILE except aeronautical mobile 5.446A 5.447F 5.447E 5.448 5.448A	5 250-5 255 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.447D MOBILE except aeronautical mobile 5.446A 5.447F 5.448A	Wireless Access Systems (WAS)/ RLAN	5 250-5 255 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.447D MOBILE except aeronautical mobile 5.446A 5.447F 5.448A	
5 255-5 350 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) MOBILE except aeronautical mobile 5.446A 5.447F 5.447E 5.448 5.448A	5 255-5 350 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) MOBILE except aeronautical mobile 5.446A 5.447F 5.448A	Wireless Access Systems (WAS)/ RLAN	5 255-5 350 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) MOBILE except aeronautical mobile 5.446A 5.447F 5.448A	
5 350-5 460 MHz EARTH EXPLORATION- SATELLITE (active) 5.448B SPACE RESEARCH (active) 5.448C AERONAUTICAL RADIONAVIGATION 5.449 RADIOLOCATION 5.448D	5 350-5 460 MHz EARTH EXPLORATION- SATELLITE (active) 5.448B SPACE RESEARCH (active) 5.448C AERONAUTICAL RADIONAVIGATION 5.449 RADIOLOCATION 5.448D	Ground based and airborne weather Radar.	5 350-5 460 MHz EARTH EXPLORATION- SATELLITE (active) 5.448B SPACE RESEARCH (active) 5.448C AERONAUTICAL RADIONAVIGATION 5.449 RADIOLOCATION 5.448D	
5 460-5 470 MHz RADIONAVIGATION 5.449 EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.448D 5.448B	5 460-5 470 MHz RADIONAVIGATION 5.449 EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.448D 5.448B		5 460-5 470 MHz RADIONAVIGATION 5.449 EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.448D 5.448B	

5 470-5 570 MHz MARITIME RADIO NAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.450B 5.448B 5.450 5.451	5 470-5 570 MHz MARITIME RADIO NAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.450B 5.448B	Wireless Access Systems (WAS)/ RLAN	5 470-5 570 MHz MARITIME RADIO NAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.450B 5.448B	
---	---	---	--	--

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
5 570-5 650 MHz MARITIME RADIO NAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B 5.450 5.451 5.452	5 570-5 650 MHz MARITIME RADIO NAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B 5.452	Wireless Access Systems (WAS)/ RLAN Ground-based meteorological radars (5600-5650 MHz)	5 570-5 650 MHz MARITIME RADIONAVIGATION MOBILE except aeronautical mobile 5.446A 5.450A RADIOLOCATION 5.450B 5.452	
5 650-5 725 MHz RADIOLOCATION MOBILE except aeronautical mobile 5.446A 5.450A Amateur Space research (deep space) 5.282 5.451 5.453 5.454 5.455	5 650-5 725 MHz RADIO LOCATION MOBILE except aeronautical mobile 5.446A 5.450A Amateur Space Research (deep space) 5.282 5.453 SADC18	Wireless Access Systems (WAS)/ RLAN	5 650-5 725 MHz RADIOLOCATION MOBILE except aeronautical mobile 5.446A 5.450A Amateur Space Research (deep space) 5.282 5.453 SADC18	
5 725-5 830 MHz FIXED-SATELLITE (Earth-to- space) RADIO LOCATION Amateur 5.150 5.451 5.453 5.455	5 725-5 830 MHz FIXED FIXED-SATELLITE (Earth- to-space) RADIOLOCATION Amateur 5.150 5.451 5.453 5.455 SADC18	BFWA (5725-5850 MHz) ISM (5725-5875 MHz) RTTT (Road Transport and Traffic Telematics) (5795- 5815 MHz) SRD applications (5 725- 5 875 MHz) SRD - Transport and information control systems (5 805-5 815 MHz)	5 725-5 830 MHz FIXED FIXED-SATELLITE (Earth- to-space) RADIOLOCATION Amateur 5.150 5.451 5.453 5.455 SADC18	BFWA in some SADC countries is limited to below 5850 MHz in order to protect FSS in the band 5850-6425 MHz. Common international SRD band; see ITU-R Rec.SM.2153 Transport information and control systems Recommendation ITU-R M.1453
5 830-5 850 MHz FIXED-SATELLITE (Earth-to- space) RADIOLOCATION Amateur Amateur-satellite (space- to-Earth) 5.150 5.451 5.453 5.455	5 830-5 850 MHz FIXED FIXED-SATELLITE (Earth- to-space) RADIOLOCATION Amateur 5.150 5.451 5.453 5.455 SADC18	BFWA (5725-5850 MHz) ISM (5725-5875 MHz)	5 830-5 850 MHz FIXED FIXED-SATELLITE (Earth- to-space) RADIOLOCATION Amateur 5.150 5.451 5.453 5.455 SADC18	
5 850-5 925 MHz FIXED FIXED-SATELLITE (Earth-to- space) MOBILE 5.150	5 850-5 925 MHz FIXED FIXED-SATELLITE (Earth- to-space) 5.150	Fixed-satellite uplinks (PTP/VSAT/SNG) (5850- 6425 MHz) FIXED links (5850- 5925 MHz) ISM (5725-5875 MHz)	5 850-5 925 MHz FIXED FIXED-SATELLITE (Earth- to-space) 5.150	FS could be used for temporary OB links.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
5 925-6 700 MHz FIXED 5.457 FIXED-SATELLITE (Earth-to- space) 5.457A 5.457B MOBILE 5.457C 5.457D 5.457E 5.457F 5.149 5.440 5.458	5 925-6 700 MHz FIXED 5.457 FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B MOBILE 5.457E 5.149 5.440 5.458	Fixed links - Lower 6 GHz (5925-6425 MHz) and Upper 6 GHz (6425-7110 MHz) Fixed-satellite uplinks (PTP/VSAT/SNG) (5850-6425 MHz) IMT (6 425-7 125 MHz)	5 925-6 700 MHz FIXED 5.457 FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B MOBILE 5.457E 5.149 5.440 5.458	Channelling plan for fixed services in L6 GHz band in accordance with ITU-R Rec. F.383. Channelling plan for fixed services in U6 GHz band in accordance with ITU-R Rec. F.384. Earth Station on board vessels (ESV) also allowed under FSS.
6 700-7 075 MHz FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.457D 5.457E 5.457F 5.458 5.458A 5.458B	6 700-7 075 MHz FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.457E 5.458 5.458A 5.458B	Fixed links - Upper 6 GHz (6425-7110 MHz) IMT (6 425-7 125 MHz)	6 700-7 075 MHz FIXED FIXED-SATELLITE (Earth-to-space) (space-to-Earth) 5.441 MOBILE 5.457E 5.458 5.458A 5.458B	Channelling plan for fixed services U6 GHz band in accordance with ITU-R Rec. F.384. The band 6 725-7 025 MHz is part of the APP30B Plan (FSS Earth-to-space); refer to Annex B.
7 075-7 145 MHz FIXED MOBILE 5.457E 5.457F 5.458 5.459	7 075-7 145 MHz FIXED MOBILE 5.457E 5.458 5.460	Fixed links - Upper 6 GHz (6425-7110 MHz) and Lower 7 GHz (7110-7425 MHz) IMT (6 425-7 125 MHz)	7 075-7 145 MHz FIXED MOBILE 5.457E 5.458 5.460	Channelling plan for fixed services U6 GHz band in accordance with ITU-R Rec. F.384. Channelling plan for fixed services L7 GHz band is in accordance with ITU-R Rec. F.385 Annex 3.
7 145-7190 MHz FIXED MOBILE SPACE RESEARCH (deep space) (Earth-to-space) 5.458 5.459 7 190- 7 235 MHz EARTH EXPLORATION SATELLITE (Earth-to-Space) 5.460A 5.460B FIXED MOBILE SPACE RESEARCH (Earth-to- space) 5.460 5.458 5.459	7 145-7190 MHz FIXED MOBILE SPACE RESEARCH (deep space) (Earth-to-space) 5.458 5.459 7 190- 7 235 MHz EARTH EXPLORATION SATELLITE (Earth-to-Space) 5.460A 5.460B FIXED MOBILE SPACE RESEARCH (Earth-to-space) 5.460 5.458 5.459	Fixed links - Lower 7 GHz (7110-7425 MHz) Fixed links - Lower 7 GHz (7110-7425 MHz)	7 145-7190 MHz FIXED MOBILE SPACE RESEARCH (deep space) (Earth-to-space) 5.458 5.459 7 190- 7 235 MHz EARTH EXPLORATION SATELLITE (Earth-to-Space) 5.460A 5.460B FIXED MOBILE SPACE RESEARCH (Earth-to-space) 5.460 5.458 5.459	Channelling plan for fixed services L7 GHz band in accordance with ITU-R Rec. F.385 Annex 3. Channelling plan for fixed services in L7 GHz band in accordance with ITU-R Rec. F.385 Annex 3.
7 235-7 250 MHz EARTH EXPLORATION SATELLITE (Earth-to-Space) 5.460A FIXED MOBILE 5.458	7 235-7 250 MHz EARTH EXPLORATION SATELLITE (Earth-to-Space) 5.460A FIXED 5.458	Fixed links - Lower 7 GHz (7110-7425 MHz)	7 235-7 250 MHz EARTH EXPLORATION SATELLITE (Earth-to-Space) 5.460A FIXED 5.458	Channelling plan for L7 GHz band in accordance with ITU-R Rec. F.385 Annex 3.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
7 250-7 300 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE 5.461	7 250-7 300 MHz FIXED 5.461	Fixed links - Lower 7 GHz (7110-7425 MHz)	7 250-7 300 MHz FIXED 5.461	Channelling plan for fixed services in L7 GHz band in accordance with ITU-R Rec. F.385 Annex 3.
7 300-7 375 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile 5.461	7 300-7 375 MHz FIXED 5.461	Fixed links - Lower 7 GHz (7110-7425 MHz) and Upper 7 GHz (7425-7750 MHz)	7 300-7 375 MHz FIXED 5.461	Channelling plan for fixed services in L7GHz band in accordance with ITU-R Rec. F.385 Annex 3. Channelling plan for fixed services U7GHz band in accordance with ITU-R Rec. F.385 Annex 3.
7 375-7 450 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461AC	7 375-7 450 MHz FIXED MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461AC	Fixed links - Lower 7 GHz (7110-7425 MHz) and Upper 7 GHz (7425-7750 MHz)	7 375-7 450 MHz FIXED MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461AC	Channelling plan for fixed services in L7 GHz band in accordance with ITU-R Rec. F.385 Annex 3. Channelling plan for fixed services in U7 GHz band in accordance with ITU-R Rec. F.385 Annex 3.
7 450-7 550 MHz FIXED FIXED-SATELLITE (space-to-Earth) METEORO LOGICAL SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461A 5.461AC	7 450-7 550 MHz FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461A 5.461AC	Fixed links - Upper 7 GHz (7425-7750 MHz)	7 450-7 550 MHz FIXED METEORO LOGICAL-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461A 5.461AC	Channelling plan for fixed services in U7 GHz band in accordance with ITU-R Rec. F.385 Annex 3.
7 550-7 750 MHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461AC	7 550-7 750 MHz FIXED MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461AC	Fixed links - Upper 7 GHz (7425-7750 MHz)	7 550-7 750 MHz FIXED MOBILE except aeronautical mobile MARITIME MOBILE SATELLITE (Space-to-Earth) 5.461AA 5.461AB 5.461AC	Channelling plan for fixed services in U7 GHz band in accordance with ITU-R Rec. F.385 Annex 3.
7 750-7 900 MHz FIXED METEOROLOGICAL-SATELLITE (space-to-Earth) MOD 5.461B MOBILE except aeronautical mobile	7 750-7 900 MHz FIXED Meteorological - SATELLITE (space-to-Earth) MOD 5.461B	Fixed links - Lower 8 GHz (7725-8275 MHz)	7 750-7 900 MHz FIXED Meteorological - SATELLITE (space-to-Earth) MOD 5.461B	Channelling plan for L8 GHz band in accordance with ITU-R Rec. F.386 Annex 1.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
7 900-8 025 MHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.461	7 900-8 025 MHz FIXED 5.461	Fixed links - Lower 8 GHz (7725-8275 MHz)	7 900-8 025 MHz FIXED 5.461	Channelling plan for L8 GHz band in accordance with ITU-R Rec. F.386 Annex 1.
8 025-8 175 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	8 025-8 175 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED 5.462A	Fixed links - Lower 8 GHz (7725-8275 MHz)	8 025-8 175 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED 5.462A	Channelling plan for L8 GHz band in accordance with ITU-R Rec. F.386 Annex 1.
8 175-8 215 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) METEORO LOGICAL-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	8 175-8 215 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED 5.462A	Fixed links - Lower 8 GHz (7725-8275 MHz)	8 175-8 215 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED 5.462A	Channelling plan for L8 GHz band in accordance with ITU-R Rec. F.386 Annex 1.
8 215-8 400 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED FIXED-SATELLITE (Earth-to-space) MOBILE 5.463 5.462A	8 215-8 400 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED 5.462A	Fixed links - Lower 8 GHz (7725-8275 MHz) and Upper 8 GHz (8275-8500 MHz)	8 215-8 400 MHz EARTH EXPLORATION-SATELLITE (space-to-Earth) FIXED 5.462A	Channelling plan for L8 GHz band in accordance with ITU-R Rec. F.386 Annex 1. Channelling plan for U8 GHz band in accordance with ITU-R Rec. F.386 Annex 1.
8 400-8 500 MHz FIXED MOBILE except aeronautical mobile SPACE RESEARCH (space-to-Earth) 5.465 5.466	8 400-8 500 MHz FIXED	Fixed links - Upper 8 GHz (8275-8500 MHz)	8 400-8 500 MHz FIXED	Channelling plan for U8 GHz band in accordance with ITU-R Rec. F.386 Annex 1.
8 500-8 550 MHz RADIOLOCATION 5.468 5.469	8 500-8 550 MHz RADIOLOCATION 5.468	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars.	8 500-8 550 MHz RADIOLOCATION 5.468	
8 550-8 650 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.468 5.469 5.469A	8 550-8 650 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.468 5.469A	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	8 550-8 650 MHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.468 5.469A	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
8 650-8 750 MHz RADIOLOCATION 5.468 5.469	8 650-8 750 MHz RADIOLOCATION 5.468	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	8 650-8 750 MHz RADIOLOCATION 5.468	
8 750-8 850 MHz RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.470 5.471	8 750-8 850 MHz RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.470	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	8 750-8 850 MHz RADIOLOCATION AERONAUTICAL RADIONAVIGATION 5.470	
8 850-9 000 MHz RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473	8 850-9 000 MHz RADIOLOCATION MARITIME RADIONAVIGATION 5.472	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	8 850-9 000 MHz RADIOLOCATION MARITIME RADIONAVIGATION 5.472	
9 000-9 200 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION 5.471 5.473A	9 000-9 200 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION 5.473A	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	9 000-9 200 MHz AERONAUTICAL RADIONAVIGATION 5.337 RADIOLOCATION 5.473A	
9 200-9 300 MHz EARTH EXPLORATION- SATELLITE (active) 5.474A 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473 5.474 5.474D	9 200-9 300 MHz EARTH EXPLORATION- SATELLITE (active) 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473 5.474 5.474D	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	9 200-9 300 MHz EARTH EXPLORATION- SATELLITE (active) 5.474B 5.474C RADIOLOCATION MARITIME RADIONAVIGATION 5.472 5.473 5.474 5.474D	
9 300-9 500 MHz RADIONAVIGATION EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.427 5.474 5.475 5.475A 5.475B 5.476A	9 300-9 500 MHz RADIONAVIGATION EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.427 5.474 5.475 5.475A 5.475B 5.476A	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	9 300-9 500 MHz RADIONAVIGATION EARTH EXPLORATION- SATELLITE (active) SPACE RESEARCH (active) RADIOLOCATION 5.427 5.474 5.475 5.475A 5.475B 5.476A	
9 500-9 800 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A	9 500-9 800 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	9 500-9 800 MHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION RADIONAVIGATION SPACE RESEARCH (active) 5.476A	
9 800-9 900 MHz RADIOLOCATION Earth exploration- satellite (active) Space research (active) Fixed 5.477 5.478 5.478A 5.478B	9 800-9 900 MHz RADIOLOCATION Earth exploration- satellite (active) Space research (active) 5.478A 5.478B		9 800-9 900 MHz RADIOLOCATION Earth exploration- satellite (active) Space research (active) 5.478A 5.478B	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
9 900-10 000 MHz EARTH EXPLORATION-SATELLITE (active) 5.474A 5.474B 5474C RADIOLOCATION Fixed 5.474D 5.477 5.478 5.479	9 900-10 000 MHz EARTH EXPLORATION-SATELLITE (active) 5.474B 5474C RADIOLOCATION Fixed 5.474D 5.477 5.478 5.479	RADARS. Civil and military aeronautical radionavigation e.g. precision airfield approach radars	9 900-10 000 MHz EARTH EXPLORATION-SATELLITE (active) 5.474B 5474C RADIOLOCATION Fixed 5.474D 5.477 5.478 5.479	
10-10.4 GHz EARTH EXPLORATION SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479	10-10.4 GHz EARTH EXPLORATION SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479		10-10.4 GHz EARTH EXPLORATION SATELLITE (active) 5.474A 5.474B 5.474C FIXED MOBILE RADIOLOCATION Amateur 5.474D 5.479	
10.4-10.45 GHz FIXED MOBILE RADIOLOCATION Amateur	10.4-10.45 GHz FIXED RADIOLOCATION	BFWA – 10.5 GHz (10.15-10.30 GHz)	10.4-10.45 GHz FIXED RADIOLOCATION	Paired with 10.50-10.65 GHz Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1.
10.45-10.5 GHz RADIOLOCATION Amateur Amateur-satellite 5.481	10.45-10.5 GHz RADIOLOCATION Amateur Amateur-Satellite 5.481	RADIOLOCATION	10.45-10.5 GHz RADIOLOCATION Amateur Amateur-Satellite 5.481	
10.5-10.55 GHz FIXED MOBILE Radiolocation	10.5-10.55 GHz FIXED	BFWA (10.50-10.65 GHz)	10.5-10.55 GHz FIXED	Paired with 10.15-10.30 GHz Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1.
10.55-10.6 GHz FIXED MOBILE except aeronautical mobile Radiolocation	10.55-10.6 GHz FIXED	BFWA (10.50-10.65 GHz)	10.55-10.6 GHz FIXED	Paired with 10.15-10.30 GHz Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1.
10.6-10.68 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) Radiolocation 5.149 5.482 5.482A	10.6-10.68 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.482 5.482A	BFWA (10.50-10.65 GHz)	10.6-10.68 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED RADIO ASTRONOMY SPACE RESEARCH (passive) 5.149 5.482 5.482A	Paired with 10.15-10.30 GHz Channelling plan for 10.5 GHz band in accordance with ITU-R Rec. F.1568 Annex 1. For sharing between EESS (passive) and the fixed and mobile service Res.751 applies.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
10.68-10.7 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.483	10.68-10.7 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		10.68-10.7 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
10.7 – 10.95 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	10.7 – 10.95 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile		10.7 – 10.95 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	
10.95-11.2 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	10.95-11.2 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile		10.95-11.2 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	
11.2-11.45 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	11.2-11.45 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile		11.2-11.45 GHz FIXED FIXED SATELLITE (space-to-Earth) 5.441 (Earth-to-space) 5.484 MOBILE except aeronautical mobile	
11.45-11.7 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	11.45-11.7 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	Fixed links - 11 GHz (10.7-11.7 GHz) Fixed-satellite downlinks (PTP/ VSAT/SNG)	11.45-11.7 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.484 MOBILE except aeronautical mobile	Channelling plan for 11 GHz band in accordance with ITU-R Rec. F.387. The bands 10.7- 10.95 GHz and 11.2-11.45 GHz are part of the APP30B Plan (FSS space-to- Earth); refer to Annex B.
11.7-12.5 GHz FIXED MOBILE except aeronautical mobile BROADCASTING BROADCASTING- SATELLITE 5.492 5.487 5.487A	11.7-12.5 GHz BROADCASTING- SATELLITE 5.492 5.487 5.487A		11.7-12.5 GHz BROADCASTING- SATELLITE 5.492 5.487 5.487A	This band is available for BSS in accordance with Appendix 30 of ITU RR. Refer to Annex B.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
12.5-12.75 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B (Earth-to-space) 5.494 5.495 5.496	12.5-12.75 GHz FIXED-SATELLITE (space-to-Earth) 5.484B (Earth-to-space) 5.494 5.495	FSS uplinks (VSAT/ SNG) (12.5-12.75 GHz)	12.5-12.75 GHz FIXED-SATELLITE (space-to-Earth) 5.484B (Earth-to-space) 5.494 5.495	
12.75-13.25 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.441 5.496A MOBILE Space research (deep space) (space-to-Earth)	12.75-13.25 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.441 5.496A	Fixed links - 13 GHz (12.75-13.25 GHz) Earth stations in motion, limited to earth stations on aircraft and vessels, communicating with geostationary space stations in the fixed-satellite service.	12.75-13.25 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.441 5.496A	Channelling plan for 13 GHz band in accordance with ITU-R Rec. F.497. The band 12.75-13.25 GHz is part of the APP30B Plan (FSS Earth-to-space); refer to Annex B. Article 9.12 applies Res. 172 (WRC-19) applies Resolution 121 (WRC-23) applies
13.25-13.4 GHz EARTH EXPLORATION-SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A 5.499	13.25-13.4 GHz EARTH EXPLORATION-SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A	Airborne Doppler Radar	13.25-13.4 GHz EARTH EXPLORATION-SATELLITE (active) AERONAUTICAL RADIONAVIGATION 5.497 SPACE RESEARCH (active) 5.498A	
13.4-13.65 GHz EARTH EXPLORATION – SATELLITE (active) FIXED SATELLITE (space-to-Earth) 5.499A 5.499B RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal satellite (Earth-to-space) 5.499E 5.500 5.501 5.501B	13.4-13.65 GHz EARTH EXPLORATION – SATELLITE (active) FIXED SATELLITE (space-to-Earth) 5.499A 5.499B RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal satellite (Earth-to-space) 5.499E 5.500 5.501B		13.4-13.65 GHz EARTH EXPLORATION – SATELLITE (active) FIXED SATELLITE (space-to-Earth) 5.499A 5.499B RADIOLOCATION SPACE RESEARCH 5.499C 5.499D Standard frequency and time signal satellite (Earth-to-space) 5.499E 5.500 5.501B	
13.65-13.75 GHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth- to-space) 5.499 5.500 5.501 5.501B	13.65-13.75 GHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501B	RADIOLOCATION	13.65-13.75 GHz EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH 5.501A Standard frequency and time signal-satellite (Earth-to-space) 5.499 5.500 5.501B	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
13.75-14 GHz FIXED-SATELLITE (Earth-to-space) 5.484A RADIOLOCATION Earth exploration-satellite Standard frequency and time signal-satellite (Earth- to-space) Space research 5.499 5.500 5.501 5.502 5.503	13.75-14 GHz FIXED-SATELLITE (Earth- to-space) 5.484A RADIOLOCATION 5.500 5.502 5.503	FSS uplinks (PTP/ VSAT/SNG) (13.75-14.5 GHz) RADIOLOCATION	13.75-14 GHz FIXED-SATELLITE (Earth-to-space) 5.484A RADIOLOCATION 5.500 5.502 5.503	
14-14.25 GHz FIXED-SATELLITE (Earth-to- space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to-space) 5.504B 5.504C 5.506A Space research 5.504A 5.505	14-14.25 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth-to-space) 5.504B 5.504C 5.506A Space Research 5.504A 5.505	FSS uplinks (PTP/ VSAT/SNG) (13.75-14.5 GHz)	14-14.25 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth-to-space) 5.504B 5.504C 5.506A Space Research 5.504A 5.505	Earth Station onboard vessels (ESV) also allowed under FSS; Res. 902 applies. The band 14.0-14.5 GHz may also be used for AES (aircraft-to-space station).
14.25-14.3 GHz FIXED-SATELLITE (Earth-to- space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B RADIONAVIGATION 5.504 Mobile-satellite (Earth-to- space) 5.504B 5.506A 5.508A Space research 5.504A 5.505 5.508	14.25-14.3 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth-to-space) 5.504B 5.506A 5.508A Space Research 5.504A 5.505	FSS uplinks (PTP/ VSAT/SNG) (13.75-14.5 GHz)	14.25-14.3 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth-to-space) 5.504B 5.506A 5.508A Space Research 5.504A 5.505	Earth Station onboard vessels (ESV) also allowed under FSS; Res. 902 applies. The band 14.0-14.5 GHz may also be used for AES (aircraft-to-space station).
14.3-14.4 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to- space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A	14.3-14.4 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth-to-space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A	FSS uplinks (PTP/ VSAT/SNG) (13.75-14.5 GHz)	14.3-14.4 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth-to-space) 5.504B 5.506A 5.509A Radionavigation-satellite 5.504A	Earth Station on board vessels (ESV) also allowed under FSS; Res. 902 applies. The band 14.0-14.5 GHz may also be used for AES (aircraft-to-space station).

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
14.4-14.47 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to- space) 5.504B 5.506A 5.509A Space research (space-to-Earth) 5.504A	14.4-14.47 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth- to-space) 5.504B 5.506A 5.509A Space research (space-to- Earth) 5.504A	FSS uplinks (PTP/ VSAT/SNG) (13.75- 14.5 GHz)	14.4-14.47 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.484B 5.506 5.506B Mobile-Satellite (Earth- to-space) 5.504B 5.506A 5.509A Space research (space-to- Earth) 5.504A	Earth Station on board vessels (ESV) also allowed under FSS; Res. 902 applies. The band 14.0- 14.5 GHz may also be used for AES (aircraft-to-space station).
14.47-14.5 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.457A 5.457B 5.484A 5.506 5.506B MOBILE except aeronautical mobile Mobile-satellite (Earth-to- space) 5.504B 5.506A 5.509A Radio astronomy 5.149 5.504A	14.47-14.5 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B Mobile-Satellite (Earth- to-space) 5.504B 5.506A 5.509A Radio astronomy 5.149 5.504A	FSS uplinks (PTP/ VSAT/SNG) (13.75- 14.5 GHz)	14.47-14.5 GHz FIXED-SATELLITE (Earth-to-space) 5.457A 5.457B 5.484A 5.506 5.506B Mobile-Satellite (Earth- to-space) 5.504B 5.506A 5.509A Radio astronomy 5.149 5.504A	Earth Station on board vessels (ESV) also allowed under FSS; Res. 902 applies. The band 14.0-14.5 GHz may also be used for AES (aircraft-to-space station).
14.5-14.75 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.509B 5.509C 5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G	14.5-14.75 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.509B 5.509C 5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G	Fixed links - 15 GHz (14.5-15.35 GHz)	14.5-14.75 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.509B 5.509C 5.509D 5.509E 5.509F 5.510 MOBILE Space research 5.509G	Channelling plan for 15 GHz band in accordance with ITU-R Rec. F.636. The band 14.5-14.8 GHz is part of the APP30A Plan (Feeder Links for BSS) for some SADC countries. Refer to Annex B.
14.75-14.8 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.510 MOBILE Space research 5.509G	14.75-14.8 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.510 Space research 5.509G	Fixed links - 15 GHz (14.5-15.35 GHz)	14.75-14.8 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.510 Space research 5.509G	Channelling plan for 15 GHz band in accordance with ITU-R Rec. F.636. The band 14.5-14.8 GHz is part of the APP30A Plan (Feeder Links for BSS) for some SADC countries. Refer to Annex B.
14.8-15.35 GHz FIXED MOBILE Space research 5.510A 5.339	14.8-15.35 GHz FIXED 5.339	Fixed links - 15 GHz (14.5-15.35 GHz)	14.8-15.35 GHz FIXED 5.339	Channelling plan for 15 GHz band in accordance with ITU-R Rec. F.636. The band 14.5-14.8 GHz is part of the APP30A Plan (Feeder Links for BSS) for some SADC countries. Refer to Annex B.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
15.35-15.4 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.511	15.35-15.4 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		15.35-15.4 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
15.4-15.41 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION	15.4-15.41 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION	Radio altimeters / Radars	15.4-15.41 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION	
15.41-15.43 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	15.41-15.43 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	Radio altimeters / Radars	15.41-15.43 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	Re- commendations ITU-R RA.769-2 and ITU-R RA.1513-2 applies.
15.43-15.63 GHz FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G 5.511C	15.43-15.63 GHz FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G 5.511C	Doppler Radars Aeronautical mobile (OR)	15.43-15.63 GHz FIXED-SATELLITE (Earth-to-space) 5.511A RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G 5.511C	ICAO Guidelines on Radiocommunications (Annex 10) ICAO Guidelines on Radio communications (Annex 10)
15.63-15.7 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	15.63-15.7 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	Doppler Radars Aeronautical mobile (OR)	15.63-15.7 GHz RADIOLOCATION 5.511E 5.511F AERONAUTICAL RADIONAVIGATION Aeronautical mobile (OR) 5.511G	
15.7-16.6 GHz RADIOLOCATION 5.512 5.513	15.7-16.6 GHz RADIOLOCATION 5.512	Government use	15.7-16.6 GHz RADIOLOCATION 5.512	
16.6-17.1 GHz RADIOLOCATION Space research (deep space) (Earth-to-space) 5.512 5.513	16.6-17.1 GHz RADIOLOCATION Space Research (deep space) (Earth-to-space) 5.512		16.6-17.1 GHz RADIOLOCATION Space Research (deep space) (Earth-to-space) 5.512	
17.1-17.2 GHz RADIOLOCATION 5.512 5.513	17.1-17.2 GHz RADIOLOCATION 5.512	WAS/RLAN (17.1- 17.3 GHz)	17.1-17.2 GHz RADIOLOCATION 5.512	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
17.2-17.3 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.512 5.513 5.513A	17.2-17.3 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.512 5.513A	WAS/RLAN (17.1- 17.3 GHz)	17.2-17.3 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.512 5.513A	
17.3-17.7 GHz FIXED-SATELLITE (Earth-to-space) 5.516 (space-to-Earth) 5.516A 5.516B Radiolocation 5.514	17.3-17.7 GHz FIXED-SATELLITE (Earth-to-space) 5.516 (space-to-Earth) 5.516A 5.516B Radiolocation 5.514	17.3-17.7 GHz is designated for HDFSS uncoordinated Earth station downlinks according to Res.143 (Rev. WRC-07) and 5.516B. Broadcasting Satellite Systems feeder 17.3-17.7 GHz Feeder link plans for Broadcasting Satellite Service (Appendix 30A)	17.3-17.7 GHz FIXED-SATELLITE (Earth-to-space) 5.516 (space-to-Earth) 5.516A 5.516B Radiolocation 5.514	The band 17.3- 17.7 GHz is part of the APP30A Plan (Feeder Links for BSS) The band 17.3- 17.7 GHz is identified for HDFFS; Res.143 applies.
17.7-18.1 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.516 MOBILE	17.7-18.1 GHz FIXED FIXED – SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.516	FWS point to point radio links - 18 GHz (17.7- 19.7 GHz) ESIM (under the FSS) Broadcasting satellite systems feeder link Aeronautical and Maritime ESIMs communicating with non-geostationary space stations in the fixed- satellite service in the frequency bands 17.7-18.6 GHz, 18.8-19.3 GHz and 19.7-20.2 GHz (space-to-Earth) and 27.5-29.1 GHz and 29.5- 30 GHz (Earth- to-space)	17.7-18.1 GHz FIXED FIXED – SATELLITE (space-to-Earth) 5.484A 5.517A (Earth-to-space) 5.516	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1. Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC-23) applies

18.1-18.4 GHz FIXED FIXED-SATELLITE (space-to-Earth) 5.484A 5.516B 5.517A 5.517B (Earth-to-space) 5.520 INTER-SATELLITE 5.521A MOBILE 5.519 5.521	18.1-18.4 GHz FIXED FIXED – SATELLITE (space- to-Earth) 5.484A 5.517A 5.517B INTER-SATELLITE 5.521A 5.519	FWS point to point radio links - 18 GHz (17.7- 19.7 GHz) ESIM (under the FSS) Broadcasting satellite systems feeder link Aeronautical and Maritime ESIMs communicating with non-geostationary space stations in the fixed- satellite service in the frequency bands 17.7- 18.6 GHz, 18.8-19.3 GHz and 19.7-20.2 GHz (space-to-Earth) and 27.5-29.1 GHz and 29.5- 30 GHz (Earth-to- space)	18.1-18.4 GHz FIXED FIXED – SATELLITE (space- to-Earth) 5.484A 5.517A 5.517B INTER-SATELLITE 5.521A 5.519	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1. Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC-23) applies Resolution 679 (WRC-23) applies
--	--	--	--	--

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
18.4-18.6 GHz FIXED FIXED-SATELLITE (space-to- Earth) 5.484A 5.516B 5.517A 5.517B INTER-SATELLITE 5.521A MOBILE	18.4-18.6 GHz FIXED FIXED – SATELLITE (space- to-Earth) 5.484A 5.517A 5.517B INTER-SATELLITE 5.521A	FWS point to point radio links - 18 GHz (17.7- 19.7 GHz) ESIM (under the FSS) Broadcasting satellite systems feeder link Aeronautical and Maritime ESIMs communicating with non-geostationary space stations in the fixed- satellite service in the frequency bands 17.7- 18.6 GHz, 18.8-19.3 GHz and 19.7-20.2 GHz (space-to-Earth) and 27.5-29.1 GHz and 29.5- 30 GHz (Earth-to- space)	18.4-18.6 GHz FIXED FIXED – SATELLITE (space- to-Earth) 5.484A 5.517A 5.517B INTER-SATELLITE 5.521A	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1. Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC-23) applies Resolution 679 (WRC-23) applies
18.6-18.8 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED FIXED-SATELLITE (space-to-Earth) 5.517A 5.522B MOBILE except aeronautical mobile Space research (passive) 5.522A 5.522C	18.6-18.8 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED 5.522A FIXED – SATELLITE (space- to-Earth) 5.517A 5.522B	Fixed links - 18 GHz (17.7-19.7 GHz)	18.6-18.8 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED 5.522A FIXED – SATELLITE (space- to-Earth) 5.517A 5.522B	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1.
18.8-19.3 GHz FIXED FIXED-SATELLITE (space-to- Earth) 5.516B 5.517A 5.517B 5.523A INTER-SATELLITE 5.521A MOBILE	18.8-19.3 GHz FIXED FIXED – SATELLITE (space- to-Earth) 5.516B 5.517A 5.517B 5.523A INTER-SATELLITE 5.521A	FWS point to point radio links - 18 GHz (17.7- 19.7 GHz) ESIM (under the FSS) Broadcasting satellite systems feeder link Aeronautical and Maritime ESIMs communicating with non-geostationary space stations in the fixed- satellite service in the frequency bands 17.7- 18.6 GHz, 18.8-19.3 GHz and 19.7-20.2 GHz (space-to-Earth) and 27.5-29.1 GHz and 29.5- 30 GHz (Earth-to- space)	18.8-19.3 GHz FIXED FIXED – SATELLITE (space- to-Earth) 5.516B 5.517A 5.517B 5.523A INTER-SATELLITE 5.521A	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1. Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC-23) applies Resolution 679 (WRC-23) applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
19.3-19.7 GHz FIXED FIXED-SATELLITE (space-to-Earth) (Earth-to-space) 5.517A 5.523B 5.523C 5.523D 5.523E INTER-SATELLITE 5.521A 5.523DA MOBILE	19.3-19.7 GHz FIXED FIXED – SATELLITE (space-to-Earth) 5.517A 5.523D INTER-SATELLITE 5.521A 5.523DA	FWS point to point radio links - 18 GHz (17.7-19.7 GHz) ESIM (under the FSS) Intersatellite Communication	19.3-19.7 GHz FIXED FIXED – SATELLITE (space-to-Earth) 5.517A 5.523D INTER-SATELLITE 5.521A 5.523DA	Channelling plan for 18 GHz band in accordance with ITU-R Rec. F.595 Annex 1. Res 169 (Rev. WRC-23) applies for ESIM. Resolution 679 (WRC-23) applies
19.7-20.1 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A Mobile-satellite (space-to- Earth) 5.524	19.7-20.1 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A Mobile-satellite (space- to-Earth) INTER-SATELLITE 5.521A 5.524	19.7-20.1 GHz designated for HDFSS uncoordinated Earth station downlinks according to Res.143 (Rev. WRC-07) and 5.516B ESIM (under the FSS) Intersatellite Communication	19.7-20.1 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A Mobile-satellite (space-to- Earth) INTER-SATELLITE 5.521A 5.524	Res.143 applies for HDFSS. Res 156 (Rev. WRC- 23) applies for ESIM Resolution 123 (WRC-23) applies Resolution 679 (WRC-23) applies
20.1-20.2 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A MOBILE-SATELLITE (space- to-Earth) 5.524 5.525 5.526 5.527 5.528	20.1-20.2 GHz FIXED-SATELLITE (space- to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528	20.1-20.2 GHz designated for HDFSS uncoordinated Earth station downlinks according to Res.143 (Rev. WRC-07) and 5.516B ESIM (under the FSS) Inter-Satellite Communication	20.1-20.2 GHz FIXED-SATELLITE (space-to-Earth) 5.484A 5.484B 5.516B 5.517B 5.527A INTER-SATELLITE 5.521A MOBILE-SATELLITE (space-to-Earth) 5.524 5.525 5.526 5.527 5.528	s.143 applies for HDFSS solution 156 (Rev.WRC-23) applies for ESIM
20.2-21.2 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard frequency and time signal-satellite (space- to-Earth) 5.524 5.529A	20.2-21.2 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard Frequency and Time Signal-Satellite (space-to-Earth) 5.524 5.529A	Government use Fixed satellite systems	20.2-21.2 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) Standard Frequency and Time Signal-Satellite (space-to-Earth) 5.524 5.529A	
21.2-21.4 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive)	21.2-21.4 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED SPACE RESEARCH (passive)	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz)	21.2-21.4 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED SPACE RESEARCH (passive)	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3.
21.4-22 GHz FIXED MOBILE BROADCASTING-SATELLITE 5.208B 5.530A 5.530B	21.4-22 GHz FIXED BROADCASTING-SATELLITE 5.208B 5.530A 5.530B	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz)	21.4-22 GHz FIXED BROADCASTING-SATELLITE 5.208B 5.530A 5.530B	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3. The use of BSS in this band is subject to the provisions of Res.525.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations / utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
22-22.2 GHz FIXED MOBILE except aeronautical mobile (R) 5.531A 5.531B 5.531C 5.531D 5.531F 5.149	22-22.2 GHz FIXED MOBILE except aeronautical mobile (R) 5.531A 5.531B 5.531C 5.531D 5.531F 5.149	FWS point to point radio links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz) Aeronautical mobile (OR) service in the frequency band 22- 22.2 GHz	22-22.2 GHz FIXED MOBILE except aeronautical mobile (R) 5.531A 5.531B 5.531C 5.531D 5.531F 5.149	Channelling plan for 23 GHz band in accordance with Rec. ITU-R F.637 In making assignments to stations in the frequency band 22.01-22.21 GHz, administrations are urged to give consideration to Radio Astronomy applications as per RR n° 5.149 The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz is limited to non-safety applications. Recommendation ITU-R P.525 applies.
22-22.21 GHz FIXED MOBILE except aeronautical mobile 5.149	22-22.21 GHz FIXED 5.149	FWS point to point radio links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz) Aeronautical mobile (OR) service in the frequency band 22- 22.2 GHz	22-22.21 GHz FIXED 5.149	Channelling plan for 23 GHz band in accordance with Rec. ITU-R F.637 In making assignments to stations in the frequency band 22.01-22.21 GHz, administrations are urged to give consideration to Radio Astronomy applications as per RR n° 5.149 The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz is limited to non- safety applications. Recommendation ITU-R P.525 applies.

22.21-22.5 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED MOBILE except aeronautical mobile RADIO ASTRONOMY SPACE RESEARCH (passive) 5.1495.532	22.21-22.5 GHz FIXED 5.149 5.532	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0- 23.6 GHz)	22.21-22.5 GHz FIXED 5.149 5.532	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3.
22.5-22.55 GHz FIXED MOBILE	22.5-22.55 GHz FIXED	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0- 23.6 GHz)	22.5-22.55 GHz FIXED	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations / utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
22.55-23.15 GHz FIXED INTER-SATELLITE 5.338A MOBILE SPACE RESEARCH (Earth-to-space) 5.532A 5.149	22.55-23.15 GHz FIXED INTER-SATELLITE 5.338A SPACE RESEARCH (Earth-to-space) ADD 5.A111 5.149	Fixed links – 23 GHz (21.2-23.6 GHz or 22.0- 23.6 GHz)	22.55-23.15 GHz FIXED INTER-SATELLITE 5.338A SPACE RESEARCH (Earth-to-space) ADD 5.A111 5.149	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3.
23.15-23.55GHz FIXED INTER-SATELLITE 5.338A MOBILE SPACE RESEARCH (Earth-to-space) 5.532A 5.149	23.15-23.55 GHz FIXED INTER-SATELLITE 5.338A MOBILE SPACE RESEARCH (Earth-to-space) 5.532A 5.149		23.15-23.55 GHz FIXED INTER-SATELLITE 5.338A MOBILE SPACE RESEARCH (Earth-to-space) 5.532A 5.149	
23.55-23.6 GHz FIXED MOBILE	23.55-23.6 GHz FIXED	Fixed links - 23 GHz (21.2-23.6 GHz or 22.0-23.6 GHz)	23.55-23.6 GHz FIXED	Channelling plan for 23 GHz band in accordance with ITU-R Rec. F.637 Annex 1 or Annex 3.
23.6-24 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	23.6-24 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		23.6-24 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
24-24.05 GHz AMATEUR AMATEUR- SATELLITE 5.150	24-24.05 GHz AMATEUR AMATEUR- SATELLITE 5.150	AMATEUR AMATEUR- SATELLITE ISM (24.0-24.25 GHz) SRD applications (24-24.25 GHz)	24-24.05 GHz AMATEUR AMATEUR- SATELLITE 5.150	Common international SRD band; see ITU-R Rec.SM.2153
24.05-24.25 GHz RADIOLOCATION Amateur Earth exploration- satellite (active) 5.150	24.05-24.25 GHz RADIOLOCATION Amateur Earth Exploration- Satellite (active) 5.150		24.05-24.25 GHz RADIOLOCATION Amateur Earth Exploration- Satellite (active) 5.150	The band 24.0- 24.25 GHz is designated for ISM applications (5.150).
24.25-24.45 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	24.25-24.45 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	IMT (24.25-27.5GHz)	24.25-24.45 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	Temporary fixed links for ENG/OB IMT Res 242 (WRC-19) applies
24.45-24.65 GHz FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.45-24.65 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	Fixed links - 26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT (24.25-27.5 GHz)	24.45-24.65 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1. IMT Res 242 (WRC-19) applies

ITURegion 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations / utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
24.65-24.75 GHz FIXED FIXED SATELLITE (Earth-to-space) 5.532B INTER-SATELLITE MOBILE except aeronautical mobile 5.338A 5.532AB	24.65-24.75 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	Fixed links - 26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT (24.25-27.5 GHz)	24.65-24.75 GHz FIXED MOBILE except aeronautical mobile 5.338A 5.532AB	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1. IMT Res 242 (WRC-19) applies
24.75-25.25 GHz FIXED FIXED SATELLITE (Earth-to-space) 5.532B MOBILE except aeronautical mobile 5.338A 5.532AB	24.75-25.25 GHz FIXED FIXED SATELLITE (Earth-to-space) 5.532B MOBILE except aeronautical mobile 5.338A 5.532AB	Fixed links - 26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT (24.25-27.5 GHz)	24.75-25.25 GHz FIXED FIXED SATELLITE (Earth-to-space) 5.532B MOBILE except aeronautical mobile 5.338A 5.532AB	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1. IMT Res 242 (WRC-19) applies
25.25-25.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB Standard frequency and time signal-satellite (Earth- to-space)	25.25-25.5 GHz FIXED MOBILE 5.338A 5.532AB	Fixed links - 26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT (24.25-27.5 GHz)	25.25-25.5 GHz FIXED MOBILE 5.338A 5.532AB	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1. IMT Res 242 (WRC-19) applies
25.5-27 GHz EARTH EXPLORATION-SATELLITE (space-to-Earth) 5.536B FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB SPACE RESEARCH (space-to-Earth) 5.536C Standard frequency and time signal-satellite (Earth-to-space) 5.536A	25.5-27 GHz EARTH EXPLORATION-SATELLITE (space-to-Earth) 5.536B FIXED MOBILE 5.338A 5.532AB SPACE RESEARCH (space-to-Earth) 5.536C 5.536A	Fixed links - 26 GHz (24.5-26.5 GHz) BFWA (24.5-26.5 GHz) IMT (24.25-27.5 GHz)	25.5-27 GHz EARTH EXPLORATION-SATELLITE (space-to-Earth) 5.536B FIXED MOBILE 5.338A 5.532AB SPACE RESEARCH (space-to-Earth) 5.536C 5.536A	Channelling plan for 26 GHz band in accordance with ITU-R Rec. F.748 Annex 1. IMT Res 242 (WRC-19) applies
27-27.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB	27-27.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB	Government use IMT (24.25-27.5 GHz)	27-27.5 GHz FIXED INTER-SATELLITE 5.536 MOBILE 5.338A 5.532AB	IMT Res 242 (WRC-19) applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
27.5-28.5 GHz FIXED 5.537A FIXED-SATELLITE (Earth-to- space) 5.484A 5.516B 5.517A 5.517B 5.539 INTER-SATELLITE 5.521A MOBILE 5.538 5.540	27.5-28.5 GHz FIXED 5.537A FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.539 INTER-SATELLITE 5.521A 5.538 5.540	Fixed links – 28 GHz (27.5-29.5 GHz) ESIM (under the FSS) Inter-Satellite Communication	27.5-28.5 GHz FIXED 5.537A FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.539 INTER-SATELLITE 5.521A 5.538 5.540	Channelling plan in accordance with Rec. ITU-R F.748 (Note: In this recommendation, this band is known as 8 GHz) Res.143 applies for HDFFS. The band 27.5-30 GHz may be used by the FSS for BSS feeder links Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC-23) applies Resolution 679 (WRC-23) applies
28.5-29.1 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.484A 5.516B 5.517A 5.517B 5.523A 5.539 INTER-SATELLITE 5.521A MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540	28.5-29.1 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.523A 5.539 INTER-SATELLITE 5.521A 5.540	Fixed links – 28 GHz (27.5-29.5 GHz) ESIM (under the FSS) Inter-Satellite Communication	28.5-29.1 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.484A 5.516B 5.517A 5.517B 5.523A 5.539 INTER-SATELLITE 5.521A 5.540	Channelling plan in accordance with Rec. ITU-R F.748 (Note: In this recommendation, this band is known as 28 GHz) Res.143 applies for HDFFS. The band 27.5-30 GHz may be used by the FSS for BSS feeder links Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC-23) applies Resolution 679 (WRC-23) applies
29.1-29.5 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A INTER-SATELLITE 5.521A MOBILE Earth exploration-satellite (Earth-to-space) 5.541 5.540	29.1-29.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A INTER-SATELLITE 5.521A 5.540	Fixed links – 28 GHz (27.5-29.5 GHz) ESIM (under the FSS) Inter-Satellite Communication	29.1-29.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.516B 5.517A 5.523C 5.523E 5.535A 5.539 5.541A INTER-SATELLITE 5.521A 5.540	Channelling plan in accordance with Rec. ITU-R F.748 (Note: In this recommendation, this band is known as 28 GHz) Res.143 applies for HDFFS. The band 27.5-30 GHz may be used by the FSS for BSS feeder links Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC-23) applies Resolution 679 (WRC-23) applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
29.5-29.9 GHz FIXED-SATELLITE (Earth-to- space) 5.484A 5.484B 5.516B 5.517B 5.427A 5.539 INTER-SATELLITE 5.521A Earth exploration- satellite (Earth-to space) 5.541 Mobile-satellite (Earth- to- space) 5.540 5.542	29.5-29.9 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.517B 5.427A 5.539 INTER-SATELLITE 5.521A Earth exploration- satellite (Earth-to-space) 5.541 Mobile-satellite (Earth- to- space) 5.540 5.542	ESIM (under the FSS) Inter-Satellite Communication	29.5-29.9 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.517B 5.427A 5.539 INTER-SATELLITE 5.521A Earth exploration satellite (Earth-to- space) 5.541 Mobile-satellite (Earth- to- space) 5.540 5.542	Res.143 applies for HDFS. The band 27.5-30 GHz may be used by the FSS for BSS feeder links Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC- 23) applies Resolution 679 (WRC-23) applies
29.9-30 GHz FIXED-SATELLITE (Earth-to- space) 5.484A 5.484B 5.516B 5.517B 5.427A 5.539 INTER-SATELLITE 5.521A MOBILE-SATELLITE (Earth- to-space) Earth exploration- satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540 5.542	29.9-30 GHz FIXED-SATELLITE (Earth- to-space) 5.484A 5.484B 5.516B 5.517B 5.427A 5.539 INTER-SATELLITE 5.521A MOBILE-SATELLITE (Earth- to-space) Earth exploration- satellite (Earth-to-space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540 5.542	ESIM (under the FSS) Inter-Satellite Communication	29.9-30 GHz FIXED-SATELLITE (Earth-to-space) 5.484A 5.484B 5.516B 5.517B 5.427A 5.539 INTER-SATELLITE 5.521A MOBILE-SATELLITE (Earth-to-space) Earth exploration- satellite (Earth-to- space) 5.541 5.543 5.525 5.526 5.527 5.538 5.540 5.542	Res.143 applies for HDFS. Res 169 (Rev. WRC-23) applies for ESIM. Resolution 123 (WRC- 23) applies Resolution 679 (WRC-23) applies
30-31 GHz FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard frequency and time signal-satellite (space- to-Earth) 5.529A 5.542	30-31 GHz FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard Frequency and Time Signal-Satellite (space-to-Earth) 5.529A 5.542	Fixed satellite uplink Mobile satellite uplink	30-31 GHz FIXED-SATELLITE (Earth-to-space) 5.338A MOBILE-SATELLITE (Earth-to-space) Standard Frequency and Time Signal-Satellite (space-to-Earth) 5.529A 5.542	
31-31.3 GHz FIXED 5.338A 5.543B MOBILE Standard frequency and time signal-satellite (space- to-Earth) Space research 5.544 5.545 5.149	31-31.3 GHz FIXED 5.338A 5.543B MOBILE Standard Frequency and Time Signal-Satellite (space-to-Earth) Space Research 5.544 5.149		31-31.3 GHz FIXED 5.338A 5.543B MOBILE Standard Frequency and Time Signal-Satellite (space-to-Earth) Space Research 5.544 5.149	Identified for HAPS Res 168 (WRC-19) applies
31.3-31.5 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	31.3-31.5 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		31.3-31.5 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
31.5-31.8 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except aeronautical mobile 5.149 5.546	31.5-31.8 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except Aeronautical Mobile 5.149 5.546		31.5-31.8 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) Fixed Mobile except Aeronautical Mobile 5.149 5.546	
31.8-32 GHz FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547B 5.548	31.8-32 GHz FIXED 5.547A 5.547 5.548	Fixed links (PTP/PTMP) (31.8-33.4 GHz)	31.8-32 GHz FIXED 5.547A 5.547 5.548	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1. The band 31.8-33.4 GHz is identified for HDFS; Res.75 applies.
32-32.3 GHz FIXED 5.547A RADIONAVIGATION SPACE RESEARCH (deep space) (space-to-Earth) 5.547 5.547C 5.548	32-32.3 GHz FIXED 5.547A 5.547 5.548	Fixed links (PTP/PTMP) (31.8-33.4 GHz)	32-32.3 GHz FIXED 5.547A 5.547 5.548	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1. The band 31.8-33.4 GHz is identified for HDFS; Res.75 applies.
32.3-33 GHz FIXED 5.547A INTER-SATELLITE RADIONAVIGATION 5.547 5.547D 5.548	32.3-33 GHz FIXED 5.547A 5.547 5.548	Fixed links (PTP/PTMP) (31.8-33.4 GHz)	32.3-33 GHz FIXED 5.547A 5.547 5.548	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1. The band 31.8-33.4 GHz is identified for HDFS; Res.75 applies.
33-33.4 GHz FIXED 5.547A RADIO NAVIGATION 5.547 5.547E	33-33.4 GHz FIXED 5.547A 5.547	Fixed links (PTP/PTMP) (31.8-33.4 GHz)	33-33.4 GHz FIXED 5.547A 5.547	Channelling plan for 32 GHz band in accordance with ITU-R Rec. F.1520 Annex 1. The band 31.8-33.4 GHz is identified for HDFS; Res.75 applies.
33.4-34.2 GHz RADIOLOCATION 5.549	33.4-34.2 GHz RADIOLOCATION 5.549	Government use	33.4-34.2 GHz RADIOLOCATION 5.549	
34.2-34.7 GHz RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space) 5.549	34.2-34.7 GHz RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space) 5.549	Government use	34.2-34.7 GHz RADIOLOCATION SPACE RESEARCH (deep space) (Earth-to-space) 5.549	
34.7-35.2 GHz RADIOLOCATION Space research 5.550 5.549	34.7-35.2 GHz RADIOLOCATION Space Research 5.549	Government use	34.7-35.2 GHz RADIOLOCATION Space Research 5.549	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
35.2-35.5 GHz METEOROLOGICAL AIDS RADIOLOCATION 5.549	35.2-35.5 GHz METEOROLOGICAL AIDS RADIOLOCATION 5.549	Government use	35.2-35.5 GHz METEOROLOGICAL AIDS RADIOLOCATION 5.549	
35.5-36 GHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549 5.549A	35.5-36 GHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549 5.549A	Government use	35.5-36 GHz METEOROLOGICAL AIDS EARTH EXPLORATION-SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) 5.549 5.549A	
36-37 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A	36-37 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A	Government use	36-37 GHz EARTH EXPLORATION-SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.149 5.550A	
37-37.5 GHz FIXED MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to-Earth) 5.547	37-37.5 GHz FIXED MOBILE except aeronautical mobile 5.550B 5.547	Fixed links - 38 GHz (37.0-39.5 GHz) IMT (37-43.5 GHz)	37-37.5 GHz FIXED MOBILE except aeronautical mobile 5.550B 5.547	The band 37-40 GHz is identified for HDFS; Res.75 applies. Channelling plan for 38 GHz band in accordance with ITU Rec. F.749 Annex 1. IMT Res 243 (WRC-19)applies
37.5-38 GHz FIXED FIXED-SATELLITE (space-to- Earth) 5.550C 5.550CA MOBILE except aeronautical mobile 5.550B SPACE RESEARCH (space-to- Earth) Earth exploration-satellite (space-to Earth) 5.547	37.5-38 GHz FIXED MOBILE except aeronautical mobile 5.550B 5.547	Fixed links - 38 GHz (37.0-39.5 GHz) IMT (37-43.5 GHz)	37.5-38 GHz FIXED MOBILE except aeronautical mobile 5.550B 5.547	The band 37-40 GHz is identified for HDFS; Res.75 applies. Channelling plan for 38 GHz band in accordance with ITU Rec. F.749 Annex 1. Identified for HAPS Res 168 (WRC-19) applies. IMT Res 243 (WRC-19) applies
38-39.5 GHz FIXED 5.550D FIXED-SATELLITE (space-to-Earth) 5.550C MOBILE 5.550B Earth exploration-satellite (space-to-Earth) 5.550E 5.547	38-39.5 GHz FIXED 5.550D MOBILE 5.550B 5.547	Fixed links - 38 GHz (37.0-39.5 GHz) IMT (37-43.5 GHz)	38-39.5 GHz FIXED 5.550D MOBILE 5.550B 5.547	Channelling plan for 38 GHz band in accordance with ITU Rec. F.749 Annex 1. The band 37-40 GHz is identified for HDFS; Res.75 applies. Identified for HAPS Res 168 (WRC-19) applies IMT Res 243 (WRC-19) applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
39.5-40 GHz FIXED FIXED-SATELLITE (space-to- Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) Earth exploration-satellite (space-to-Earth) 5.547 5.550E	39.5-40 GHz FIXED MOBILE 5.550B 5.547	IMT (37-43.5 GHz)	39.5-40 GHz FIXED MOBILE 5.550B 5.547	The band 37-40 GHz is identified for HDFS; Res.75 applies. The band 39.5-40 GHz is identified for HDFS; Res.143 applies. IMT Res 243 (WRC-19) applies
40-40.5 GHz EARTH EXPLORATION-SATELLITE (Earth-to-space) FIXED FIXED-SATELLITE (space-to- Earth) 5.516B 5.550C MOBILE 5.550B MOBILE-SATELLITE (space-to-Earth) SPACE RESEARCH (Earth-to-space) Earth exploration satellite (space-to-Earth) 5.550E	40-40.5 GHz FIXED MOBILE 5.550B	Government use IMT (37-43.5 GHz)	40-40.5 GHz FIXED MOBILE 5.550B	The band 40-40.5 GHz is identified for HDFS; Res.143 applies. IMT Res 243 (WRC-19) applies
40.5-41 GHz FIXED FIXED-SATELLITE (space-to- Earth) 5.516B 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical Mobile Maritime Mobile 5.547	40.5-41 GHz FIXED LAND MOBILE 5.550B Aeronautical Mobile Maritime Mobile 5.547	IMT (37-43.5 GHz)	40.5-41 GHz FIXED LAND MOBILE 5.550B Aeronautical Mobile Maritime Mobile 5.547	BFWA or MWS (40.5-43.5 GHz). The band 40.5-43.5 GHz is identified for HDFS; Res.75 applies. For IMT Res 243 (WRC-19) applies
41-42.5 GHz FIXED FIXED-SATELLITE (space-to- Earth) 5.516B 5.550C LAND MOBILE 5.550B BROADCASTING BROADCASTING-SATELLITE Aeronautical Mobile Maritime Mobile 5.547 5.551F 5.551H 5.551I	41-42.5 GHz FIXED LAND MOBILE 5.516B Aeronautical Mobile Maritime Mobile 5.547	IMT (37-43.5 GHz)	41-42.5 GHz FIXED LAND MOBILE 5.516B Aeronautical Mobile Maritime Mobile 5.547	BFWA or MWS (40.5-43.5 GHz). The band 40.5-43.5 GHz is identified for HDFS; Res.75 applies. For IMT Res 243 (WRC-19) applies

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
42.5-43.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE except aeronautical mobile 5.550B RADIO ASTRONOMY 5.149 5.547	42.5-43.5 GHz FIXED MOBILE except Aeronautical Mobile 5.550B RADIO ASTRONOMY 5.149 5.547	IMT (37-43.5 GHz)	42.5-43.5 GHz FIXED MOBILE except Aeronautical Mobile 5.550B RADIO ASTRONOMY 5.149 5.547	BFWA or MWS (40.5-43.5 GHz). The band 40.5-43.5 GHz is identified for HDFS; Res.75 applies. For IMT Res 243 (WRC-19) applies
43.5-47 GHz MOBILE 5.553 5.553A MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	43.5-47 GHz MOBILE 5.553 5.553A MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	Government use (43.5-45.5 GHz) IMT (45.5-47 GHz)	43.5-47 GHz MOBILE 5.553 5.553A MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION-SATELLITE 5.554	IMT Res 244 (WRC-19) applies
47-47.2 GHz AMATEUR AMATEUR-SATELLITE	47-47.2 GHz AMATEUR AMATEUR-SATELLITE	Amateur Amateur satellite	47-47.2 GHz AMATEUR AMATEUR-SATELLITE	
47.2-47.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A	47.2-47.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE 5.553B 5.552A	IMT (47.2-48.2 GHz)	47.2-47.5 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.552 MOBILE 5.553B 5.552A	For IMT Res 243 (WRC-19) applies. The bands 47.2-47.5 GHz and 47.9-48.2 GHz is identified for HAPS Res 122 (rev. WRC-19) applies
47.5-47.9 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.552 (space-to-Earth) 5.516B 5.554A MOBILE 5.553B	47.5-47.9 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.552 (space-to-Earth) 5.516B 5.554A MOBILE 5.553B	IMT (47.2-48.2 GHz)	47.5-47.9 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.552 (space-to-Earth) 5.516B 5.554A MOBILE 5.553B	The band 47.5-47.9 GHz is identified for HDFS; Res.143 applies. For IMT Res 243 (WRC-19) applies
47.9-48.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A	47.9-48.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A	IMT (47.2-48.2 GHz)	47.9-48.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.553B 5.552A	Res 243 (WRC-19) applies. The bands 47.2-47.5 GHz and 47.9-48.2 GHz is identified for HAPS Res 122 (rev. WRC-19) applies
48.2-48.54 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	48.2-48.54 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE		48.2-48.54 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	The band 48.2-48.54 GHz is identified for HDFS; Res.143 applies.

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
48.54-49.44 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.149 5.340 5.555	48.54-49.44 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.340 5.555		48.54-49.44 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.550C 5.552 MOBILE 5.340 5.555	
49.44-50.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	49.44-50.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE		49.44-50.2 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C 5.552 (space-to-Earth) 5.516B 5.554A 5.555B MOBILE	The band 49.44-50.2 GHz is identified for HDFS; Res.143 applies.
50.2-50.4 GHz EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	50.2-50.4 GHz EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340		50.2-50.4 GHz EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340	
50.4-51.4 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.338A 5.550C MOBILE Mobile-satellite (Earth-to- space)	50.4-51.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C MOBILE Mobile-Satellite (Earth- to-space)		50.4-51.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.338A 5.550C MOBILE Mobile-Satellite (Earth- to-space)	
51.4-52.4 GHz FIXED 5.338A FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE 5.338A 5.547 5.556	51.4-52.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE 5.338A 5.547 5.556		51.4-52.4 GHz FIXED FIXED-SATELLITE (Earth-to-space) 5.555C MOBILE 5.338A 5.547 5.556	The band 51.4-52.6 GHz is identified for HDFS; Res.75 applies.
52.4-52.6 GHz FIXED 5.338A MOBILE 5.547 5.556	52.4-52.6 GHz FIXED 5.338A MOBILE 5.547 5.556		52.4-52.6 GHz FIXED 5.338A MOBILE 5.547 5.556	
52.6-54.25 GHz EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556	52.6-54.25 GHz EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556		52.6-54.25 GHz EARTH EXPLORATION-SATELLITE (passive) SPACE RESEARCH (passive) 5.340 5.556	
54.25-55.78 GHz EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive) 5.556B	54.25-55.78 GHz EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive)		54.25-55.78 GHz EARTH EXPLORATION-SATELLITE (passive) INTER-SATELLITE 5.556A SPACE RESEARCH (passive)	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
55.78-56.9 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	55.78-56.9 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547		55.78-56.9 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED 5.557A INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	The band 55.78-59 GHz is identified for HDFS; Res.75 applies.
56.9-57 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	56.9-57 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547		56.9-57 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.558A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	The band 55.78-59 GHz is identified for HDFS; Res.75 applies.
57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547 5.557	57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547		57-58.2 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 SPACE RESEARCH (passive) 5.547	The band 55.78-59 GHz is identified for HDFS; Res.75 applies.
58.2-59 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.547 5.556	58.2-59 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.547 5.556	Government use	58.2-59 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED MOBILE SPACE RESEARCH (passive) 5.547 5.556	The band 55.78-59 GHz is identified for HDFS; Res.75 applies.
59-59.3 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIOLOCATION 5.559 SPACE RESEARCH (passive)	59-59.3 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIOLOCATION 5.559 SPACE RESEARCH (passive)		59-59.3 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED INTER-SATELLITE 5.556A MOBILE 5.558 RADIOLOCATION 5.559 SPACE RESEARCH (passive)	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
59.3-64 GHz FIXED INTER-SATELLITE MOBILE 5.558 RADIOLOCATION 5.559 5.138	59.3-64 GHz FIXED INTER-SATELLITE MOBILE 5.558 RADIOLOCATION 5.559 5.138	SRD applications (61- 61.5 GHz)	59.3-64 GHz FIXED INTER-SATELLITE MOBILE 5.558 RADIOLOCATION 5.559 5.138	The band 61- 61.5 GHz is designated for ISM applications (5.138). The band 59 - 61 GHz reserved for government use. Common international SRD band; see ITU-R Rec.SM.2153
64-65 GHz FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556 65-66 GHz EARTH EXPLORATION- SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH 5.547	64-65 GHz FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556 65-66 GHz EARTH EXPLORATION- SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH 5.547		64-65 GHz FIXED INTER-SATELLITE MOBILE except aeronautical mobile 5.547 5.556 65-66 GHz EARTH EXPLORATION- SATELLITE FIXED INTER-SATELLITE MOBILE except aeronautical mobile SPACE RESEARCH 5.547	The band 64-66 GHz is identified for HDFS; Res.75 applies. The band 64-66 GHz is identified for HDFS; Res.75 applies.
66-71 GHz INTER-SATELLITE MOBILE 5.553 5.558 5.559AA MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.554	66-71 GHz MOBILE 5.553 5.558 5.559AA	IMT (66-71 GHz)	66-71 GHz MOBILE 5.553 5.558 5.559AA	Res 241 (WRC- 19) applies
71-74 GHz FIXED FIXED-SATELLITE (space-to- Earth) MOBILE MOBILE-SATELLITE (space- to-Earth)	71-74 GHz FIXED MOBILE	Fixed links (71-76 GHz)	71-74 GHz FIXED MOBILE	E-band PTP links
74-76 GHz FIXED FIXED-SATELLITE (space-to- Earth) MOBILE BROADCASTING BROADCASTING- SATELLITE Space research (space-to- Earth) 5.561	74-76 GHz FIXED 5.561	Fixed links (71-76 GHz)	74-76 GHz FIXED 5.561	E-band PTP links

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
76-77.5 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space- to- Earth) 5.149	76-77.5 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space Research (space- to-Earth) 5.149	SRD - Road Transport and Traffic Telematics Radar (76 – 77 GHz)	76-77.5 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space Research (space- to-Earth) 5.149	Common international SRD band; see ITU-R Rec.SM.2153 and Rec. M.1452
77.5-78 GHz AMATEUR AMATEUR- SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space- to- Earth) 5.149	77.5-78 GHz AMATEUR AMATEUR- SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space-to- Earth) 5.149		77.5-78 GHz AMATEUR AMATEUR- SATELLITE RADIOLOCATION 5.559B Radio astronomy Space research (space- to- Earth) 5.149	
78-79 GHz RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space- to- Earth) 5.149 5.560	78-79 GHz RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space-to- Earth) 5.149 5.560		78-79 GHz RADIOLOCATION Amateur Amateur-satellite Radio astronomy Space research (space- to- Earth) 5.149 5.560	
79-81 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to- Earth) 5.149	79-81 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space-to- Earth) 5.149		79-81 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite Space research (space- to- Earth) 5.149	
81-84 GHz FIXED FIXED-SATELLITE (Earth-to- space) MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY Space research (space- to- Earth) 5.149 5.561A 5.338A	81-84 GHz FIXED 5.149 5.338A	Fixed links (81-86 GHz)	81-84 GHz FIXED 5.149 5.338A	E-Band PTP links
84-86 GHz FIXED FIXED-SATELLITE (Earth-to- space) 5.561B MOBILE RADIO ASTRONOMY 5.149 5.338A	84-86 GHz FIXED 5.149 5.338A	Fixed links (81-86 GHz)	84-86 GHz FIXED 5.149 5.338A	E-Band PTP links

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
86-92 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	86-92 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		86-92 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
92-94 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149 5.338A	92-94 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.1495.338A		92-94 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.1495.338A	
94-94.1 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A	94-94.1 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A		94-94.1 GHz EARTH EXPLORATION- SATELLITE (active) RADIOLOCATION SPACE RESEARCH (active) Radio astronomy 5.562 5.562A	
94.1-95 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	94.1-95 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149		94.1-95 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	
95-100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.554	95-100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.554		95-100 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.554	
100-102 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 102-105 GHz FIXED MOBILE RADIO ASTRONOMY 5.149 5.341	100-102 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 102-105 GHz FIXED MOBILE RADIO ASTRONOMY 5.149 5.341		100-102 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 102-105 GHz FIXED MOBILE RADIO ASTRONOMY 5.149 5.341	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
105-109.5 GHz RADIO ASTRONOMY MOD 5.562B	105-109.5 GHz RADIO ASTRONOMY MOD 5.562B		105-109.5 GHz RADIO ASTRONOMY MOD 5.562B	
109.5-111.8 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	109.5-111.8 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		109.5-111.8 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	
111.8-114.25 GHz FIXED MOBILE RADIO ASTRONOMY MOD 5.562B SPACE RESEARCH (passive) 5.562B 5.149 5.341	111.8-114.25 GHz FIXED MOBILE RADIO ASTRONOMY MOD 5.562B SPACE RESEARCH (passive) 5.562B 5.149 5.341		111.8-114.25 GHz FIXED MOBILE RADIO ASTRONOMY MOD 5.562B SPACE RESEARCH (passive) 5.562B 5.149 5.341	
114.25-116 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	114.25-116 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341		114.25-116 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341	
116-119.98 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341	116-119.98 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341		116-119.98 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.341	
119.98-122.25 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341	119.98-122.25 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341		119.98-122.25 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562C SPACE RESEARCH (passive) 5.138 5.341	
122.25-123 GHz FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138	122.25-123 GHz FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138		122.25-123 GHz FIXED INTER-SATELLITE MOBILE 5.558 Amateur 5.138	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
123-130 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.562D 5.149 5.554	123-130 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.562D 5.149 5.554		123-130 GHz FIXED-SATELLITE (space-to-Earth) MOBILE-SATELLITE (space-to-Earth) RADIONAVIGATION RADIONAVIGATION-SATELLITE Radio astronomy 5.562D 5.149 5.554	
130-134 GHz EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A	130-134 GHz EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A		130-134 GHz EARTH EXPLORATION-SATELLITE (active) 5.562E FIXED INTER-SATELLITE MOBILE 5.558 RADIO ASTRONOMY 5.149 5.562A	
134-136 GHz AMATEUR AMATEUR-SATELLITE Radio astronomy	134-136 GHz AMATEUR AMATEUR-SATELLITE Radio astronomy		134-136 GHz AMATEUR AMATEUR-SATELLITE Radio astronomy	
136-141 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	136-141 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149		136-141 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	
141-148.5 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	141-148.5 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149		141-148.5 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	
148.5-151.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	148.5-151.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		148.5-151.5 GHz EARTH EXPLORATION-SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
151.5-155.5 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	151.5-155.5 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149		151.5-155.5 GHz FIXED MOBILE RADIO ASTRONOMY RADIOLOCATION 5.149	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
155.5-158.5 GHz FIXED MOBILE RADIO ASTRONOMY 5.149	155.5-158.5 GHz FIXED MOBILE RADIO ASTRONOMY 5.149		155.5-158.5 GHz FIXED MOBILE RADIO ASTRONOMY 5.149	
158.5-164 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	158.5-164 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)		158.5-164 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE MOBILE-SATELLITE (space-to-Earth)	
164-167 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	164-167 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		164-167 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
167-174.5 GHz FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149 5.562D	167-174.5 GHz FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149 5.562D		167-174.5 GHz FIXED FIXED-SATELLITE (space-to-Earth) INTER-SATELLITE MOBILE 5.558 5.149 5.562D	
174.5-174.8 GHz FIXED INTER-SATELLITE MOBILE 5.558	174.5-174.8 GHz FIXED INTER-SATELLITE MOBILE 5.558		174.5-174.8 GHz FIXED INTER-SATELLITE MOBILE 5.558	
174.8-182 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	174.8-182 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)		174.8-182 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	
182-185 GHz EARTH- EXPLORATION SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	182-185 GHz EARTH- EXPLORATION SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		182-185 GHz EARTH- EXPLORATION SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
185-190 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	185-190 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)		185-190 GHz EARTH EXPLORATION- SATELLITE (passive) INTER-SATELLITE 5.562H SPACE RESEARCH (passive)	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
190-191.8 GHz EARTH EXPLORATION- SATELLITE (passive) SPACE RESEARCH (passive) 5.340	190-191.8 GHz EARTH EXPLORATION- SATELLITE (passive) SPACE RESEARCH (passive) 5.340		190-191.8 GHz EARTH EXPLORATION- SATELLITE (passive) SPACE RESEARCH (passive) 5.340	
191.8-200 GHz FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.19 5.341 5.554	191.8-200 GHz FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.19 5.341 5.554		191.8-200 GHz FIXED INTER-SATELLITE MOBILE 5.558 MOBILE-SATELLITE RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.19 5.341 5.554	
200-209 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	200-209 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A		200-209 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.341 5.563A	
209-217 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.341	209-217 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.341		209-217 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.341	
217-226 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	217-226 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341		217-226 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY SPACE RESEARCH (passive) 5.562B 5.149 5.341	
226-231.5 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	226-231.5 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340		226-231.5 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340	
231.5-232 GHz FIXED MOBILE Radiolocation	231.5-232 GHz FIXED MOBILE Radiolocation		231.5-232 GHz FIXED MOBILE Radiolocation	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
232-235 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation	232-235 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation		232-235 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE Radiolocation	
235-238 GHz EARTH EXPLORATION- SATELLITE (passive) 5.536AA FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive) 5.563A 5.563B	235-238 GHz EARTH EXPLORATION- SATELLITE (passive) 5.536AA FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive) 5.563A 5.563B		235-238 GHz EARTH EXPLORATION- SATELLITE (passive) 5.536AA FIXED-SATELLITE (space-to-Earth) SPACE RESEARCH (passive) 5.563A 5.563B	
238-239.2 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE	238-239.2 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE		238-239.2 GHz FIXED FIXED-SATELLITE (space-to-Earth) MOBILE RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE	
239.2-240 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) RADIOLOCATION RADIONAVIGATION RADIO NAVIGATION- SATELLITE	239.2-240 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) RADIOLOCATION RADIONAVIGATION RADIONAVIGATION- SATELLITE		239.2-240 GHz EARTH EXPLORATION- SATELLITE (passive) FIXED-SATELLITE (space-to-Earth) RADIO LOCATION RADIO NAVIGATION RADIONAVIGATION- SATELLITE	
240-241 GHz EARTH EXPLORATION- SATELLITE (passive) RADIOLOCATION	240-241 GHz EARTH EXPLORATION- SATELLITE (passive) RADIOLOCATION		240-241 GHz EARTH EXPLORATION- SATELLITE (passive) RADIOLOCATION	
241-242.2 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	241-242.2 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149		241-242.2 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.149	
242.2-244.2 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	242.2-244.2 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149		242.2-244.2 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	

ITU Region 1 allocations and footnotes	SADC common allocation/s and relevant ITU footnotes	SADC proposed common sub-allocations/ utilisation	Namibia allocation/s and relevant ITU footnotes	Additional information
244.2-247.2 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	244.2-247.2 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149		244.2-247.2 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY RADIOLOCATION Amateur Amateur-satellite 5.138 5.149	
247.2-248 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur- satellite 5.149	247.2-248 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur- satellite 5.149		247.2-248 GHz RADIO ASTRONOMY RADIOLOCATION Amateur Amateur- satellite 5.149	
248-250 GHz AMATEUR AMATEUR- SATELLITE Radio astronomy 5.149	248-250 GHz AMATEUR AMATEUR- SATELLITE Radio astronomy 5.149		248-250 GHz AMATEUR AMATEUR- SATELLITE Radio astronomy 5.149	
250-252 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A	250-252 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A		250-252 GHz EARTH EXPLORATION- SATELLITE (passive) RADIO ASTRONOMY SPACE RESEARCH (passive) 5.340 5.563A	
252-265 GHz FIXED MOBILE MOBILE-SATELLITE (Earth- to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.554	252-265 GHz FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.554		252-265 GHz FIXED MOBILE MOBILE-SATELLITE (Earth-to-space) RADIO ASTRONOMY RADIONAVIGATION RADIONAVIGATION- SATELLITE 5.149 5.554	
265-275 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A	265-275 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A		265-275 GHz FIXED FIXED-SATELLITE (Earth-to-space) MOBILE RADIO ASTRONOMY 5.149 5.563A	
275-3000 GHz (Not allocated) 5.465A 5.565	275-3000 GHz (Not allocated) 5.465A 5.565		275-3000 GHz (Not allocated) 5.564A 5.565	

6. List of ITU Radio Regulations footnotes
- 5.53 Administrations authorising the use of frequencies below 8.3 kHz shall ensure that no harmful interference is caused thereby to the services to which the bands above 8.3 kHz are allocated.
- 5.54 Administrations conducting scientific research using frequencies below 8.3 kHz are urged to advise other administrations that may be concerned in order that such research may be afforded all practicable protection from harmful interference.
- 5.54A Use of the 8.3-11.3 kHz frequency band by stations in the meteorological aids service is limited to passive use only. In the band 9-11.3 kHz, meteorological aids stations shall not claim protection from stations of the radionavigation service submitted for notification to the Bureau prior to 1 January 2013. For sharing between stations of the meteorological aids service and stations in the radionavigation service submitted for notification after this date, the most recent version of Recommendation ITU-R RS.1881 should be applied.
- 5.54B Additional allocation: in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, the Russian Federation, Iran (Islamic Republic of), Iraq, Kuwait, Lebanon, Morocco, Qatar, the Syrian Arab Republic, Sudan and Tunisia, the frequency band 8.3-9 kHz is also allocated to the radionavigation, fixed and mobile services on a primary basis. (WRC-15)
- 5.54C Additional allocation: in China, the frequency band 8.3-9 kHz is also allocated to the maritime radionavigation and maritime mobile services on a primary basis.
- 5.55 Additional allocation: in Armenia, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the frequency band 14-17 kHz is also allocated to the radionavigation service on a primary basis. (WRC-15)
- 5.56 The stations of services to which the frequency bands 14-19.95 kHz and 20.05-70 kHz and in Region 1 also the frequency bands 72-84 kHz and 86-90 kHz are allocated may transmit standard frequency and time signals. Such stations shall be afforded protection from harmful interference. In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the frequencies 25 kHz and 50 kHz will be used for this purpose under the same conditions. (WRC-23)
- 5.57 The use of the bands 14-19.95 kHz, 20.05-70 kHz and 70-90 kHz (72-84 kHz and 86-90 kHz in Region 1) by the maritime mobile service is limited to coast radiotelegraph stations (A1A and F1B only). Exceptionally, the use of class J2B or J7B emissions is authorized subject to the necessary bandwidth not exceeding that normally used for class A1A or F1B emissions in the band concerned.
- 5.58 Additional allocation: in Armenia, Azerbaijan, the Russian Federation, Georgia, Kyrgyzstan, Tajikistan and Turkmenistan, the frequency band 67-70 kHz is also allocated to the radionavigation service on a primary basis. (WRC- 23)
- 5.59 Different category of service: in Bangladesh and Pakistan, the allocation of the bands 70-72 kHz and 84-86 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33). (WRC-2000)
- 5.60 In the bands 70-90 kHz (70-86 kHz in Region 1) and 110-130 kHz (112-130 kHz in Region 1), pulsed radionavigation systems may be used on condition that they do not cause harmful interference to other services to which these bands are allocated.

- 5.61 In Region 2, the establishment and operation of stations in the maritime radionavigation service in the bands 70-90 kHz and 110-130 kHz shall be subject to agreement obtained under No. 9.21 with administrations whose services, operating in accordance with the Table, may be affected. However, stations of the fixed, maritime mobile and radiolocation services shall not cause harmful interference to stations in the maritime radionavigation service established under such agreements.
- 5.62 Administrations which operate stations in the radionavigation service in the band 90-110 kHz are urged to coordinate technical and operating characteristics in such a way as to avoid harmful interference to the services provided by these stations.
- 5.63 SUP (WRC-97)
- 5.64 Only classes A1A or F1B, A2C, A3C, F1C or F3C emissions are authorized for stations of the fixed service in the bands allocated to this service between 90 kHz and 160 kHz (148.5 kHz in Region 1) and for stations of the maritime mobile service in the bands allocated to this service between 110 kHz and 160 kHz (148.5 kHz in Region 1). Exceptionally, class J2B or J7B emissions are also authorized in the bands between 110 kHz and 160 kHz (148.5 kHz in Region 1) for stations of the maritime mobile service.
- 5.65 Different category of service: in Bangladesh, the allocation of the bands 112-117.6 kHz and 126-129 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33). (WRC-2000)
- 5.66 Different category of service: in Germany, the allocation of the band 115-117.6 kHz to the fixed and maritime mobile services is on a primary basis (see No. 5.33) and to the radionavigation service on a secondary basis (see No. 5.32).
- 5.67 Additional allocation: in Kyrgyzstan and Turkmenistan, the frequency band 130-148.5 kHz is also allocated to the radionavigation service on a secondary basis. Within and between these countries this service shall have an equal right to operate. (WRC-19)
- 5.67A Stations in the amateur service using frequencies in the band 135.7-137.8 kHz shall not exceed a maximum radiated power of 1 W (e.i.r.p.) and shall not cause harmful interference to stations of the radionavigation service operating in countries listed in No. 5.67. (WRC-07)
- 5.67B The use of the frequency band 135.7-137.8 kHz in Algeria, Egypt, Iraq, Lebanon, Syrian Arab Republic, Sudan, South Sudan and Tunisia is limited to the fixed and maritime mobile services. The amateur service shall not be used in the above-mentioned countries in the frequency band 135.7-137.8 kHz, and this should be taken into account by the countries authorizing such use. (WRC-19)
- 5.68 Alternative allocation: in Congo (Rep. of the), the Dem. Rep. of the Congo and South Africa, the frequency band 160- 200 kHz is allocated to the fixed service on a primary basis. (WRC-15)
- 5.69 Additional allocation: in Somalia, the band 200-255 kHz is also allocated to the aeronautical radionavigation service on a primary basis.
- 5.70 Alternative allocation: in Angola, Botswana, Burundi, the Central African Rep., Congo (Rep. of the), Eswatini, Ethiopia, Kenya, Lesotho, Madagascar, Malawi, Mozambique, Namibia, Nigeria, Oman, the Dem. Rep. of the Congo, South Africa, Tanzania, Chad, Zambia and Zimbabwe, the frequency band 200-283.5 kHz is allocated to the aeronautical radionavigation service on a primary basis. (WRC-19)

- 5.71 SUP (WRC-19)
- 5.72 SUP (WRC-12)
- 5.73 The band 285-325 kHz (283.5-325 kHz in Region 1) in the maritime radionavigation service may be used to transmit supplementary navigational information using narrow-band techniques, on condition that no harmful interference is caused to radiobeacon stations operating in the radionavigation service. (WRC-97)
- 5.74 Additional Allocation: in Region 1, the frequency band 285.3-285.7 kHz is also allocated to the maritime radionavigation service (other than radiobeacons) on a primary basis.
- 5.75 Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and the Black Sea areas of Romania, the allocation of the band 315-325 kHz to the maritime radionavigation service is on a primary basis under the condition that in the Baltic Sea area, the assignment of frequencies in this band to new stations in the maritime or aeronautical radionavigation services shall be subject to prior consultation between the administrations concerned. (WRC-07)
- 5.76 The frequency 410 kHz is designated for radio direction-finding in the maritime radionavigation service. The other radionavigation services to which the band 405-415 kHz is allocated shall not cause harmful interference to radio direction-finding in the band 406.5-413.5 kHz.
- 5.77 Different category of service: in Australia, China, the French overseas communities of Region 3, Korea (Rep. of), India, Iran (Islamic Republic of), Japan, Pakistan, Papua New Guinea, the Dem. People's Rep. of Korea and Sri Lanka, the allocation of the frequency band 415-495 kHz to the aeronautical radionavigation service is on a primary basis. In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Latvia, Uzbekistan and Kyrgyzstan, the allocation of the frequency band 435-495 kHz to the aeronautical radionavigation service is on a primary basis. Administrations in all the aforementioned countries shall take all practical steps necessary to ensure that aeronautical radionavigation stations in the frequency band 435-495 kHz do not cause interference to reception by coast stations of transmissions from ship stations on frequencies designated for ship stations on a worldwide basis. (WRC-19)
- 5.78 Different category of service: in Cuba, the United States of America and Mexico, the allocation of the band 415-435 kHz to the aeronautical radionavigation service is on a primary basis.
- 5.79 In the maritime mobile service, the frequency bands 415-495 kHz and 505-526.5 kHz are limited to radiotelegraphy and may also be used for the NAVDAT system in accordance with the most recent version of Recommendation ITU-R M.2010, subject to agreement between interested and affected administrations. NAVDAT transmitting stations are limited to coast stations. (WRC-19).
- 5.79A When establishing coast stations in the NAVTEX service on the frequencies 490 kHz, 518 kHz and 4 209.5 kHz, administrations are strongly recommended to coordinate the operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 339 (Rev.WRC-07)). (WRC-07)
- 5.80 In Region 2, the use of the band 435-495 kHz by the aeronautical radionavigation service is limited to non-directional beacons not employing voice transmission.

- 5.80A The maximum equivalent isotropically radiated power (e.i.r.p.) of stations in the amateur service using frequencies in the band 472-479 kHz shall not exceed 1 W. Administrations may increase this limit of e.i.r.p. to 5 W in portions of their territory which are at a distance of over 800 km from the borders of Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iran (Islamic Republic of), Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Morocco, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia, Ukraine and Yemen. In this frequency band, stations in the amateur service shall not cause harmful interference to, or claim protection from, stations of the aeronautical radionavigation service.
- 5.80B The use of the frequency band 472-479 kHz in Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, China, Comoros, Djibouti, Egypt, United Arab Emirates, the Russian Federation, Iraq, Jordan, Kazakhstan, Kuwait, Lebanon, Libya, Mauritania, Oman, Uzbekistan, Qatar, Syrian Arab Republic, Kyrgyzstan, Somalia, Sudan, Tunisia and Yemen is limited to the maritime mobile and aeronautical radionavigation services. The amateur service shall not be used in the abovementioned countries in this frequency band, and this should be taken into account by the countries authorizing such use.
- 5.81 SUP (WRC-2000)
- 5.82 In the maritime mobile service, the frequency 490 kHz is to be used exclusively for the transmission by coast stations of navigational and meteorological warnings and urgent information to ships, by means of narrow-band direct-printing telegraphy. The conditions for use of the frequency 490 kHz are prescribed in Articles 31 and 52. In using the frequency band 415-495 kHz for the aeronautical radionavigation service, administrations are requested to ensure that no harmful interference is caused to the frequency 490 kHz. In using the frequency band 472-479 kHz for the amateur service, administrations shall ensure that no harmful interference is caused to the frequency 490 kHz. (WRC-12)
- 5.82A SUP (WRC-12)
- 5.82B Administrations authorizing the use of frequencies in the band 495-505 kHz by services other than the maritime mobile service shall ensure that no harmful interference is caused to the maritime mobile service in this band or to the services having allocations in the adjacent bands, noting in particular the conditions of use of the frequencies 490 kHz and 518 kHz, as prescribed in Articles 31 and 52. (WRC-07)
- 5.82C The frequency band 495-505 kHz is used for the international NAVDAT system as described in the most recent version of Recommendation ITU-R M.2010. NAVDAT transmitting stations are limited to coast stations. (WRC-19)
- 5.82D When establishing coast stations in the NAVDAT system on the frequencies 500 kHz and 4 226 kHz, the conditions for the use of the frequencies 500 kHz and 4 226 kHz are prescribed in Articles 31 and 52. Administrations are strongly recommended to coordinate the NAVDAT systems operating characteristics in accordance with the procedures of the International Maritime Organization (IMO) (see Resolution 364 (WRC-23)). (WRC-23)
- 5.83 SUP (WRC-07)
- 5.84 The conditions for the use of the frequency 518 kHz by the maritime mobile service are prescribed in Articles 31 and 52. WRC-07)
- 5.85 Not used.

- 5.86 In Region 2, in the band 525-535 kHz the carrier power of broadcasting stations shall not exceed 1 kW during the day and 250 W at night.
- 5.87 Additional allocation: in Angola, Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia and Niger, the frequency band 526.5-535 kHz is also allocated to the mobile service on a secondary basis. (WRC-19)
- 5.87 A Additional allocation: in Uzbekistan, the band 526.5-1 606.5 kHz is also allocated to the radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-97)
- 5.88 Additional allocation: in China, the band 526.5-535 kHz is also allocated to the aeronautical radionavigation service on a secondary basis.
- 5.89 In Region 2, the use of the band 1 605-1 705 kHz by stations of the broadcasting service is subject to the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).
- The examination of frequency assignments to stations of the fixed and mobile services in the band 1 625-1 705 kHz shall take account of the allotments appearing in the Plan established by the Regional Administrative Radio Conference (Rio de Janeiro, 1988).
- 5.90 In the band 1 605-1 705 kHz, in cases where a broadcasting station of Region 2 is concerned, the service area of the maritime mobile stations in Region 1 shall be limited to that provided by ground-wave propagation.
- 5.91 Additional allocation: in the Philippines and Sri Lanka, the band 1 606.5-1 705 kHz is also allocated to the broadcasting service on a secondary basis. (WRC-97)
- 5.92 Some countries of Region 1 use radiodetermination systems in the bands 1 606.5-1 625 kHz, 1 635-1 800 kHz, 1 850-2 160 kHz, 2 194-2 300 kHz, 2 502-2 850 kHz and 3 500-3 800 kHz, subject to agreement obtained under No. 9.21. The radiated mean power of these stations shall not exceed 50 W.
- 5.93 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Mongolia, Nigeria, Uzbekistan, Poland, Kyrgyzstan, Slovakia, Tajikistan, Chad, Turkmenistan and Ukraine, the frequency bands 1 625-1 635 kHz, 1 800-1 810 kHz and 2 160-2 170 kHz are also allocated to the fixed and land mobile services on a primary basis, subject to agreement obtained under No. 9.21. (WRC-15)
- 5.94 Not used
- 5.95 Not used.
- 5.96 In Germany, Armenia, Austria, Azerbaijan, Belarus, Croatia, Denmark, Estonia, the Russian Federation, Finland, Georgia, Hungary, Ireland, Iceland, Israel, Kazakhstan, Latvia, Liechtenstein, Lithuania, Malta, Moldova, Norway, Uzbekistan, Poland, Kyrgyzstan, Slovakia, the Czech Rep., the United Kingdom, Sweden, Switzerland, Tajikistan, Turkmenistan and Ukraine, administrations may allocate up to 200 kHz to their amateur service in the frequency bands 1 715-1 800 kHz and 1 850-2 000 kHz. However, when allocating the frequency bands within this range to their amateur service, administrations shall, after prior consultation with administrations of neighbouring countries, take such steps as may be necessary to prevent harmful interference from their amateur service to the fixed and mobile services of other countries. The mean power of any amateur station shall not exceed 10 W. (WRC-15)

- 5.97 In Region 3, the Loran system operates either on 1 850 kHz or 1 950 kHz, the bands occupied being 1 825-1 875 kHz and 1 925-1 975 kHz respectively. Other services to which the band 1 800-2 000 kHz is allocated may use any frequency therein on condition that no harmful interference is caused to the Loran system operating on 1 850 kHz or 1 950 kHz.
- 5.98 Alternative allocation: in Armenia, Azerbaijan, Belarus, Belgium, Cameroon, Congo (Rep. of the), Denmark, Eritrea, Spain, Ethiopia, the Russian Federation, Georgia, Greece, Italy, Kazakhstan, Lebanon, Lithuania, the Syrian Arab Republic, Türkiye, Kyrgyzstan, Somalia, Tajikistan, Tunisia and Turkmenistan, the frequency band 1 810-1 830 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
- 5.99 Additional allocation: in Saudi Arabia, Austria, Egypt, Iraq, Libya, Uzbekistan, Romania, Slovakia, Slovenia, Chad, and Togo, the frequency band 1 810-1 830 kHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
- 5.100 In Region 1, the authorization to use the band 1 810-1 830 kHz by the amateur service in countries situated totally or partially north of 40° N shall be given only after consultation with the countries mentioned in Nos. 5.98 and 5.99 to define the necessary steps to be taken to prevent harmful interference between amateur stations and stations of other services operating in accordance with Nos. 5.98 and 5.99.
- 5.101 SUP (WRC12)
- 5.102 Alternative allocation: in Bolivia, Chile, Paraguay and Peru, the frequency band 1 850-2 000 kHz is allocated to the fixed, mobile except aeronautical mobile, radiolocation and radionavigation services on a primary basis. (WRC-15)
- 5.103 In Region 1, in making assignments to stations in the fixed and mobile services in the bands 1 850-2 045 kHz, 2 194-2 498 kHz, 2 502-2 625 kHz and 2 650-2 850 kHz, administrations should bear in mind the special requirements of the maritime mobile service.
- 5.104 In Region 1, the use of the band 2 025-2 045 kHz by the meteorological aids service is limited to oceanographic buoy stations.
- 5.105 In Region 2, except in Greenland, coast stations and ship stations using radiotelephony in the band 2 065-2 107 kHz shall be limited to class J3E emissions and to a peak envelope power not exceeding 1 kW. Preferably, the following carrier frequencies should be used: 2 065.0 kHz, 2 079.0 kHz, 2 082.5 kHz, 2 086.0 kHz, 2 093.0 kHz, 2 096.5 kHz, 2 100.0 kHz and 2 103.5 kHz. In Argentina and Uruguay, the carrier frequencies 2 068.5 kHz and 2 075.5 kHz are also used for this purpose, while the frequencies within the band 2 072-2 075.5 kHz are used as provided in No. 52.165.
- 5.106 In Regions 2 and 3, provided no harmful interference is caused to the maritime mobile service, the frequencies between 2 065 kHz and 2 107 kHz may be used by stations of the fixed service communicating only within national borders and
- whose mean power does not exceed 50 W. In notifying the frequencies, the attention of the Bureau should be drawn to these provisions.
- 5.107 Additional allocation: in Saudi Arabia, Eritrea, Eswatini, Ethiopia, Iraq, Libya and Somalia, the frequency band 2 160-2 170 kHz is also allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. The mean power of stations in these services shall not exceed 50 W. (WRC-19)

- 5.108 The carrier frequency 2 182 kHz is an international distress and calling frequency for radiotelephony. The conditions for the use of the band 2 173.5-2 190.5 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.109 The frequencies 2 187.5 kHz, 4 207.5 kHz, 6 312 kHz, 8 414.5 kHz, 12 577 kHz and 16 804.5 kHz are international distress frequencies for digital selective calling. The conditions for the use of these frequencies are prescribed in Article 31.
- 5.110 The frequencies 2 174.5 kHz, 4 177.5 kHz, 6 268 kHz, 8 376.5 kHz, 12 520 kHz and 16 695 kHz are used for the automatic connection system (ACS), as described in the most recent version of Recommendation ITU-R M.541. (WRC- 23)
- 5.111 The carrier frequencies 2 182 kHz, 3 023 kHz, 5 680 kHz, 8 364 kHz and the frequencies 121.5 MHz, 156.525 MHz, 156.8 MHz and 243 MHz may also be used, in accordance with the procedures in force for terrestrial radiocommunication services, for search and rescue operations concerning manned space vehicles. The conditions for the use of the frequencies are prescribed in Article 31.

The same applies to the frequencies 10 003 kHz, 14 993 kHz and 19 993 kHz, but in each of these cases emissions must be confined in a band of ± 3 kHz about the frequency. (WRC-07)

- 5.112 Alternative allocation: in Sri Lanka, the frequency band 2 194-2 300 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.113 For the conditions for the use of the bands 2 300-2 495 kHz (2 498 kHz in Region 1), 3 200-3 400 kHz, 4 750-4 995 kHz and 5 005-5 060 kHz by the broadcasting service, see Nos. 5.16 to 5.20, 5.21 and 23.3 to 23.10.
- 5.114 Alternative allocation: in Iraq, the frequency band 2 502-2 625 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.115 The carrier (reference) frequencies 3 023 kHz and 5 680 kHz may also be used, in accordance with Article 31, by stations of the maritime mobile service engaged in coordinated search and rescue operations. (WRC-07)
- 5.116 Administrations are urged to authorize the use of the band 3 155-3 195 kHz to provide a common worldwide channel for low power wireless hearing aids. Additional channels for these devices may be assigned by administrations in the bands between 3 155 kHz and 3 400 kHz to suit local needs.

It should be noted that frequencies in the range 3 000 kHz to 4 000 kHz are suitable for hearing aid devices which are designed to operate over short distances within the induction field.

- 5.117 Alternative allocation: in Liberia, Sri Lanka and Togo, the frequency band 3 155-3 200 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
- 5.118 Additional allocation: in the United States, Mexico and Peru, the frequency band 3 230-3 400 kHz is also allocated to the radiolocation service on a secondary basis. (WRC-19)
- 5.119 Additional allocation: in Peru, the frequency band 3 500-3 750 kHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)
- 5.120 SUP (WRC-2000)

- 5.121 Not used.
- 5.122 Alternative allocation: in Bolivia, Chile, Ecuador, Paraguay and Peru, the frequency band 3 750-4 000 kHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-15)
- 5.123 Additional allocation: in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency band 3 900-3 950 kHz is also allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-19)
- 5.124 SUP (WRC-2000)
- 5.125 Additional allocation: in Greenland, the band 3 950-4 000 kHz is also allocated to the broadcasting service on a primary basis. The power of the broadcasting stations operating in this band shall not exceed that necessary for a national service and shall in no case exceed 5 kW.
- 5.126 In Region 3, the stations of those services to which the band 3 995-4 005 kHz is allocated may transmit standard frequency and time signals.
- 5.127 The use of the band 4 000-4 063 kHz by the maritime mobile service is limited to ship stations using radiotelephony (see No. 52.220 and Appendix 17).
- 5.128 Frequencies in the bands 4 063-4 123 kHz and 4 130-4 438 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W, on condition that harmful interference is not caused to the maritime mobile service. In addition, in Afghanistan, Argentina, Armenia, Belarus, Botswana, Burkina Faso, the Central African Rep., China, the Russian Federation, Georgia, India, Kazakhstan, Mali, Niger, Pakistan, Kyrgyzstan, Tajikistan, Chad, Turkmenistan and Ukraine, in the frequency bands 4 063-4 123 kHz, 4 130-4 133 kHz and 4 408-4 438 kHz, stations in the fixed service, with a mean power not exceeding 1 kW, can be operated on condition that they are situated at least 600 km from the coast and that harmful interference is not caused to the maritime mobile service. (WRC-19)
- 5.129 SUP (WRC-07)
- 5.130 The conditions for the use of the carrier frequencies 4 125 kHz and 6 215 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.131 The frequency 4 209.5 kHz is used exclusively for the transmission by coast stations of meteorological and navigational warnings and urgent information to ships by means of narrow-band direct-printing techniques. (WRC-97)
- 5.132 The frequencies 4 210 kHz, 6 314 kHz, 8 416.5 kHz, 12 579 kHz, 16 806.5 kHz, 19 680.5 kHz, 22 376 kHz and 26 100.5 kHz are the international frequencies for the transmission of maritime safety information (MSI) (see Appendices 15 and 17). (WRC-23)
- 5.132A Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (WRC-12).
- 5.132B Alternative allocation: in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 4 438-4 488 kHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis. (WRC-19)

- 5.133 Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Niger, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 5 130-5 250 kHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-12)
- 5.133A Alternative allocation: in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 5 250-5 275 kHz and 26 200- 26 350 kHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.133B Stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 15 W (e.i.r.p.). However, in Region 2 in Mexico, stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 20 W (e.i.r.p.). In the following Region 2 countries: Antigua and Barbuda, Argentina, Bahamas, Barbados, Belize, Bolivia, Brazil, Chile, Colombia, Costa Rica, Cuba, Dominican Republic, Dominica, El Salvador, Ecuador, Grenada, Guatemala, Guyana, Haiti, Honduras, Jamaica, Nicaragua, Panama, Paraguay, Peru, Saint Lucia, Saint Kitts and Nevis, Saint Vincent and the Grenadines, Suriname, Trinidad and Tobago, Uruguay, Venezuela, as well as the overseas countries and territories within the Kingdom of the Netherlands in Region 2, stations in the amateur service using the frequency band 5 351.5-5 366.5 kHz shall not exceed a maximum radiated power of 25 W (e.i.r.p.). (WRC-19)
- 5.134 The use of the frequency bands 5 900-5 950 kHz, 7 300-7 350 kHz, 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 13 570-13 600 kHz, 13 800-13 870 kHz, 15 600 15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz by the broadcasting service is subject to the application of the procedure of Article 12. Administrations are encouraged to use these frequency bands to facilitate the introduction of digitally modulated emissions in accordance with the provisions of Resolution 517 (Rev.WRC-19). (WRC-19)
- 5.135 SUP (WRC-97)
- 5.136 Additional allocation: frequencies in the band 5 900-5 950 kHz may be used by stations in the following services, communicating only within the boundary of the country in which they are located: fixed service (in all three Regions), land mobile service (in Region 1), mobile except aeronautical mobile (R) service (in Regions 2 and 3), on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
- 5.137 On condition that harmful interference is not caused to the maritime mobile service, the bands 6 200-6 213.5 kHz and 6 220.5-6 525 kHz may be used exceptionally by stations in the fixed service, communicating only within the boundary of the country in which they are located, with a mean power not exceeding 50 W. At the time of notification of these frequencies, the attention of the Bureau will be drawn to the above conditions.
- 5.137A The frequencies 6 337.5 kHz, 8 443 kHz, 12 663.5 kHz, 16 909.5 kHz and 22 450.5 kHz are the regional frequencies for the transmission of maritime safety information (MSI) by means of the NAVDAT system (see Appendices 15 and 17). (WRC-23)
- 5.138 The following bands:
- | | |
|-------------------|---|
| 6 765-6 795 kHz | (centre frequency 6 780 kHz), |
| 433.05-434.79 MHz | (centre frequency 433.92 MHz) in Region 1 except in the countries mentioned in No. 5.280, |
| 61-61.5 GHz | (centre frequency 61.25 GHz), |

122-123 GHz (centre frequency 122.5 GHz), and
244-246 GHz (centre frequency 245 GHz)

are designated for industrial, scientific and medical (ISM) applications. The use of these frequency bands for ISM applications shall be subject to special authorization by the administration concerned, in agreement with other administrations whose radiocommunication services might be affected. In applying this provision, administrations shall have due regard to the latest relevant ITU-R Recommendations.

- 5.138A Until 29 March 2009, the band 6 765-7 000 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. After this date, this band is allocated to the fixed and the mobile except aeronautical mobile (R) services on a primary basis. (WRC-03)
- 5.139 Different category of service: until 29 March 2009, in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Latvia, Lithuania, Mongolia, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 6 765-7 000 kHz to the land mobile service is on a primary basis (see No. 5.33). (WRC-07)
- 5.140 Additional allocation: in Angola, Iraq, Somalia and Togo, the frequency band 7 000-7 050 kHz is also allocated to the fixed service on a primary basis. (WRC-15)
- 5.141 Alternative allocation: in Egypt, Eritrea, Ethiopia, Guinea, Libya, Madagascar and Niger, the band 7 000-7 050 kHz is allocated to the fixed service on a primary basis. (WRC-12)
- 5.141A Additional allocation: in Uzbekistan and Kyrgyzstan, the bands 7 000-7 100 kHz and 7 100-7 200 kHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-03)
- 5.141B Additional allocation: in Algeria, Saudi Arabia, Australia, Bahrain, Botswana, Brunei Darussalam, China, Comoros, Korea (Rep. of), Diego Garcia, Djibouti, Egypt, United Arab Emirates, Eritrea, Guinea, Indonesia, Iran (Islamic Republic of), Japan, Jordan, Kuwait, Libya, Mali, Morocco, Mauritania, Niger, New Zealand, Oman, Papua New Guinea, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Sudan, South Sudan, Tunisia, Viet Nam and Yemen, the frequency band 7 100-7 200 kHz is also allocated to the fixed and the mobile, except aeronautical mobile (R), services on a primary basis. (WRC-19)
- 5.141C In Regions 1 and 3, the band 7 100-7 200 kHz is allocated to the broadcasting service until 29 March 2009 on a primary basis. (WRC-03)
- 5.142 Until 29 March 2009, the use of the band 7 100-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. After 29 March 2009 the use of the band 7 200-7 300 kHz in Region 2 by the amateur service shall not impose constraints on the broadcasting service intended for use within Region 1 and Region 3. (WRC-03)
- 5.143 Additional allocation: frequencies in the band 7 300-7 350 kHz may be used by stations in the fixed service and in the land mobile service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
- 5.143A In Region 3, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, frequencies in this band may be used by stations in the above-mentioned services,

communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-03)

- 5.143B In Region 1, the band 7 350-7 450 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, on condition that harmful interference is not caused to the broadcasting service, frequencies in the band 7 350-7 450 kHz may be used by stations in the fixed and land mobile services communicating only within the boundary of the country in which they are located, each station using a total radiated power that shall not exceed 24 dBW. (WRC-03)
- 5.143C Additional allocation: after 29 March 2009 in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Iran (Islamic Republic of), Libya, Jordan, Kuwait, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, South Sudan, Tunisia and Yemen, the bands 7 350-7 400 kHz and 7 400-7 450 kHz are also allocated to the fixed service on a primary basis. (WRC-12)
- 5.143D In Region 2, the band 7 350-7 400 kHz is allocated, until 29 March 2009, to the fixed service on a primary basis and to the land mobile service on a secondary basis. After 29 March 2009, frequencies in this band may be used by stations in the above-mentioned services, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies for these services, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-03)
- 5.143E Until 29 March 2009, the band 7 450-8 100 kHz is allocated to the fixed service on a primary basis and to the land mobile service on a secondary basis. (WRC-03)
- 5.144 In Region 3, the stations of those services to which the band 7 995-8 005 kHz is allocated may transmit standard frequency and time signals.
- 5.145 The conditions for the use of the carrier frequencies 8 291 kHz, 12 290 kHz and 16 420 kHz are prescribed in Articles 31 and 52. (WRC-07)
- 5.145A Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed service. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (WRC-12).
- 5.145B Alternative allocation: in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency bands 9 305-9 355 kHz and 16 100-16 200 kHz are allocated to the fixed service on a primary basis. (WRC-19)
- 5.146 Additional allocation: frequencies in the bands 9 400-9 500 kHz, 11 600-11 650 kHz, 12 050-12 100 kHz, 15 600- 15 800 kHz, 17 480-17 550 kHz and 18 900-19 020 kHz may be used by stations in the fixed service, communicating only within the boundary of the country in which they are located, on condition that harmful interference is not caused to the broadcasting service. When using frequencies in the fixed service, administrations are urged to use the minimum power required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)

5.147 On condition that harmful interference is not caused to the broadcasting service, frequencies in the bands 9 775-9 900 kHz, 11 650-11 700 kHz and 11 975-12 050 kHz may be used by stations in the fixed service communicating only within the boundary of the country in which they are located, each station using a total radiated power not exceeding 24 dBW.

5.149 In making assignments to stations of other services to which the bands:

13 360-13 410 kHz,	4 950-4 990 MHz,	102-109.5 GHz,
25 550-25 670 kHz,	4 990-5 000 MHz,	111.8-114.25 GHz,
37.5-38.25 MHz,	6 650-6 675.2 MHz,	128.33-128.59 GHz,
73-74.6 MHz in Regions 1 and 3,	10.6-10.68 GHz,	129.23-129.49 GHz,
150.05-153 MHz in Region 1,	14.47-14.5 GHz,	130-134 GHz,
322-328.6 MHz,	22.01-22.21 GHz,	136-148.5 GHz,
406.1-410 MHz,	22.21-22.5 GHz,	151.5-158.5 GHz,
608-614 MHz in Regions 1 and 3,	22.81-22.86 GHz,	168.59-168.93 GHz,
1 330-1 400 MHz,	23.07-23.12 GHz,	171.11-171.45 GHz,
1 610.6-1 613.8 MHz,	31.2-31.3 GHz,	172.31-172.65 GHz,
1 660-1 670 MHz,	31.5-31.8 GHz	173.52-173.85 GHz,
	in Regions 1 and 3,	
1 718.8-1 722.2 MHz,	36.43-36.5 GHz,	195.75-196.15 GHz,
2 655-2 690 MHz,	42.5-43.5 GHz,	209-226 GHz,
3 260-3 267 MHz,	48.94-49.04 GHz,	241-250 GHz,
3 332-3 339 MHz,	3 345.8-3 352.5 MHz,	76-86 GHz,
92-94 GHz,	252-275 GHz	4 825-4 835 MHz,
94.1-100 GHz,		

are allocated, administrations are urged to take all practicable steps to protect the radio astronomy service from harmful interference. Emissions from spaceborne or airborne stations can be particularly serious sources of interference to the radio astronomy service (see Nos. 4.5 and 4.6 and Article 29). (WRC-07)

5.149A Alternative allocation: in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 13 450-13 550 kHz is allocated to the fixed service on a primary basis and to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-19)

5.150 The following bands:

13 553-13 567 kHz	(centre frequency 13 560 kHz),
26 957-27 283 kHz	(centre frequency 27 120 kHz),
40.66-40.70 MHz	(centre frequency 40.68 MHz),
902-928 MHz in Region 2	(centre frequency 915 MHz),
2 400-2 500 MHz	(centre frequency 2 450 MHz),
5 725-5 875 MHz	(centre frequency 5 800 MHz), and
24-24.25 GHz	(centre frequency 24.125 GHz)

are also designated for industrial, scientific and medical (ISM) applications. Radiocommunication services operating within these bands must accept harmful interference which may be caused by these applications. ISM equipment operating in these bands is subject to the provisions of No. 15.13.

5.151 Additional allocation: frequencies in the bands 13 570-13 600 kHz and 13 800-13 870 kHz may be used by stations in the fixed service and in the mobile except aeronautical mobile (R) service, communicating only within the boundary of the country in which they are located, on the condition that harmful interference is not caused to the broadcasting service. When using frequencies in these services, administrations are urged to use the minimum power

- required and to take account of the seasonal use of frequencies by the broadcasting service published in accordance with the Radio Regulations. (WRC-07)
- 5.152 Additional allocation: in Armenia, Azerbaijan, China, Côte d'Ivoire, the Russian Federation, Georgia, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 14 250-14 350 kHz is also allocated to the fixed service on a primary basis. Stations of the fixed service shall not use a radiated power exceeding 24 dBW. (WRC-03)
- 5.153 In Region 3, the stations of those services to which the band 15 995-16 005 kHz is allocated may transmit standard frequency and time signals.
- 5.154 Additional allocation: in Armenia, Azerbaijan, the Russian Federation, Georgia, Kazakhstan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the band 18 068-18 168 kHz is also allocated to the fixed service on a primary basis for use within their boundaries, with a peak envelope power not exceeding 1 kW. (WRC-03)
- 5.155 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the frequency band 21 850-21 870 kHz is also allocated to the aeronautical mobile (R) service on a primary basis. (WRC-23)
- 5.155A In Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Moldova, Uzbekistan, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the use of the frequency band 21 850-21 870 kHz by the fixed service is limited to provision of services related to aircraft flight safety. (WRC-23)
- 5.155B The band 21 870-21 924 kHz is used by the fixed service for provision of services related to aircraft flight safety.
- 5.156 Additional allocation: in Nigeria, the band 22 720-23 200 kHz is also allocated to the meteorological aids service (radiosondes) on a primary basis.
- 5.156A The use of the band 23 200-23 350 kHz by the fixed service is limited to provision of services related to aircraft flight safety.
- 5.157 The use of the band 23 350-24 000 kHz by the maritime mobile service is limited to inter-ship radiotelegraphy.
- 5.158 Alternative allocation: in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 24 450-24 600 kHz is allocated to the fixed and land mobile services on a primary basis. (WRC-19)
- 5.159 Alternative allocation: in Armenia, Belarus, Moldova and Kyrgyzstan, the frequency band 39-39.5 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)
- 5.159A The use of the frequency band 40-50 MHz by the Earth exploration-satellite service (active) shall be in accordance with the geographical area restrictions and the operational and technical conditions defined in Resolution 677 (WRC-23). The provisions of this footnote in no way diminish the obligation of the Earth exploration satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30. (WRC-23)
- 5.160 Additional allocation: in Botswana, Burundi, Dem. Rep. of the Congo and Rwanda, the band 41-44 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)

- 5.161 Additional allocation: in Iran (Islamic Republic of) and Japan, the band 41-44 MHz is also allocated to the radiolocation service on a secondary basis.
- 5.161A Additional allocation: in Korea (Rep. of), the United States and Mexico, the frequency bands 41.015-41.665 MHz and 43.35-44 MHz are also allocated to the radiolocation service on a primary basis. Stations in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the fixed or mobile services. Applications of the radiolocation service are limited to oceanographic radars operating in accordance with Resolution 612 (Rev.WRC- 12). (WRC-19)
- 5.161B Alternative allocation: in Albania, Germany, Armenia, Austria, Belarus, Belgium, Bosnia and Herzegovina, Cyprus, Vatican, Croatia, Denmark, Spain, Estonia, Finland, France, Greece, Hungary, Ireland, Iceland, Italy, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malta, Moldova, Monaco, Montenegro, Norway, Uzbekistan, Netherlands, Portugal, Kyrgyzstan, Slovakia, Czech Rep., Romania, United Kingdom, San Marino, Slovenia, Sweden, Switzerland, Turkey and Ukraine, the frequency band 42-42.5 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)
- 5.162 Additional allocation: in Australia, the band 44-47 MHz is also allocated to the broadcasting service on a primary basis.
- 5.162A Additional allocation: in Germany, Australia, Austria, Belgium, Bosnia and Herzegovina, China, Vatican, Korea (Rep. of), Denmark, Spain, Estonia, the Russian Federation, Finland, France, Indonesia, Ireland, Iceland, Italy, Japan, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Monaco, Montenegro, Norway, the Netherlands, Poland, Portugal, the Dem. People's Rep. of Korea, the Czech Rep., the United Kingdom, Serbia, Slovenia, Sweden and Switzerland, the frequency band 46-68 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (Rev.WRC-23). (WRC-23)
- 5.163 Additional allocation: in Armenia, Belarus, the Russian Federation, Georgia, Hungary, Kazakhstan, Latvia, Lithuania, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the bands 47-48.5 MHz and 56.5-58 MHz are also allocated to the fixed and land mobile services on a secondary basis. (WRC-12)
- 5.164 Additional allocation: in Albania, Algeria, Germany, Austria, Belgium, Bosnia and Herzegovina, Botswana, Bulgaria, Côte d'Ivoire, Croatia, Denmark, Spain, Estonia, Eswatini, Finland, France, Gabon, Greece, Hungary, Ireland, Israel, Italy, Jordan, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, Madagascar, Mali, Malta, Morocco, Mauritania, Monaco, Montenegro, Nigeria, Norway, the Netherlands, Poland, Syrian Arab Republic, Slovakia, Czech Rep., Romania, the United Kingdom, Serbia, Slovenia, Sweden, Switzerland, Chad, Togo, Tunisia and Turkey, the frequency band 47-68 MHz, in South Africa the frequency band 47-50 MHz, and in Latvia the frequency bands 48.5-56.5 MHz and 58-68 MHz, are also allocated to the land mobile service on a primary basis. However, stations of the land mobile service in the countries mentioned in connection with each frequency band referred to in this footnote shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations of countries other than those mentioned in connection with the frequency band. (WRC-19)
- 5.165 Additional allocation: in Angola, Cameroon, Congo (Rep. of the), Egypt, Madagascar, Mozambique, Niger, Somalia, Sudan, South Sudan, Tanzania and Chad, the frequency band 47-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.166 SUP (WRC-15)

- 5.166A Different category of service: in Austria, Cyprus, the Vatican, Croatia, Denmark, Spain, Finland, Hungary, Latvia, the Netherlands, the Czech Republic, the United Kingdom, Slovakia and Slovenia, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in these countries shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50.0-50.5 MHz in the countries not listed in this provision. For a station of these services, the protection criteria in No. 5.169B shall also apply. In Region 1, with the exception of those countries listed in No. 5.169, wind profiler radars operating in the radiolocation service under No. 5.162A are authorized to operate on the basis of equality with stations in the amateur service in the frequency band 50.0-50.5 MHz. (WRC-19)
- 5.166B In Region 1, stations in the amateur service operating on a secondary basis shall not cause harmful interference to, or claim protection from, stations of the broadcasting service. The field strength generated by an amateur station in Region 1 in the frequency band 50-52 MHz shall not exceed a calculated value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the border of a country with operational analogue broadcasting stations in Region 1 and of neighbouring countries with broadcasting stations in Region 3 listed in Nos. 5.167 and 5.168. (WRC-19)
- 5.166C In Region 1, stations in the amateur service in the frequency band 50-52 MHz, with the exception of those countries listed in No. 5.169, shall not cause harmful interference to, or claim protection from, wind profiler radars operating in the radiolocation service under No. 5.162A. (WRC-19)
- 5.166D Different category of service: in Lebanon, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. Stations in the amateur service in Lebanon shall not cause harmful interference to, or claim protection from, stations of the broadcasting, fixed and mobile services operating in accordance with the Radio Regulations in the frequency band 50-52 MHz in the countries not listed in this provision. (WRC-19)
- 5.166E In the Russian Federation, only the frequency band 50.080-50.280 MHz is allocated to the amateur service on a secondary basis. The protection criteria for the other services in the countries not listed in this provision are specified in Nos. 5.166B and 5.169B. (WRC-19)
- 5.167 Alternative allocation: in Bangladesh, Brunei Darussalam, India, Iran (Islamic Republic of), Pakistan and Singapore, the frequency band 50-54 MHz is allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-15)
- 5.167A Additional allocation: in Indonesia and Thailand, the frequency band 50-54 MHz is also allocated to the fixed, mobile and broadcasting services on a primary basis. (WRC-15)
- 5.168 Additional allocation: in Australia, China and the Dem. People's Rep. of Korea, the band 50-54 MHz is also allocated to the broadcasting service on a primary basis.
- 5.169 Alternative allocation: in Botswana, Eswatini, Lesotho, Malawi, Namibia, Rwanda, South Africa, Zambia and Zimbabwe, the frequency band 50-54 MHz is allocated to the amateur service on a primary basis. In Senegal, the frequency band 50-51 MHz is allocated to the amateur service on a primary basis. (WRC-19)
- 5.169A Alternative allocation: in the following countries in Region 1: Angola, Saudi Arabia, Bahrain, Burkina Faso, Burundi, the United Arab Emirates, Gambia, Jordan, Kenya, Kuwait, Mauritius, Mozambique, Oman, Uganda, Qatar, South Sudan and Tanzania, the frequency band 50-54 MHz is allocated to the amateur service on a primary basis. In Guinea-Bissau, the frequency band 50.0-50.5 MHz is allocated to the amateur service on a primary basis.

In Djibouti, the frequency band 50-52 MHz is allocated to the amateur service on a primary basis. With the exception of those countries listed in No. 5.169, stations in the amateur service operating in Region 1 under this footnote, in all or part of the frequency band 50- 54 MHz, shall not cause harmful interference to, or claim protection from, stations of other services operating in accordance with the Radio Regulations in Algeria, Egypt, Iran (Islamic Republic of), Iraq, Israel, Libya, Palestine*, the Syrian Arab Republic, the Dem. People's Republic of Korea, Sudan and Tunisia. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the borders of listed countries requiring protection. (WRC-19)

- 5.169B Except countries listed under No. 5.169, stations in the amateur service used in Region 1, in all or part of the 50-54 MHz frequency band, shall not cause harmful interference to, or claim protection from, stations of other services used in accordance with the Radio Regulations in Algeria, Armenia, Azerbaijan, Belarus, Egypt, Russian Federation, Iran (Islamic Republic of), Iraq, Kazakhstan, Kyrgyzstan, Libya, Uzbekistan, Palestine*, the Syrian Arab Republic, Sudan, Tunisia and Ukraine. The field strength generated by an amateur station in the frequency band 50-54 MHz shall not exceed a value of +6 dB(μ V/m) at a height of 10 m above ground for more than 10% of time along the borders of the countries listed in this provision. (WRC-19)
- 5.170 Additional allocation: in New Zealand, the frequency band 51-54 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)
- 5.171 Additional allocation: in Botswana, Eswatini, Lesotho, Malawi, Mali, Namibia, Dem. Rep. of the Congo, Rwanda, South Africa, Zambia and Zimbabwe, the frequency band 54-68 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.172 Different category of service: in the French overseas departments and communities in Region 2 and Guyana, the allocation of the frequency band 54-68 MHz to the fixed and mobile services is on a primary basis (see No. 5.33). (WRC- 15)
- 5.173 Different category of service: in the French overseas departments and communities in Region 2 and Guyana, the allocation of the frequency band 68-72 MHz to the fixed and mobile services is on a primary basis (see No. 5.33). (WRC- 15)
- 5.175 Alternative allocation: in Armenia, Belarus, the Russian Federation, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting service on a primary basis. In Latvia and Lithuania, the frequency bands 68-73 MHz and 76-87.5 MHz are allocated to the broadcasting and mobile, except aeronautical mobile, services on a primary basis. In Mongolia, the frequency band 76-87.5 MHz is allocated to the broadcasting service on a primary basis; the stations of the broadcasting service shall not cause harmful interference to, or claim protection from, existing or planned fixed and mobile stations in the neighbouring countries. The services to which these frequency bands are allocated in other countries and the broadcasting service in the countries listed above are subject to agreements with the neighbouring countries concerned. (WRC-23)
- 5.176 Additional allocation: in Australia, China, Korea (Rep. of), the Philippines, the Dem. People's Rep. of Korea and Samoa, the band 68-74 MHz is also allocated to the broadcasting service on a primary basis. (WRC-07)
- 5.177 Additional allocation: in Armenia, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 73-74 MHz is also

allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-23)

5.178 Additional allocation: in Colombia, Cuba, El Salvador, Guatemala, Guyana, Honduras and Nicaragua, the band 73-74.6 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-12)

5.179 Additional allocation: in Armenia, Azerbaijan, Belarus, China, the Russian Federation, Georgia, Kazakhstan, Lithuania, Mongolia, Kyrgyzstan, Slovakia, Tajikistan, Turkmenistan and Ukraine, the bands 74.6-74.8 MHz and 75.2-75.4 MHz are also allocated to the aeronautical radionavigation service, on a primary basis, for ground-based transmitters only. (WRC-07)

5.180 The frequency 75 MHz is assigned to marker beacons. Administrations shall refrain from assigning frequencies close to the limits of the guardband to stations of other services which, because of their power or geographical position, might cause harmful interference or otherwise place a constraint on marker beacons.

Every effort should be made to improve further the characteristics of airborne receivers and to limit the power of transmitting stations close to the limits 74.8 MHz and 75.2 MHz.

5.181 Additional allocation: in Egypt, Israel and the Syrian Arab Republic, the band 74.8-75.2 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21. (WRC-03)

5.182 Additional allocation: in Western Samoa, the band 75.4-87 MHz is also allocated to the broadcasting service on a primary basis.

5.183 Additional allocation: in China, Korea (Rep. of), Japan, the Philippines and the Dem. People's Rep. of Korea, the band 76-87 MHz is also allocated to the broadcasting service on a primary basis.

5.184 SUP (WRC-07)

5.185 Different category of service: in the United States, the French overseas departments and communities in Region 2 and Guyana, the allocation of the frequency band 76-88 MHz to the fixed and mobile services is on a primary basis (see No. 5.33). (WRC-23)

5.186 SUP (WRC-97)

5.187 Alternative allocation: in Albania, the band 81-87.5 MHz is allocated to the broadcasting service on a primary basis and used in accordance with the decisions contained in the Final Acts of the Special Regional Conference (Geneva, 1960).

5.188 Additional allocation: in Australia, the band 85-87 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service in Australia is subject to special agreements between the administrations concerned.

5.189 Not used.

- 5.190 Additional allocation: in Monaco, the band 87.5-88 MHz is also allocated to the land mobile service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-97)
- 5.191 Not used.
- 5.192 Additional allocation: in China and Korea (Rep. of), the band 100-108 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-97)
- 5.193 Not used.
- 5.194 Additional allocation: in Kyrgyzstan, Somalia and Turkmenistan, the frequency band 104-108 MHz is also allocated to the mobile, except aeronautical mobile (R), service on a secondary basis. (WRC-19)
- 5.195 Not used.
- 5.196 Not used.
- 5.197 Additional allocation: in the Syrian Arab Republic, the band 108-111.975 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedures invoked under No. 9.21. (WRC-12)
- 5.197A Additional allocation: the frequency band 108-117.975 MHz is also allocated on a primary basis to the aeronautical mobile (R) service, limited to systems operating in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 413 (Rev.WRC-23). The use of the frequency band 108-112 MHz by the aeronautical mobile (R) service shall be limited to systems composed of ground-based transmitters and associated receivers that provide navigational information in support of air navigation functions in accordance with recognized international aeronautical standards. (WRC-23)
- 5.198A The use of the frequency band 117.975-137 MHz by the aeronautical mobile-satellite (R) service is subject to coordination under No. 9.11A. No. 9.16 does not apply. Such use shall be limited to non-geostationary-satellite systems operated in accordance with international aeronautical standards. Resolution 406 (WRC-23) applies. (WRC-23)
- 5.198B The use of the frequency band 117.975-137 MHz by the aeronautical mobile (R) service shall have priority over use by the aeronautical mobile-satellite (R) service. (WRC-23)
- 5.200 In the frequency band 117.975-137 MHz, the frequency 121.5 MHz is the aeronautical emergency frequency and, where required, the frequency 123.1 MHz is the aeronautical frequency auxiliary to 121.5 MHz. Mobile stations of the maritime mobile service may communicate on these frequencies under the conditions laid down in Article 31 for distress and safety purposes with stations of the aeronautical mobile service and the aeronautical mobile satellite service. (WRC-23)
- 5.201 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Egypt, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq (Republic of), Japan, Kazakhstan, Mali, Mongolia, Mozambique, Uzbekistan, Papua New Guinea, Poland, Qatar, Kyrgyzstan, Romania, Senegal, Somalia, Tajikistan and Turkmenistan, the frequency band 132-136 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In

assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-23)

5.202 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, the United Arab Emirates, the Russian Federation, Georgia, Iran (Islamic Republic of), Jordan, Mali, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Kyrgyzstan, Romania, Senegal, Tajikistan and Turkmenistan, the frequency band 136-137 MHz is also allocated to the aeronautical mobile (OR) service on a primary basis. In assigning frequencies to stations of the aeronautical mobile (OR) service, the administration shall take account of the frequencies assigned to stations in the aeronautical mobile (R) service. (WRC-23)

5.203 SUP (WRC-07) 5.203A SUP (WRC-07) 5.203B SUP (WRC-07)

5.203C The use of the space operation service (space-to-Earth) with non-geostationary satellite short-duration mission systems in the frequency band 137-138 MHz is subject to Resolution 660 (WRC-19). Resolution 32 (WRC-19) applies. These systems shall not cause harmful interference to, or claim protection from, the existing services to which the frequency band is allocated on a primary basis. (WRC-19)

5.204 Different category of service: in Afghanistan, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, China, Cuba, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Kuwait, Montenegro, Oman, Pakistan, the Philippines, Qatar, Singapore, Thailand and Yemen, the frequency band 137-138 MHz is allocated to the fixed and mobile, except aeronautical mobile (R), services on a primary basis (see No. 5.33). (WRC-19)

5.205 Different category of service: in Israel and Jordan, the allocation of the band 137-138 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33).

5.206 Different category of service: in Armenia, Azerbaijan, Belarus, Bulgaria, Egypt, the Russian Federation, Finland, France, Georgia, Greece, Kazakhstan, Lebanon, Moldova, Mongolia, Uzbekistan, Poland, Kyrgyzstan, the Syrian Arab Republic, Slovakia, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the allocation of the band 137-138 MHz to the aeronautical mobile (OR) service is on a primary basis (see No. 5.33). (WRC-2000)

5.207 Additional allocation: in Australia, the band 137-144 MHz is also allocated to the broadcasting service on a primary basis until that service can be accommodated within regional broadcasting allocations.

5.208 The use of the band 137-138 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-97)

5.208A In making assignments to space stations in the mobile-satellite service in the frequency bands 137-138 MHz, 387-390 MHz and 400.15-401 MHz and in the maritime mobile-satellite service (space-to-Earth) in the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz, administrations shall take all practicable steps to protect the radio astronomy service in the frequency bands 150.05-153 MHz, 322-328.6 MHz, 406.1-410 MHz and 608-614 MHz from harmful interference from unwanted emissions as shown in the most recent version of Recommendation ITU-R RA.769. (WRC-19)

5.208B *In the frequency bands:

137-138 MHz,

* This provision was previously numbered as No. 5.347A. It was renumbered to preserve the sequential order.

- 157.1875-157.3375 MHz,
161.7875-161.9375 MHz,
387-390 MHz,
400.15-401 MHz,
1 452-1 492 MHz,
1 525-1 610 MHz,
1 613.8-1 626.5 MHz,
2 655-2 690 MHz,
21.4-22 GHz,
Resolution 739 (Rev.WRC-19) applies. (WRC-19)
- 5.209 The use of the bands 137-138 MHz, 148-150.05 MHz, 399.9-400.05 MHz, 400.15-401 MHz, 454-456 MHz and 459-460 MHz by the mobile-satellite service is limited to non-geostationary-satellite systems. (WRC-97)
- 5.209A The use of the frequency band 137.175-137.825 MHz by non-geostationary satellite systems in the space operation service identified as short-duration mission in accordance with Appendix 4 is not subject to No. 9.11A. (WRC-19)
- 5.210 Additional allocation: in Italy and the United Kingdom, the frequency bands 138-143.6 MHz and 143.65-144 MHz are also allocated to the space research service (space-to-Earth) on a secondary basis. (WRC-23)
- 5.211 Additional allocation: in Germany, Saudi Arabia, Austria, Bahrain, Belgium, Denmark, the United Arab Emirates, Spain, Finland, Greece, Guinea, Ireland, Israel, Kenya, Kuwait, Lebanon, Liechtenstein, Luxembourg, North Macedonia, Mali, Malta, Montenegro, Norway, the Netherlands, Qatar, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sweden, Switzerland, Tanzania, Tunisia and Turkey, the frequency band 138-144 MHz is also allocated to the maritime mobile and land mobile services on a primary basis. (WRC-19)
- 5.212 Alternative allocation: in Angola, Botswana, Cameroon, the Central African Rep., Congo (Rep. of the), Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Lesotho, Liberia, Libya, Malawi, Mozambique, Namibia, Niger, Oman, Uganda, Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sierra Leone, South Africa, Chad, Togo, Zambia and Zimbabwe, the frequency band 138-144 MHz is allocated to the fixed and mobile services on a primary basis. (WRC-19)
- 5.213 Additional allocation: in China, the band 138-144 MHz is also allocated to the radiolocation service on a primary basis.
- 5.214 Additional allocation: in Eritrea, Ethiopia, Kenya, North Macedonia, Montenegro, Serbia, Somalia, Sudan, South Sudan and Tanzania, the frequency band 138-144 MHz is also allocated to the fixed service on a primary basis. (WRC-19)
- 5.215 Not used.
- 5.216 Additional allocation: in China, the band 144-146 MHz is also allocated to the aeronautical mobile (OR) service on a secondary basis.
- 5.217 Alternative allocation: in Afghanistan, Bangladesh, Cuba, Guyana and India, the band 146-148 MHz is allocated to the fixed and mobile services on a primary basis.
- 5.218 Additional allocation: the band 148-149.9 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. The bandwidth of any individual transmission shall not exceed ± 25 kHz.

- 5.218A The frequency band 148-149.9 MHz in the space operation service (Earth-to-space) may be used by nongeostationary-satellite systems with short-duration missions. Non-geostationary-satellite systems in the space operation service used for a short-duration mission in accordance with Resolution 32 (WRC-19) of the Radio Regulations are not subject to agreement under No. 9.21. At the stage of coordination, the provisions of Nos. 9.17 and 9.18 also apply. In the frequency band 148-149.9 MHz, non-geostationary-satellite systems with short-duration missions shall not cause unacceptable interference to, or claim protection from, existing primary services within this frequency band, or impose additional constraints on the space operation and mobile-satellite services. In addition, earth stations in non-geostationary-satellite systems in the space operation service with short-duration missions in the frequency band 148-149.9 MHz shall ensure that the power flux-density does not exceed $-149 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 1% of time at the border of the territory of the following countries: Armenia, Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, Russian Federation, India, Iran (Islamic Republic of), Japan, Kazakhstan, Malaysia, Uzbekistan, Kyrgyzstan, Thailand and Viet Nam. In case this power flux-density limit is exceeded, agreement under No. 9.21 is required to be obtained from countries mentioned in this footnote. (WRC-19)
- 5.219 The use of the frequency band 148-149.9 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The mobile-satellite service shall not constrain the development and use of the fixed, mobile and space operation services in the frequency band 148-149.9 MHz. The use of the frequency band 148-149.9 MHz by non-geostationary-satellite systems in the space operation service identified as short-duration mission is not subject to No. 9.11A. (WRC-19)
- 5.220 The use of the frequency bands 149.9-150.05 MHz and 399.9-400.05 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-15)
- 5.221 Stations of the mobile-satellite service in the frequency band 148-149.9 MHz shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations in the following countries: Albania, Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Bangladesh, Barbados, Belarus, Belgium, Benin, Bosnia and Herzegovina, Botswana, Brunei Darussalam, Bulgaria, Cameroon, China, Cyprus, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Croatia, Cuba, Denmark, Djibouti, Egypt, the United Arab Emirates, Eritrea, Spain, Estonia, Eswatini, Ethiopia, the Russian Federation, Finland, France, Gabon, Georgia, Ghana, Greece, Guinea, Guinea Bissau, Hungary, India, Iran (Islamic Republic of), Ireland, Iceland, Israel, Italy, Jamaica, Japan, Jordan, Kazakhstan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malaysia, Mali, Malta, Mauritania, Moldova, Mongolia, Montenegro, Mozambique, Namibia, Norway, New Zealand, Oman, Uganda, Uzbekistan, Pakistan, Panama, Papua New Guinea, Paraguay, the Netherlands, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Kyrgyzstan, Dem. People's Rep. of Korea, Slovakia, Romania, the United Kingdom, Senegal, Serbia, Sierra Leone, Singapore, Slovenia, Somalia, Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tonga, Trinidad and Tobago, Tunisia, Ukraine, Viet Nam, Yemen, Zambia and Zimbabwe. (WRC-23)
- 5.222 SUP (WRC-15)
- 5.223 SUP (WRC-15)
- 5.224 SUP (WRC-97) 5.224A SUP (WRC-15) 5.224B SUP (WRC-15)
- 5.225 Additional allocation: in Australia and India, the band 150.05-153 MHz is also allocated to the radio astronomy service on a primary basis.

5.225A Additional allocation: in Algeria, Armenia, Azerbaijan, Belarus, China, the Russian Federation, France, Iran (Islamic Republic of), Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan, Ukraine and Viet Nam, the frequency band 154-156 MHz is also allocated to the radiolocation service on a primary basis. The usage of the frequency band 154-156 MHz by the radiolocation service shall be limited to space-object detection systems operating from terrestrial locations. The operation of stations in the radiolocation service in the frequency band 154-156 MHz shall be subject to agreement obtained under No. 9.21. For the identification of potentially affected administrations in Region 1, the instantaneous field-strength value of 12 dB(V/m) for 10% of the time produced at 10 m above ground level in the 25 kHz reference frequency band at the border of the territory of any other administration shall be used. For the identification of potentially affected administrations in Region 3, the interference-to-noise ratio (I/N) value of 6 dB ($N = 161 \text{ dBW/4 kHz}$), or 10 dB for applications with greater protection requirements, such as public protection and disaster relief (PPDR ($N = 161 \text{ dBW/4 kHz}$)), for 1% of the time produced at 60 m above ground level at the border of the territory of any other administration shall be used. In the frequency bands 156.7625-156.8375 MHz, 156.5125-156.5375 MHz, 161.9625-161.9875 MHz, 162.0125-162.0375 MHz, out-of-band e.i.r.p. of space surveillance radars shall not exceed 16 dBW. Frequency assignments to the radiolocation service under this allocation in Ukraine shall not be used without the agreement of Moldova. (WRC-12)

5.226 The frequency 156.525 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service using digital selective calling (DSC). The conditions for the use of this frequency and the band 156.4875-156.5625 MHz are contained in Articles 31 and 52, and in Appendix 18.

The frequency 156.8 MHz is the international distress, safety and calling frequency for the maritime mobile VHF radiotelephone service. The conditions for the use of this frequency and the band 156.7625-156.8375 MHz are contained in Article 31 and Appendix 18.

In the bands 156-156.4875 MHz, 156.5625-156.7625 MHz, 156.8375-157.45 MHz, 160.6-160.975 MHz and 161.475-162.05 MHz, each administration shall give priority to the maritime mobile service on only such frequencies as are assigned to stations of the maritime mobile service by the administration (see Articles 31 and 52, and Appendix 18).

Any use of frequencies in these bands by stations of other services to which they are allocated should be avoided in areas where such use might cause harmful interference to the maritime mobile VHF radiocommunication service.

However, the frequencies 156.8 MHz and 156.525 MHz and the frequency bands in which priority is given to the maritime mobile service may be used for radiocommunications on inland waterways subject to agreement between interested and affected administrations and taking into account current frequency usage and existing agreements. (WRC-07)

5.227 SUP (WRC-12)

5.228 The use of the frequency bands 156.7625-156.7875 MHz and 156.8125-156.8375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system (AIS) emissions of long range AIS broadcast messages (Message 27, see the most recent version of Recommendation ITU-R M.1371). With the exception of AIS emissions, emissions in these frequency bands by systems operating in the maritime mobile service for communications shall not exceed 1W. (WRC-12)

5.228A The frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz may be used by aircraft stations for the purpose of search and rescue operations and other safety-related communications. (WRC-12)

- 5.228AA The use of the frequency bands 161.9375-161.9625 MHz and 161.9875-162.0125 MHz by the maritime mobile-satellite (Earth-to-space) service is limited to the systems which operate in accordance with Appendix 18. (WRC-15)
- 5.228AB The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (Earth-to-space) is limited to non-GSO satellite systems operating in accordance with Appendix 18. (WRC-19)
- 5.228AC The use of the frequency bands 157.1875-157.3375 MHz and 161.7875-161.9375 MHz by the maritime mobile-satellite service (space-to-Earth) is limited to non-GSO satellite systems operating in accordance with Appendix 18. Such use is subject to agreement obtained under No. 9.21 with respect to the terrestrial services in Azerbaijan, Belarus, China, Korea (Rep. of), Cuba, the Russian Federation, the Syrian Arab Republic, the Dem. People's Rep. of Korea, South Africa and Viet Nam. (WRC-19)
- 5.228B The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the fixed and land mobile services shall not cause harmful interference to, or claim protection from, the maritime mobile service. (WRC-12)
- 5.228C The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the maritime mobile service and the mobile-satellite (Earth-to-space) service is limited to the automatic identification system (AIS), including AIS search and rescue transmitters (AIS-SART) and satellite emergency position indicating radio beacons with AIS (EPIRB-AIS). The use of these frequency bands by the aeronautical mobile (OR) service is limited to AIS emissions from search and rescue aircraft operations. The AIS, AIS-SART and EPIRB-AIS operations in these frequency bands shall not constrain the development and use of the fixed and mobile services operating in the adjacent frequency bands. (WRC-23)
- 5.228D The frequency bands 161.9625-161.9875 MHz (AIS 1) and 162.0125-162.0375 MHz (AIS 2) may continue to be used by the fixed and mobile services on a primary basis until 1 January 2025, at which time this allocation shall no longer be valid. Administrations are encouraged to make all practicable efforts to discontinue the use of these bands by the fixed and mobile services prior to the transition date. During this transition period, the maritime mobile service in these frequency bands has priority over the fixed, land mobile and aeronautical mobile services. (WRC-12)
- 5.228E The use of the automatic identification system in the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the aeronautical mobile (OR) service is limited to aircraft stations for the purpose of search and rescue operations and other safety-related communications. (WRC-12)
- 5.228F The use of the frequency bands 161.9625-161.9875 MHz and 162.0125-162.0375 MHz by the mobile-satellite service (Earth-to-space) is limited to the reception of automatic identification system emissions from stations operating in the maritime mobile service. (WRC-12)
- 5.229 SUP (WRC-23)
- 5.230 Additional allocation: in China, the band 163-167 MHz is also allocated to the space operation service (space-to-Earth) on a primary basis, subject to agreement obtained under No. 9.21.
- 5.231 Additional allocation: in Afghanistan, and China, the band 167-174 MHz is also allocated to the broadcasting service on a primary basis. The introduction of the broadcasting service into this band shall be subject to agreement with the neighbouring countries in Region 3 whose services are likely to be affected. (WRC 12)

5.232 SUP (WRC-12)

5.233 Additional allocation: in China, the band 174-184 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis, subject to agreement obtained under No. 9.21. These services shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations.

5.234 SUP (WRC-12)

5.235 Additional allocation: in Germany, Austria, Belgium, Denmark, Spain, Finland, France, Israel, Italy, Liechtenstein, Malta, Monaco, Norway, the Netherlands, the United Kingdom, Sweden and Switzerland, the band 174-223 MHz is also allocated to the land mobile service on a primary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, broadcasting stations, existing or planned, in countries other than those listed in this footnote.

5.237 Additional allocation: in Congo (Rep. of the), Egypt, Eritrea, Ethiopia, Gambia, Guinea, the Libya, Mali, Sierra Leone, Somalia and Chad, the band 174-223 MHz is also allocated to the fixed and mobile services on a secondary basis. (WRC- 12)

5.238 Additional allocation: in Bangladesh, India, Pakistan and the Philippines, the band 200-216 MHz is also allocated to the aeronautical radionavigation service on a primary basis.

5.239 Not used.

5.240 Additional allocation: in China and India, the band 216-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.

5.241 In Region 2, no new stations in the radiolocation service may be authorized in the band 216-225 MHz. Stations authorized prior to 1 January 1990 may continue to operate on a secondary basis.

5.242 Additional allocation: in Canada and Mexico, the frequency band 216-220 MHz is also allocated to the land mobile service on a primary basis. (WRC-19)

5.243 Additional allocation: in Somalia, the band 216-225 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to not causing harmful interference to existing or planned broadcasting services in other countries.

5.244 SUP (WRC-97)

5.245 Additional allocation: in Japan, the band 222-223 MHz is also allocated to the aeronautical radionavigation service on a primary basis and to the radiolocation service on a secondary basis.

5.246 Alternative allocation: in Spain, France, Israel and Monaco, the band 223-230 MHz is allocated to the broadcasting and land mobile services on a primary basis (see No. 5.33) on the basis that, in the preparation of frequency plans, the broadcasting service shall have prior choice of frequencies; and allocated to the fixed and mobile, except land mobile, services on a secondary basis. However, the stations of the land mobile service shall not cause harmful interference to, or claim protection from, existing or planned broadcasting stations in Morocco and Algeria.

- 5.247 Additional allocation: in Saudi Arabia, Bahrain, the United Arab Emirates, Jordan, Oman, Qatar and Syrian Arab Republic, the band 223-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis.
- 5.248 Not used
- 5.249 Not used.
- 5.250 Additional allocation: in China, the band 225-235 MHz is also allocated to the radio astronomy service on a secondary basis.
- 5.251 Additional allocation: in Nigeria, the band 230-235 MHz is also allocated to the aeronautical radionavigation service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.252 Alternative allocation: in Botswana, Eswatini, Lesotho, Malawi, Mozambique, Namibia, South Africa, Zambia and Zimbabwe, the frequency bands 230-238 MHz and 246-254 MHz are allocated to the broadcasting service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-19)
- 5.253 Not used.
- 5.254 The bands 235-322 MHz and 335.4-399.9 MHz may be used by the mobile-satellite service, subject to agreement obtained under No. 9.21, on condition that stations in this service do not cause harmful interference to those of other services operating or planned to be operated in accordance with the Table of Frequency Allocations except for the additional allocation made in footnote No. 5.256A. (WRC-03)
- 5.255 The bands 312-315 MHz (Earth-to-space) and 387-390 MHz (space-to-Earth) in the mobile-satellite service may also be used by non-geostationary-satellite systems. Such use is subject to coordination under No. 9.11A.
- 5.256 The frequency 243 MHz is the frequency in this band for use by survival craft stations and equipment used for survival purposes. (WRC-07)
- 5.256A Additional allocation: in China, the Russian Federation and Kazakhstan, the frequency band 258-261 MHz is also allocated to the space research service (Earth-to-space) and space operation service (Earth-to-space) on a primary basis. Stations in the space research service (Earth-to-space) and space operation service (Earth-to-space) shall not cause harmful interference to, or claim protection from, or constrain the use and development of, the mobile service systems and mobile-satellite service systems operating in the frequency band. Stations in space research service (Earth-to-space) and space operation service (Earth-to-space) shall not constrain the future development of fixed service systems of other countries. (WRC-15)
- 5.257 The band 267-272 MHz may be used by administrations for space telemetry in their countries on a primary basis, subject to agreement obtained under No. 9.21.
- 5.258 The use of the band 328.6-335.4 MHz by the aeronautical radionavigation service is limited to Instrument Landing Systems (glide path).
- 5.259 Additional allocation: in Egypt, and the Syrian Arab Republic, the band 328.6-335.4 MHz is also allocated to the mobile service on a secondary basis, subject to agreement obtained under No. 9.21. In order to ensure that harmful interference is not caused to stations of the aeronautical radionavigation service, stations of the mobile service shall not be introduced in the band until it is no longer required for the aeronautical radionavigation service by any administration which may be identified in the application of the procedure invoked under No. 9.21. (WRC-12)

5.260 SUP (WRC-15)

5.260A In the frequency band 399.9-400.05 MHz, the maximum e.i.r.p. of any emission of earth stations in the mobile-satellite service shall not exceed 5 dBW in any 4 kHz band and the maximum e.i.r.p. of each earth station in the mobile-satellite service shall not exceed 5 dBW in the whole 399.9-400.05 MHz frequency band. Until 22 November 2022, this limit shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2022, these limits shall apply to all systems within the mobile-satellite service operating in this frequency band.

In the frequency band 399.99-400.02 MHz, the e.i.r.p. limits as specified above shall apply after 22 November 2022 to all systems within the mobile-satellite service. Administrations are requested that their mobile-satellite service satellite links in the 399.99-400.02 MHz frequency band comply with the e.i.r.p. limits as specified above, after 22 November 2019. (WRC-19)

5.260B In the frequency band 400.02-400.05 MHz, the provisions of No. 5.A12 are not applicable for telecommand uplinks within the mobile-satellite service. (WRC-19)

5.261 Emissions shall be confined in a band of ± 25 kHz about the standard frequency 400.1 MHz.

5.262 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Botswana, Colombia, Cuba, Egypt, the United Arab Emirates, Ecuador, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kazakhstan, Kuwait, Liberia, Malaysia, Moldova, Uzbekistan, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, Kyrgyzstan, Romania, Singapore, Somalia, Tajikistan, Chad, Turkmenistan and Ukraine, the band 400.05- 401 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

5.263 The band 400.15-401 MHz is also allocated to the space research service in the space-to-space direction for communications with manned space vehicles. In this application, the space research service will not be regarded as a safety service.

5.264 The use of the band 400.15-401 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. The power flux-density limit indicated in Annex 1 of Appendix 5 shall apply until such time as a competent world radiocommunication conference revises it.

5.264A In the frequency band 401-403 MHz, the maximum e.i.r.p. of any emission of each earth station in the meteorological- satellite service and the Earth exploration-satellite service shall not exceed 22 dBW in any 4 kHz band for geostationary systems and non-geostationary systems with an orbit of apogee equal or greater than 35 786 km.

The maximum e.i.r.p. of any emission of each earth station in the meteorologicalsatellite service and the Earth exploration-satellite service shall not exceed 7 dBW in any 4 kHz band for non-geostationary systems with an orbit of apogee lower than 35 786 km.

The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 22 dBW for geostationary systems and nongeostationary systems with an orbit of apogee equal or greater than 35 786 km in the whole 401-403 MHz frequency band. The maximum e.i.r.p. of each earth station in the meteorological-satellite service and the Earth exploration-satellite service shall not exceed 7 dBW for non-geostationary systems with an orbit of apogee lower than 35 786 km in the whole 401-403 MHz frequency band.

Until 22 November 2029, these limits shall not apply to satellite systems for which complete notification information has been received by the Radiocommunication Bureau by 22 November 2019 and that have been brought into use by that date. After 22 November 2029, these limits shall apply to all systems within the meteorological-satellite service and the Earth exploration-satellite service operating in this frequency band. (WRC-19)

- 5.264B Non-geostationary-satellite systems in the meteorological-satellite service and the Earth exploration-satellite service for Non-geostationary-satellite systems in the meteorological-satellite service and the Earth exploration-satellite service for which complete notification information has been received by the Radiocommunication Bureau no later than 28 April 2007 are exempt from provisions of No. 5.264A and may continue to operate in the frequency band 401.898-402.522 MHz on a primary basis without exceeding a maximum e.i.r.p. level of 12 dBW. (WRC-23)
- 5.265 In the frequency band 403-410 MHz, Resolution 205 (Rev.WRC-19) applies. (WRC-19)
- 5.266 The use of the band 406-406.1 MHz by the mobile-satellite service is limited to low power satellite emergency position- indicating radio beacons (see also Article 31). (WRC-07)
- 5.267 Any emission capable of causing harmful interference to the authorized uses of the band 406-406.1 MHz is prohibited.
- 5.268 Use of the frequency band 410-420 MHz by the space research service is limited to space-to-space communication links with an orbiting, manned space vehicle. The power flux-density at the surface of the Earth produced by emissions from transmitting stations of the space research service (space-to-space) in the frequency band 410-420 MHz shall not exceed $-153 \text{ dB(W/m}^2\text{)}$ for 0° to 5° , $-153 + 0.077 (d - 5) \text{ dB(W/m}^2\text{)}$ for 5° to 70° and $-148 \text{ dB(W/m}^2\text{)}$ for 70° to 90° , where d is the angle of arrival of the radio-frequency wave and the reference bandwidth is 4 kHz. In this frequency band, stations of the space research service (space-to-space) shall not claim protection from, nor constrain the use and development of, stations of the fixed and mobile services. No. 4.10 does not apply. (WRC-15)
- 5.269 Different category of service: in Australia, the United States, India, Japan and the United Kingdom, the allocation of the bands 420-430 MHz and 440-450 MHz to the radiolocation service is on a primary basis (see No. 5.33).
- 5.270 Additional allocation: in Australia, Brazil, the United States, India, Japan and the United Kingdom, the allocation of the frequency bands 420-430 MHz and 440-450 MHz to the radiolocation service is on a primary basis (see No. 5.33). (WRC-23)
- 5.271 SUP (WRC-12)
- 5.274 Alternative allocation: in Denmark, Norway, Sweden, and Chad the bands 430-432 MHz and 438-440 MHz are allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- 5.275 Additional allocation: in Croatia, Estonia, Finland, Libya, North Macedonia, Montenegro and Serbia, the frequency bands 430-432 MHz and 438-440 MHz are also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-19)
- 5.276 Additional allocation: in Afghanistan, Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burkina Faso, Djibouti, Egypt, the United Arab Emirates, Ecuador, Eritrea, Ethiopia, Greece, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Italy, Jordan, Kenya, Kuwait, Libya, Malaysia, Niger, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia,

Sudan, Switzerland, Thailand, Togo, Turkey and Yemen, the frequency band 430-440 MHz is also allocated to the fixed service on a primary basis and the frequency bands 430-435 MHz and 438-440 MHz are also allocated, except in Ecuador, to the mobile, except aeronautical mobile, service on a primary basis. (WRC-15)

- 5.277 Additional allocation: in Angola, Armenia, Azerbaijan, Belarus, Cameroon, Congo (Rep. of the), Djibouti, the Russian Federation, Georgia, Hungary, Israel, Kazakhstan, Mali, Uzbekistan, Poland, the Dem. Rep. of the Congo, Kyrgyzstan, Slovakia, Romania, Rwanda, Tajikistan, Chad, Turkmenistan and Ukraine, the frequency band 430-440 MHz is also allocated to the fixed service on a primary basis. (WRC-19)
- 5.278 Different category of service: in Argentina, Brazil, Colombia, Costa Rica, Cuba, Guyana, Honduras, Panama, Paraguay, Uruguay and Venezuela, the allocation of the frequency band 430-440 MHz to the amateur service is on a primary basis (see No. 5.33). (WRC-19)
- 5.279 Additional allocation: in Mexico, the frequency bands 430-435 MHz and 438-440 MHz are also allocated on a primary basis to the mobile, except aeronautical mobile, service, and on a secondary basis to the fixed service, subject to agreement obtained under No. 9.21. (WRC-19)
- 5.279A The use of the frequency band 432-438 MHz by sensors in the Earth exploration-satellite service (active) shall be in accordance with Recommendation ITU-R RS.1260-2. Additionally, the Earth exploration-satellite service (active) in the frequency band 432-438 MHz shall not cause harmful interference to the aeronautical radionavigation service in China. The provisions of this footnote in no way diminish the obligation of the Earth exploration-satellite service (active) to operate as a secondary service in accordance with Nos. 5.29 and 5.30. (WRC-19)
- 5.280 In Germany, Austria, Bosnia and Herzegovina, Croatia, Liechtenstein, North Macedonia, Montenegro, Portugal, Serbia, Slovenia and Switzerland, the frequency band 433.05-434.79 MHz (centre frequency 433.92 MHz) is designated for industrial, scientific and medical (ISM) applications. Radiocommunication services of these countries operating within this frequency band must accept harmful interference which may be caused by these applications. ISM equipment operating in this frequency band is subject to the provisions of No. 15.13. (WRC-19)
- 5.281 Additional allocation: in the French overseas departments and communities in Region 2 and India, the band 433.75-434.25 MHz is also allocated to the space operation service (Earth-to-space) on a primary basis. In France and in Brazil, the band is allocated to the same service on a secondary basis.
- 5.282 In the bands 435-438 MHz, 1 260-1 270 MHz, 2 400-2 450 MHz, 3 400-3 410 MHz (in Regions 2 and 3 only) and 5 650- 5 670 MHz, the amateur-satellite service may operate subject to not causing harmful interference to other services operating in accordance with the Table (see No. 5.43). Administrations authorizing such use shall ensure that any harmful interference caused by emissions from a station in the amateur-satellite service is immediately eliminated in accordance with the provisions of No. 25.11. The use of the bands 1 260-1 270 MHz and 5 650-5 670 MHz by the amateur-satellite service is limited to the Earth-to-space direction.
- 5.283 Additional allocation: in Austria, the band 438-440 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis.
- 5.284 Additional allocation: in Canada, the band 440-450 MHz is also allocated to the amateur service on a secondary basis.

- 5.285 Different category of service: in Canada, the allocation of the band 440-450 MHz to the radiolocation service is on a primary basis (see No. 5.33).
- 5.286 The band 449.75-450.25 MHz may be used for the space operation service (Earth-to-space) and the space research service (Earth-to-space), subject to agreement obtained under No. 9.21.
- 5.286A The use of the bands 454-456 MHz and 459-460 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-97)
- 5.286AA The frequency band 450-470 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) - see Resolution 224 (Rev.WRC-19). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)
- 5.286B The use of the band 454-455 MHz in the countries listed in No. 5.286D, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. 5.286E, by stations in the mobile-satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed or mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)
- 5.286C The use of the band 454-455 MHz in the countries listed in No. 5.286D, 455-456 MHz and 459-460 MHz in Region 2, and 454-456 MHz and 459-460 MHz in the countries listed in No. 5.286E, by stations in the mobile-satellite service, shall not constrain the development and use of the fixed and mobile services operating in accordance with the Table of Frequency Allocations. (WRC-97)
- 5.286D Additional allocation: in Canada, the United States and Panama, the band 454-455 MHz is also allocated to the mobile- satellite service (Earth-to-space) on a primary basis. (WRC-07)
- 5.286E Additional allocation: in Cape Verde, Nepal and Nigeria, the bands 454-456 MHz and 459-460 MHz are also allocated to the mobile-satellite (Earth-to-space) service on a primary basis. (WRC-07)
- 5.287 Use of the frequency bands 457.5125-457.5875 MHz and 467.5125-467.5875 MHz by the maritime mobile service is limited to on-board communication stations. The characteristics of the equipment and the channelling arrangement shall be in accordance with Recommendation ITU-R M.1174-4. The use of these frequency bands in territorial waters is subject to the national regulations of the administration concerned. (WRC-19)
- 5.288 In the territorial waters of the United States and the Philippines, the preferred frequencies for use by on-board communication stations shall be 457.525 MHz, 457.550 MHz, 457.575 MHz and 457.600 MHz paired, respectively, with 467.750 MHz, 467.775 MHz, 467.800 MHz and 467.825 MHz. The characteristics of the equipment used shall conform to those specified in Recommendation ITU-R M.1174-4. (WRC-19)
- 5.289 Earth exploration-satellite service applications, other than the meteorological-satellite service, may also be used in the bands 460-470 MHz and 1 690-1 710 MHz for space-to-Earth transmissions subject to not causing harmful interference to stations operating in accordance with the Table.
- 5.290 Different category of service: in Afghanistan, Azerbaijan, Belarus, China, the Russian Federation, Japan, Kyrgyzstan, , Tajikistan and, Turkmenistan the allocation of the band 460-470 MHz to the meteorological-satellite service (space- to-Earth) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-12)

- 5.291 Additional allocation: in China, the band 470-485 MHz is also allocated to the space research (space-to-Earth) and the space operation (space-to-Earth) services on a primary basis subject to agreement obtained under No. 9.21 and subject to not causing harmful interference to existing and planned broadcasting stations.
- 5.291A Additional allocation: in Germany, Austria, Denmark, Estonia, Liechtenstein, Serbia and Switzerland, the frequency band 470-494 MHz is also allocated to the radiolocation service on a secondary basis. This use is limited to the operation of wind profiler radars in accordance with Resolution 217 (Rev.WRC-23). (WRC-23)
- 5.292 Different category of service: in Argentina, Uruguay and Venezuela, the allocation of the frequency band 470-512 MHz to the mobile service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-15)
- 5.293 Different category of service: in Canada, Chile, Cuba, the United States, Guyana and Panama, the allocation of the frequency bands 470-512 MHz and 614-806 MHz to the fixed service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. In the Bahamas, Barbados, Canada, Chile, Cuba, the United States, Guyana, Jamaica, Mexico and Panama, the allocation of the frequency bands 470-512 MHz and 614-698 MHz to the mobile service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. In Argentina and Ecuador, the allocation of the frequency band 470-512 MHz to the fixed and mobile services is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-23)
- 5.294 Additional allocation: in Saudi Arabia, Cameroon, Côte d'Ivoire, Egypt, Ethiopia, Israel, Libya, Palestine*, the Syrian Arab Republic, Chad and Yemen, the frequency band 470-582 MHz is also allocated to the fixed service on a secondary basis. (WRC-23)
- 5.295 In the Bahamas, Barbados, Canada, the United States and Mexico, the frequency band 470-608 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) – see Resolution 224 (Rev.WRC-19). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply. (WRC-19)
- 5.295A Additional allocation: in Albania, Germany, Andorra, Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Cyprus, Vatican, Croatia, Denmark, Estonia, Finland, France, Georgia, Greece, Hungary, Ireland, Iceland, Latvia, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malta, Moldova, Monaco, Montenegro, Norway, Uzbekistan, Kingdom of the Netherlands, Poland, Portugal, Türkiye, Slovakia, the Czech Republic, Romania, the United Kingdom, San Marino, Serbia, Slovenia, Sweden, Switzerland and Ukraine, the frequency band 470-694 MHz is allocated to the mobile, except aeronautical mobile, service on a secondary basis, subject to agreement obtained under No. 9.21. For the protection of the broadcasting service, stations in the mobile service shall not create a field strength for more than 1% of the time at the highest of the clutter height or 10 m above ground level at the border of the territory of any other administration that exceeds the field strength value as calculated using § 4.1.3.2 of Annex 2 to the GE06 Agreement with regard to allowance for multiple interference, Table A.1.10 and the methodology given in the GE06 Agreement. These limits may be exceeded on the territory of any country whose administration has so agreed. This allocation shall in no way adversely affect the broadcast development or undermine new entries of the broadcasting service to the GE06 Plan. (WRC-23)

- 5.296 Additional allocation: in Albania, Algeria, Germany, Angola, Saudi Arabia, Austria, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Botswana, Bulgaria, Burkina Faso, Burundi, Cameroon, Vatican, Congo (Rep. of the), Côte d'Ivoire, Croatia, Denmark, Djibouti, Egypt, United Arab Emirates, Spain, Estonia, Eswatini, Finland, France, Gabon, Gambia, Georgia, Ghana, Hungary, Iraq, Ireland, Iceland, Israel, Italy, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Libya, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Malawi, Mali, Malta, Morocco, Mauritius, Mauritania, Moldova, Monaco, Mozambique, Namibia, Niger, Nigeria, Norway, Oman, Uganda, Palestine*, the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Slovakia, the Czech Republic, Romania, the United Kingdom, Rwanda, San Marino, Senegal, Serbia, Sudan, South Africa, Sweden, Switzerland, Tanzania, Chad, Togo, Tunisia, Ukraine, Zambia and Zimbabwe, the frequency band 470-694 MHz is also allocated on a secondary basis to the land mobile service, intended for applications ancillary to broadcasting and programme-making. Stations of the land mobile service in the countries listed in this footnote shall not cause harmful interference to existing or planned stations operating in accordance with the Table in countries other than those listed in this footnote. (WRC-23)
- 5.296A In Micronesia, the Solomon Islands, Tuvalu and Vanuatu, the frequency band 470-698 MHz, or portions thereof, and in Bangladesh, Lao P.D.R., Maldives, New Zealand and Viet Nam, the frequency band 610-698 MHz, or portions thereof, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolution 224 (Rev.WRC-23). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. The mobile allocation in this frequency band shall not be used for IMT systems unless subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply. (WRC-23)
- 5.297 Additional allocation: in Canada, Costa Rica, Cuba, El Salvador, the United States, Guatemala, Guyana and Jamaica, the frequency band 512-608 MHz is also allocated to the fixed and mobile services on a primary basis, subject to agreement obtained under No. 9.21. In the Bahamas, Barbados and Mexico, the frequency band 512-608 MHz is also allocated to the mobile service on a primary basis, subject to agreement obtained under No. 9.21. In Mexico, the frequency band 512- 608 MHz is also allocated on a secondary basis to the fixed service (see No. 5.32). (WRC-19)
- 5.298 Additional allocation: in India, the band 549.75-550.25 MHz is also allocated to the space operation service (space-to- Earth) on a secondary basis.
- 5.299 Not used.
- 5.300 Additional allocation: in Saudi Arabia, Cameroon, Egypt, the United Arab Emirates, Iraq, Israel, Jordan, Libya, Oman, Palestine*, Qatar, the Syrian Arab Republic and Sudan, the frequency band 582-790 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-23)
- 5.301 Not used.
- 5.302 SUP (WRC-12)
- 5.303 Not used.
- 5.304 Additional allocation: in the African Broadcasting Area (see Nos. 5.10 to 5.13), the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.

- 5.305 Additional allocation: in China, the band 606-614 MHz is also allocated to the radio astronomy service on a primary basis.
- 5.306 Additional allocation: in Region 1, except in the African Broadcasting Area (see Nos. 5.10 to 5.13), and in Region 3, the band 608-614 MHz is also allocated to the radio astronomy service on a secondary basis.
- 5.307 Additional allocation: in India, the band 608-614 MHz is also allocated to the radio astronomy service on a primary basis.
- 5.307A Additional allocation: in Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, Iraq, Jordan, Kuwait, Oman, Palestine*, Qatar and the Syrian Arab Republic, the frequency band 614-694 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis and identified for International Mobile Telecommunications (IMT) – see Resolution 224 (Rev.WRC-23) subject to the agreement obtained under No. 9.21. Stations in the mobile service shall not create a field strength for more than 1% of the time at the highest of the clutter height or 10 m above ground level at the border of the territory of any other administration that exceeds the field strength value as calculated using § 4.1.3.2 of Annex 2 to the GE06 Agreement with regard to allowance for multiple interference, Table A.1.10 and the methodology given in the GE06 Agreement. Stations in the mobile service of the countries listed in this footnote shall not cause harmful interference to, or claim protection from the existing and future broadcasting stations of the neighbouring countries operating in accordance with the GE06 Plan. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations and shall in no way adversely affect the development of the existing and future broadcasting service in accordance with the GE06 Agreement. For countries party to the GE06 Agreement, the use of stations in the mobile service is also subject to the successful application of the procedures of that Agreement.

This allocation does not establish priority in the Radio Regulations and shall allow the implementation and development of the broadcasting service in accordance with the GE06 Agreement. The countries listed in this footnote and located in the African Broadcasting Area should ensure protection of the radio astronomy service within the frequency band 606-614 MHz, as allocated in No. 5.304, consistent with the most recent version of Recommendation ITU-R RA.769. The countries listed in this footnote, which are neighbouring to the countries listed in No. 5.312, should ensure the protection of the aeronautical radionavigation service in the frequency band 645- 862 MHz. (WRC-23)

- 5.307B Additional allocation: in Gambia, Mauritania, Namibia, Nigeria, Senegal, Somalia, Tanzania and Chad, the frequency band 614-694 MHz is allocated to the mobile service on a secondary basis. For the protection of the broadcasting service, stations in the mobile service shall not create a field strength for more than 1% of the time at the highest of the clutter height or 10 m above ground level at the border of the territory of any other administration that exceeds the field strength value as calculated using § 4.1.3.2 of Annex 2 to the GE06 Agreement with regard to allowance for multiple interference, Table A.1.10 and the methodology given in the GE06 Agreement. This allocation shall in no way adversely affect the broadcast development or undermine new entries of the broadcasting service to the GE06 Plan. Additional measures shall be used by administrations implementing stations in the mobile services to protect stations in the broadcasting service of neighbouring administrations such as a distance limitation from the border of a neighbouring country. (WRC-23)
- 5.308 Different category of service: in Belize, Colombia, El Salvador and Guatemala, the frequency band 614-698 MHz is allocated to the mobile service on a primary basis. Stations of the mobile service within the frequency band are subject to agreement obtained under No. 9.21. (WRC-23)

- 5.308A In the Bahamas, Barbados, Belize, Canada, Colombia, El Salvador, the United States, Guatemala, Jamaica and Mexico, the frequency band 614-698 MHz, or portions thereof, is identified for International Mobile Telecommunications (IMT) – see Resolution 224 (Rev. WRC-23). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Mobile service stations of the IMT system within the frequency band are subject to agreement obtained under No. 9.21 and shall not cause harmful interference to, or claim protection from, the broadcasting service of neighbouring countries. Nos. 5.43 and 5.43A apply. (WRC-23)
- 5.309 Different category of service: in El Salvador, the allocation of the frequency band 614-806 MHz to the fixed service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21. (WRC-15)
- 5.310 SUP (WRC-97)
- 5.311 SUP (WRC-07)
- 5.311A SUP (WRC-19)
- 5.312 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 645-862 MHz, and in Bulgaria the frequency bands 726-753 MHz, 778-811 MHz and 822-852 MHz, are also allocated to the aeronautical radionavigation service on a primary basis. (WRC-23)
- 5.312A In Region 1, the use of the frequency band 694-790 MHz by the mobile, except aeronautical mobile, service is subject to the provisions of Resolution 760 (Rev.WRC-23). See also Resolution 224 (Rev.WRC-23). (WRC-23)
- 5.313 SUP (WRC-97)
- 5.313A The frequency band, or portions of the frequency band 698-790 MHz, in Australia, Bangladesh, Brunei Darussalam, Cambodia, China, Korea (Rep. of), Fiji, India, Indonesia, Japan, Kiribati, Lao P.D.R., Malaysia, Myanmar (Union of), New Zealand, Pakistan, Papua New Guinea, the Philippines, the Dem. People's Rep. of Korea, Solomon Islands, Samoa, Singapore, Thailand, Tonga, Tuvalu, Vanuatu and Viet Nam, are identified for use by these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-19)
- 5.313B The frequency band 698-960 MHz, or portions thereof, in Region 2, and the frequency band 694-960 MHz, or portions thereof, in Region 1, are identified for use by high-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency and by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 213 (WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply, see resolves 2 of Resolution 213 (WRC-23). Such use of HIBS in the frequency bands 694-728 MHz, 830-835 MHz and 805.3-806.9 MHz is limited to reception by HIBS. (WRC-23)
- 5.313B SUP (WRC-15)
- 5.314 SUP (WRC-15)

- 5.314A The frequency band 698-960 MHz, or portions thereof, in Australia, Maldives, Micronesia, Papua New Guinea, Tonga and Vanuatu, and the frequency bands 703-733 MHz, 758-788 MHz, 890-915 MHz and 935-960 MHz, or portions thereof, in China, India, Indonesia, Japan, Korea (Rep. of), Malaysia, the Philippines and Thailand are identified for use by high-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 213 (WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply, see resolves 2 of Resolution 213 (WRC-23). Such use of HIBS in the frequency bands 698-728 MHz and 830-835 MHz is limited to reception by HIBS. (WRC-23)
- 5.315 SUP (WRC-15)
- 5.316 SUP (WRC-15)
- 5.316A SUP (WRC-15)
- 5.316B In Region 1, the allocation to the mobile, except aeronautical mobile, service in the frequency band 790-862 MHz is subject to agreement obtained under No. 9.21 with respect to the aeronautical radionavigation service in countries mentioned in No. 5.312. For countries party to the GE06 Agreement, the use of stations of the mobile service is also subject to the successful application of the procedures of that Agreement. Resolutions 224 (Rev.WRC-23) and 749 (Rev.WRC-23) shall apply, as appropriate. (WRC-23)
- 5.317 Additional allocation: in Region 2 (except Brazil, the United States and Mexico), the frequency band 806-890 MHz is also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21. The use of this service is intended for operation within national boundaries. (WRC-15)
- 5.317A The parts of the frequency band 698-960 MHz in Region 2 and the frequency bands 694-790 MHz in Region 1 and 790- 960 MHz in Regions 1 and 3 which are allocated to the mobile service on a primary basis are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) – see Resolutions 224 (Rev.WRC-23), 760 (Rev.WRC-23) and 749 (Rev.WRC-23), where applicable. This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-23)
- 5.318 Additional allocation: in Canada, the United States and Mexico, the bands 849-851 MHz and 894-896 MHz are also allocated to the aeronautical mobile service on a primary basis, for public correspondence with aircraft. The use of the band 849-851 MHz is limited to transmissions from aeronautical stations and the use of the band 894-896 MHz is limited to transmissions from aircraft stations.
- 5.319 Additional allocation: in Belarus, the Russian Federation and Ukraine, the bands 806-840 MHz (Earth-to-space) and 856-890 MHz (space-to-Earth) are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service. The use of these bands by this service shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations and is subject to special agreements between the administrations concerned.
- 5.320 Additional allocation: in Region 3, the bands 806-890 MHz and 942-960 MHz are also allocated to the mobile-satellite, except aeronautical mobile-satellite (R), service on a primary basis, subject to agreement obtained under No. 9.21. The use of this service is limited to operation within national boundaries. In seeking such agreement, appropriate

protection shall be afforded to services operating in accordance with the Table, to ensure that no harmful interference is caused to such services.

- 5.321 SUP (WRC-07)
- 5.322 In Region 1, in the frequency band 862-960 MHz, stations of the broadcasting service shall be operated only in the African Broadcasting Area (see Nos. 5.10 to 5.13) excluding Algeria, Burundi, Djibouti, Egypt, Spain, Lesotho, Libya, Morocco, Malawi, Namibia, Nigeria, South Africa, Tanzania, Zimbabwe and Zambia, subject to agreement obtained under No. 9.21. (WRC-23)
- 5.323 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan, Turkmenistan and Ukraine, the frequency band 862-960 MHz, in Bulgaria the frequency bands 862-880 MHz and 915-925 MHz, and in Romania the frequency bands 862-880 MHz and 915-925 MHz, are also allocated to the aeronautical radionavigation service on a primary basis. Such use is subject to agreement obtained under No. 9.21 with administrations concerned and limited to ground-based radiobeacons in operation on 27 October 1997 until the end of their lifetime. (WRC-19)
- 5.324 Not used.
- 5.325 Different category of service: in the United States, the allocation of the band 890-942 MHz to the radiolocation service is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21.
- 5.325A Different category of service: in Argentina, Brazil, Costa Rica, Cuba, Dominican Republic, El Salvador, Ecuador, the French overseas departments and communities in Region 2, Guatemala, Paraguay, Uruguay and Venezuela, the frequency band 902-928 MHz is allocated to the land mobile service on a primary basis. In Mexico, the frequency band 902-928 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. In Colombia, the frequency band 902-915 MHz is allocated to the land mobile service on a primary basis. (WRC-23)
- 5.326 Different category of service: in Chile, the band 903-905 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.327 Different category of service: in Australia, the allocation of the band 915-928 MHz to the radiolocation service is on a primary basis (see No. 5.33).
- 5.327A The use of the frequency band 960-1 164 MHz by the aeronautical mobile (R) service is limited to systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 417 (Rev.WRC-15). (WRC-15)
- 5.328 The use of the band 960-1 215 MHz by the aeronautical radionavigation service is reserved on a worldwide basis for the operation and development of airborne electronic aids to air navigation and any directly associated ground-based facilities. (WRC-2000)
- 5.328A Stations in the radionavigation-satellite service in the band 1 164-1 215 MHz shall operate in accordance with the provisions of Resolution 609 (Rev.WRC-07) and shall not claim protection from stations in the aeronautical radionavigation service in the band 960-1 215 MHz. No. 5.43A does not apply. The provisions of No. 21.18 shall apply. (WRC-07)
- 5.328AA The frequency band 1 087.7-1 092.3 MHz is also allocated to the aeronautical mobile-satellite (R) service (Earth-to- space) on a primary basis, limited to the space station reception of Automatic Dependent Surveillance-Broadcast (ADS- B) emissions from

aircraft transmitters that operate in accordance with recognized international aeronautical standards. Stations operating in the aeronautical mobile-satellite (R) service shall not claim protection from stations operating in the aeronautical radionavigation service. Resolution 425 (Rev.WRC-19) shall apply. (WRC-19)

- 5.328B The use of the bands 1 164-1 300 MHz, 1 559-1 610 MHz and 5 010-5 030 MHz by systems and networks in the radionavigation-satellite service for which complete coordination or notification information, as appropriate, is received by the Radiocommunication Bureau after 1 January 2005 is subject to the application of the provisions of Nos. 9.12, 9.12A and 9.13. Resolution 610 (WRC-03) shall also apply; however, in the case of radionavigation-satellite service (space-to-space) networks and systems, Resolution 610 (WRC-03) shall only apply to transmitting space stations. In accordance with No. 5.329A, for systems and networks in the radionavigation-satellite service (space-to-space) in the bands 1 215-1 300 MHz and 1 559-1 610 MHz, the provisions of Nos. 9.7, 9.12, 9.12A and 9.13 shall only apply with respect to other systems and networks in the radionavigation-satellite service (space-to-space). (WRC-07)
- 5.329 Use of the radionavigation-satellite service in the frequency band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to, and no protection is claimed from, the radionavigation service authorized under No.
- 5.331 Furthermore, the use of the radionavigation-satellite service in the frequency band 1 215-1 300 MHz shall be subject to the condition that no harmful interference is caused to the radiolocation service. No. 5.43 shall not apply in respect of the radiolocation service. Resolution 608 (Rev.WRC-19) shall apply. (WRC-19)
- 5.329A Use of systems in the radionavigation-satellite service (space-to-space) operating in the bands 1 215-1 300 MHz and 1 559-1 610 MHz is not intended to provide safety service applications, and shall not impose any additional constraints on radionavigation-satellite service (space-to-Earth) systems or on other services operating in accordance with the Table of Frequency Allocations. (WRC-07)
- 5.330 Additional allocation: in Angola, Saudi Arabia, Bahrain, Bangladesh, Cameroon, China, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Nepal, Oman, Pakistan, Palestine*, the Philippines, Qatar, the Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 1 215-1 300 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-23)
- 5.331 Additional allocation: in Algeria, Germany, Saudi Arabia, Australia, Austria, Bahrain, Belarus, Belgium, Benin, Bosnia and Herzegovina, Brazil, Burkina Faso, Burundi, Cameroon, China, Korea (Rep. of), Croatia, Denmark, Djibouti, Egypt, the United Arab Emirates, Estonia, the Russian Federation, Finland, France, Ghana, Greece, Guinea, Equatorial Guinea, Hungary, India, Indonesia, Iran (Islamic Republic of), Iraq, Ireland, Israel, Jordan, Kenya, Kuwait, Lesotho, Latvia, Lebanon, Liechtenstein, Lithuania, Luxembourg, North Macedonia, Madagascar, Mali, Mauritania, Montenegro, Nigeria, Norway, Oman, Pakistan, Palestine*, the Kingdom of the Netherlands, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Dem. People's Rep. of Korea, Slovakia, the United Kingdom, Serbia, Slovenia, Somalia, Sudan, South Sudan, Sri Lanka, South Africa, Sweden, Switzerland, Thailand, Togo, Venezuela and Viet Nam, the frequency band 1 215-1 300 MHz is also allocated to the radionavigation service on a primary basis. In Canada and the United States, the frequency band 1 240-1 300 MHz is also allocated to the radionavigation service, and use of the radionavigation service shall be limited to the aeronautical radionavigation service. (WRC-23)

- 5.332 In the band 1 215-1 260 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service, the radionavigation-satellite service and other services allocated on a primary basis. (WRC-2000)
- 5.332A Administrations authorizing operation of the amateur and amateur-satellite services in the frequency band 1 240-1 300 MHz, or portions thereof, shall ensure that the amateur and amateur-satellite services do not cause harmful interference to radionavigation-satellite service (space-to-Earth) receivers in accordance with No. 5.29 (see the most recent version of Recommendation ITU-R M.2164). The authorizing administration, upon receipt of a report of harmful interference caused by a station of the amateur or amateur-satellite services, shall take all necessary steps to rapidly eliminate such interference. (WRC-23)
- 5.333 SUP (WRC-97)
- 5.334 Additional allocation: in Canada and the United States, the band 1 350-1 370 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-03)
- 5.335 In Canada and the United States in the band 1 240-1 300 MHz, active spaceborne sensors in the earth exploration-satellite and space research services shall not cause interference to, claim protection from, or otherwise impose constraints on operation or development of the aeronautical radionavigation service. (WRC-97)
- 5.335A In the band 1 260-1 300 MHz, active spaceborne sensors in the Earth exploration-satellite and space research services shall not cause harmful interference to, claim protection from, or otherwise impose constraints on operation or development of the radiolocation service and other services allocated by footnotes on a primary basis. (WRC-2000)
- 5.336 Not used.
- 5.337 The use of the bands 1 300-1 350 MHz, 2 700-2 900 MHz and 9 000-9 200 MHz by the aeronautical radionavigation service is restricted to ground-based radars and to associated airborne transponders which transmit only on frequencies in these bands and only when actuated by radars operating in the same band.
- 5.337A The use of the band 1 300-1 350 MHz by earth stations in the radionavigation-satellite service and by stations in the radiolocation service shall not cause harmful interference to, nor constrain the operation and development of, the aeronautical-radionavigation service. (WRC-2000)
- 5.338 In Kyrgyzstan, Slovakia, . and Turkmenistan, existing installations of the radionavigation service may continue to operate in the band 1 350-1 400 MHz. (WRC-12)
- 5.338A In the frequency bands 1 350-1 400 MHz, 1 427-1 452 MHz, 22.55-23.55 GHz, 24.25-27.5 GHz, 30-31.3 GHz, 49.7-50.2 GHz, 50.4-50.9 GHz, 51.4-52.6 GHz, 81-86 GHz and 92-94 GHz, Resolution 750 (Rev.WRC-19) applies. (WRC-19)
- 5.339 The bands 1 370-1 400 MHz, 2 640-2 655 MHz, 4 950-4 990 MHz and 15.20-15.35 GHz are also allocated to the space research (passive) and Earth exploration-satellite (passive) services on a secondary basis.
- 5.339A SUP (WRC-07)

5.340 All emissions are prohibited in the following bands:

- 1 400-1 427 MHz,
- 2 690-2 700 MHz, except those provided for by No. 5.422,
- 10.68-10.7 GHz, except those provided for by No. 5.483,
- 15.35-15.4 GHz, except those provided for by No. 5.511,
- 23.6-24 GHz,
- 31.3-31.5 GHz,
- 31.5-31.8 GHz, in Region 2,
- 48.94-49.04 GHz, from airborne stations 50.2-50.4 GHz²,
- 52.6-54.25 GHz,
- 86-92 GHz,
- 100-102 GHz,
- 109.5-111.8 GHz,
- 114.25-116 GHz,
- 148.5-151.5 GHz,
- 164-167 GHz,
- 182-185 GHz,
- 190-191.8 GHz,
- 200-209 GHz,
- 226-231.5 GHz,
- 250-252 GHz. (WRC-03)

5.341 In the bands 1 400-1 727 MHz, 101-120 GHz and 197-220 GHz, passive research is being conducted by some countries in a programme for the search for intentional emissions of extraterrestrial origin.

5.341A In Region 1, the frequency bands 1 427-1 452 MHz and 1 492-1 518 MHz are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15). This identification does not preclude the use of these frequency bands by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. 9.21 with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. 5.342. (WRC-15)

5.341B In Region 2, the frequency band 1 427-1 518 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15). This identification does not preclude the use of this frequency band by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-15)

5.341C The frequency bands 1 427-1 452 MHz and 1 492-1 518 MHz are identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15). The use of these frequency bands by the above administrations for the implementation of IMT in the frequency bands 1 429-1 452 MHz and 1 492-1 518 MHz is subject to agreement obtained under No. 9.21 from

countries using stations of the aeronautical mobile service. This identification does not preclude the use of these frequency bands by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-15)

5.342 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Uzbekistan, Kyrgyzstan and Ukraine, the frequency band 1 429-1 535 MHz is also allocated to the aeronautical mobile service on a primary basis, exclusively for the purposes of aeronautical

² 5.340.1 The allocation to the Earth exploration-satellite service (passive) and the space research service (passive) in the band 50.2-50.4 GHz should not impose undue constraints on the use of the adjacent bands by the primary allocated services in those bands.(WRC-97)

- telemetry within the national territory. As of 1 April 2007, the use of the frequency band 1 452-1 492 MHz is subject to agreement between the administrations concerned. (WRC-15)
- 5.343 In Region 2, the use of the band 1 435-1 535 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service.
- 5.344 Alternative allocation: in the United States, the band 1 452-1 525 MHz is allocated to the fixed and mobile services on a primary basis (see also No. 5.343).
- 5.345 Use of the frequency band 1 452-1 492 MHz by the broadcasting-satellite service, and by the broadcasting service, is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19). (WRC-19)
- 5.346 In Algeria, Angola, Saudi Arabia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Republic, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Kenya, Kuwait, Lesotho, Lebanon, Liberia, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Palestine**, Qatar, Dem. Rep. of the Congo, Rwanda, Senegal, Seychelles, Somalia, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Tunisia, Zambia, and Zimbabwe, the frequency band 1 452-1 492 MHz is identified for use by administrations listed above wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev. WRC-23). This identification does not preclude the use of this frequency band by any other application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained under No. 9.21 with respect to the aeronautical mobile service used for aeronautical telemetry in accordance with No. 5.342. See also Resolution 761 (Rev.WRC-19). (WRC-23)
- 5.346A The frequency band 1 452-1 492 MHz is identified for use by administrations in Region 3 wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-19) and Resolution 761 (Rev.WRC-19). The use of this frequency band by the above administrations for the implementation of IMT is subject to agreement obtained under No. 9.21 from countries using stations of the aeronautical mobile service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-19)
- 5.348 The use of the band 1 518-1 525 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from the stations in the fixed service. No. 5.43A does not apply. (WRC-03)
- 5.348A In the band 1 518-1 525 MHz, the coordination threshold in terms of the power flux-density levels at the surface of the Earth in application of No. 9.11A for space stations in the mobile-satellite (space-to-Earth) service, with respect to the land mobile service use for specialized mobile radios or used in conjunction with public switched telecommunication networks (PSTN) operating within the territory of Japan, shall be -150 dB(W/m²) in any 4 kHz band for all angles of arrival, instead of those given in Table 5-2 of Appendix 5. In the band 1 518-1 525 MHz stations in the mobile-satellite service shall not claim protection from stations in the mobile service in the territory of Japan. No. 5.43A does not apply. (WRC-03)
- 5.348B In the band 1 518-1 525 MHz, stations in the mobile-satellite service shall not claim protection from aeronautical mobile telemetry stations in the mobile service in the territory of the United States (see Nos. 5.343 and 5.344) and in the countries listed in No. 5.342. No. 5.43A does not apply. (WRC-03)

- 5.349 Different category of service: in Saudi Arabia, Azerbaijan, Bahrain, Cameroon, Djibouti, Egypt, Iran (Islamic Republic of), Iraq, Israel, Kuwait, Lebanon, North Macedonia, Morocco, Qatar, Syrian Arab Republic, Kyrgyzstan, Turkmenistan and Yemen, the allocation of the frequency band 1 525-1 530 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-23)
- 5.350 Additional allocation: in Kyrgyzstan and Turkmenistan, the frequency band 1 525-1 530 MHz is also allocated to the aeronautical mobile service on a primary basis. (WRC-19)
- 5.351 The bands 1 525-1 544 MHz, 1 545-1 559 MHz, 1 626.5-1 645.5 MHz and 1 646.5-1 660.5 MHz shall not be used for feeder links of any service. In exceptional circumstances, however, an earth station at a specified fixed point in any of the mobile-satellite services may be authorized by an administration to communicate via space stations using these bands.
- 5.351A For the use of the frequency bands 1 518-1 544 MHz, 1 545-1 559 MHz, 1 610-1 645.5 MHz, 1 646.5-1 660.5 MHz, 1 668-1 675 MHz, 1 980-2 010 MHz, 2 170-2 200 MHz, 2 483.5-2 520 MHz and 2 670-2 690 MHz by the mobile-satellite service, see Resolutions 212 (Rev. WRC-23) and 225 (Rev. WRC-23). (WRC-23)
- 5.352 SUP (WRC-97)
- 5.352A In the frequency band 1 525-1 530 MHz, stations in the mobile-satellite service, except stations in the maritime mobile- satellite service, shall not cause harmful interference to, or claim protection from, stations of the fixed service in Algeria, Saudi Arabia, Egypt, Guinea, India, Israel, Italy, Jordan, Kuwait, Mali, Morocco, Mauritania, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Viet Nam and Yemen notified prior to 1 April 1998. (WRC-19)
- 5.353 SUP (WRC-97)
- 5.353A In applying the procedures of Section II of Article 9 to the mobile-satellite service in the frequency bands 1 530-1 544 MHz and 1 626.5-1 645.5 MHz, priority shall be given to accommodating the spectrum requirements for distress, urgency and safety communications of the global maritime distress and safety system (GMDSS). Maritime mobile-satellite distress, urgency and safety communications shall have priority access and immediate availability over all other mobile satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, distress, urgency and safety communications of the GMDSS. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. The provisions of Resolution 222 (Rev. WRC-23) shall apply. (WRC-23)
- 5.354 The use of the bands 1 525-1 559 MHz and 1 626.5-1 660.5 MHz by the mobile-satellite services is subject to coordination under No. 9.11A.
- 5.355 Additional allocation: in Bahrain, Bangladesh, Congo (Rep. of the), Djibouti, Egypt, Eritrea, Iraq, Israel, Kuwait, Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the bands 1 540-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a secondary basis. (WRC-12)
- 5.356 The use of the band 1 544-1 545 MHz by the mobile-satellite service (space-to-Earth) is limited to distress and safety communications (see Article 31).
- 5.357 Transmissions in the band 1 545-1 555 MHz from terrestrial aeronautical stations directly to aircraft stations, or between aircraft stations, in the aeronautical mobile (R) service are also authorized when such transmissions are used to extend or supplement the satellite-to-aircraft links.

- 5.357A In applying the procedures of Section II of Article 9 to the mobile-satellite service in the frequency bands 1 545-1 555 MHz and 1 646.5-1 656.5 MHz, priority shall be given to accommodating the spectrum requirements of the aeronautical mobile-satellite (R) service providing transmission of messages with priority 1 to 6 in Article 44. Aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44 shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. The provisions of Resolution 222 (Rev.WRC-23) shall apply. (WRC-23)
- 5.359 Additional allocation: in Germany, Saudi Arabia, Armenia, Azerbaijan, Belarus, Cameroon, the Russian Federation, Georgia, Guinea, Guinea-Bissau, Jordan, Kazakhstan, Kuwait, Lithuania, Mauritania, Uganda, Uzbekistan, Pakistan, Poland, the Syrian Arab Republic, Kyrgyzstan, the Dem. People's Rep. of Korea, Romania, Tajikistan, Tunisia and Turkmenistan, the frequency bands 1 550-1 559 MHz, 1 610-1 645.5 MHz and 1 646.5-1 660 MHz are also allocated to the fixed service on a primary basis. Administrations are urged to make all practicable efforts to avoid the implementation of new fixed-service stations in these frequency bands. (WRC-23)
- 5.362A In the United States, in the bands 1 555-1 559 MHz and 1 656.5-1 660.5 MHz, the aeronautical mobile-satellite (R) service shall have priority access and immediate availability, by pre-emption if necessary, over all other mobile-satellite communications operating within a network. Mobile-satellite systems shall not cause unacceptable interference to, or claim protection from, aeronautical mobile-satellite (R) service communications with priority 1 to 6 in Article 44. Account shall be taken of the priority of safety-related communications in the other mobile-satellite services. (WRC-97)
- 5.362B SUP (WRC-12)
- 5.362C SUP (WRC-12)
- 5.364 The use of the band 1 610-1 626.5 MHz by the mobile-satellite service (Earth-to-space) and by the radiodetermination-satellite service (Earth-to-space) is subject to coordination under No. 9.11A. A mobile earth station operating in either of the services in this band shall not produce a peak e.i.r.p. density in excess of -15 dB(W/4 kHz) in the part of the band used by systems operating in accordance with the provisions of No. 5.366 (to which No. 4.10 applies), unless otherwise agreed by the affected administrations. In the part of the band where such systems are not operating, the mean e.i.r.p. density of a mobile earth station shall not exceed -3 dB(W/4 kHz). Stations of the mobile-satellite service shall not claim protection from stations in the aeronautical radionavigation service, stations operating in accordance with the provisions of No. 5.366 and stations in the fixed service operating in accordance with the provisions of No. 5.359. Administrations responsible for the coordination of mobile-satellite networks shall make all practicable efforts to ensure protection of stations operating in accordance with the provisions of No. 5.366.
- 5.365 The use of the band 1 613.8-1 626.5 MHz by the mobile-satellite service (space-to-Earth) is subject to coordination under No. 9.11A.
- 5.366 The band 1 610-1 626.5 MHz is reserved on a worldwide basis for the use and development of airborne electronic aids to air navigation and any directly associated ground-based or satellite-borne facilities. Such satellite use is subject to agreement obtained under No. 9.21.

- 5.367 Additional allocation: The frequency bands 1 610-1 626.5 MHz is also allocated to the aeronautical mobile-satellite (R) service on a primary basis, subject to agreement obtained under No. 9.21.
- 5.368 The provisions of No. 4.10 do not apply with respect to the radiodetermination-satellite and mobile-satellite services in the frequency band 1 610-1 626.5 MHz. However, No. 4.10 applies in the frequency band 1 610-1 626.5 MHz with respect to the aeronautical radionavigation-satellite service when operating in accordance with No. 5.366, the aeronautical mobile- satellite (R) service when operating in accordance with No. 5.367, and in the frequency bands 1 614.4225-1 618.725 MHz or 1 616.3-1 620.38 MHz (Earth-to-space) (see resolves 5 of Resolution 365 (WRC-23)) and 1 621.35-1 626.5 MHz with respect to the maritime mobile-satellite service when used for the global maritime distress and safety system (GMDSS). In applying the procedure of Section II of Article 9, the provisions of No. 4.10 do not apply for the frequency bands 1 614.4225-1 618.725 MHz or 1 616.3-1 620.38 MHz (Earth-to-space) (see resolves 5 of Resolution 365 (WRC-23)) and 2 483.59-2 499.91 MHz (space-to-Earth) for the maritime mobile-satellite service when used for the GMDSS with satellite networks or systems for which complete coordination information has been received by the Radiocommunication Bureau before 20 November 2023. Resolution 365 (WRC-23) applies. (WRC-23)
- 5.369 Different category of service: in Angola, Australia, China, Eritrea, Ethiopia, India, Iran (Islamic Republic of), Israel, Lebanon, Liberia, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, the Dem. Rep. of the Congo, Sudan, South Sudan ,Togo and Zambia, the allocation of the band 1 610-1 626.5 MHz to the radiodetermination-satellite service (Earth-to-space) is on a primary basis (see No. 5.33), subject to agreement obtained under No. 9.21 from countries not listed in this provision. (WRC-12)
- 5.370 Different category of service: in Venezuela, the allocation to the radiodetermination-satellite service in the band 1 610- 1 626.5 MHz (Earth-to-space) is on a secondary basis.
- 5.371 Additional allocation: in Region 1, the bands 1 610-1 626.5 MHz (Earth-to-space) (space-to-Earth) is also allocated to the radiodetermination-satellite service on a secondary basis, subject to agreement obtained under No. 9.21. (WRC 12)
- 5.372 Harmful interference shall not be caused to stations of the radio astronomy service using the frequency band 1 610.6-1 613.8 MHz by stations of the radiodetermination-satellite and mobilesatellite services (No. 29.13 applies). The equivalent power flux-density (epfd) produced in the frequency band 1 610.6-1 613.8 MHz by all space stations of a non-geostationary-satellite system in the mobile-satellite service (space-to-Earth) operating in frequency band 1 613.8- 1 626.5 MHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, using the methodology given in Recommendation ITU-R M.1583-1, and the radio astronomy antenna pattern described in Recommendation ITU-R RA.1631-0. (WRC-19)
- 5.372A The maritime mobile-satellite service in the frequency bands 1 614.4225-1 618.725 MHz or 1 616.3-1 620.38 MHz (Earth-to-space) (see resolves 5 of Resolution 365 (WRC-23)) and 2 483.59-2 499.91 MHz (space-to-Earth) when they are used for the global maritime distress and safety system (GMDSS) is limited to the geostationary satellite networks identified in Resolution 365 (WRC-23) and their associated earth stations located within a service area from 75°E to 135°E longitude and from 10°N to 55°N latitude. Resolution 365 (WRC-23) applies. (WRC-23)
- 5.373 Maritime mobile earth stations receiving in the frequency band 1 621.35-1 626.5 MHz shall not impose additional constraints on earth stations operating in the maritime mobile-satellite service or maritime earth stations of the radiodetermination-satellite service operating in accordance with the Radio Regulations in the frequency band 1 610-1 621.35 MHz or on

earth stations operating in the maritime mobile-satellite service operating in accordance with the Radio Regulations in the frequency band 1 626.5-1 660.5 MHz, unless otherwise agreed between the notifying administrations. (WRC-19)

- 5.373A Maritime mobile earth stations receiving in the frequency band 1 621.35-1 626.5 MHz shall not impose constraints on the assignments of earth stations of the mobile-satellite service (Earth-to-space) and the radiodeterminationsatellite service (Earth-to-space) in the frequency band 1 621.35-1 626.5 MHz in networks for which complete coordination information has been received by the Radiocommunication Bureau before 28 October 2019. (WRC-19)
- 5.374 Mobile earth stations in the mobile-satellite service operating in the bands 1 631.5-1 634.5 MHz and 1 656.5-1 660 MHz shall not cause harmful interference to stations in the fixed service operating in the countries listed in No. 5.359. (WRC- 97)
- 5.375 The use of the frequency band 1 645.5-1 646.5 MHz by the mobile-satellite service (Earth-to-space) and for inter-satellite links is limited to distress, urgency and safety communications (see Article 31). (WRC-23)
- 5.376 Transmissions in the band 1 646.5-1 656.5 MHz from aircraft stations in the aeronautical mobile (R) service directly to terrestrial aeronautical stations, or between aircraft stations, are also authorized when such transmissions are used to extend or supplement the aircraft-to-satellite links.
- 5.376A Mobile earth stations operating in the band 1 660-1 660.5 MHz shall not cause harmful interference to stations in the radio astronomy service. (WRC-97)
- 5.379 Additional allocation: in Bangladesh, India, Indonesia, Nigeria and Pakistan, the band 1 660.5-1 668.4 MHz is also allocated to the meteorological aids service on a secondary basis.
- 5.379A Administrations are urged to give all practicable protection in the band 1 660.5-1 668.4 MHz for future research in radio astronomy, particularly by eliminating air-to-ground transmissions in the meteorological aids service in the band 1 664.4- 1 668.4 MHz as soon as practicable.
- 5.379B The use of the frequency band 1 668-1 675 MHz by the mobile-satellite service is subject to coordination under No. 9.11A. (WRC-23)
- 5.379C In order to protect the radio astronomy service in the band 1 668-1 670 MHz, the aggregate power flux-density values produced by mobile earth stations in a network of the mobile-satellite service operating in this band shall not exceed – 181 dB(W/m²) in 10 MHz and -194 dB(W/m²) in any 20 kHz at any radio astronomy station recorded in the Master International Frequency Register, for more than 2% of integration periods of 2 000 s. (WRC-03)
- 5.379D For sharing of the frequency band 1 668.4-1 675 MHz between the mobile-satellite service and the fixed and mobile services, Resolution 744 (Rev.WRC-23) shall apply. (WRC-23)
- 5.379E In the band 1 668.4-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to stations in the meteorological aids service in China, Iran (Islamic Republic of), Japan and Uzbekistan. In the band 1 668.4-1 675 MHz, administrations are urged not to implement new systems in the meteorological aids service and are encouraged to migrate existing meteorological aids service operations to other bands as soon as practicable. (WRC-03)
- 5.380A In the band 1 670-1 675 MHz, stations in the mobile-satellite service shall not cause harmful interference to, nor constrain the development of, existing earth stations in the meteorological-satellite service notified before 1 January 2004. Any new assignment to these earth stations

- in this band shall also be protected from harmful interference from stations in the mobile-satellite service. (WRC-07)
- 5.381 Additional allocation: in Afghanistan, , Cuba, India, Iran (Islamic Republic of) and Pakistan, the band 1 690-1 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- 5.382 Different category of service: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Congo (Rep. of the), Egypt, the United Arab Emirates, Eritrea, Ethiopia, the Russian Federation, Guinea, Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, North Macedonia, Mauritania, Moldova, Mongolia, Oman, Uzbekistan, Poland, Qatar, the Syrian Arab Republic, Kyrgyzstan, Somalia, Tajikistan, Turkmenistan, Ukraine and Yemen, the allocation of the frequency band 1 690-1 700 MHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33), and in the Dem. People's Rep. of Korea, the allocation of the frequency band 1 690-1 700 MHz to the fixed service is on a primary basis (see No. 5.33) and to the mobile, except aeronautical mobile, service on a secondary basis. (WRC-19)
- 5.384 Additional allocation: in India, Indonesia and Japan, the band 1 700-1 710 MHz is also allocated to the space research service (space-to-Earth) on a primary basis. (WRC-97)
- 5.38A The frequency bands 1 710-1 885 MHz, 2 300-2 400 MHz and 2 500-2 690 MHz, or portions thereof, are identified for use by administrations wishing to implement International Mobile Telecommunications (IMT) in accordance with Resolution 223 (Rev.WRC-15). This identification does not preclude the use of these by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. (WRC-15)
- 5.385 Additional allocation: the band 1 718.8-1 722.2 MHz is also allocated to the radio astronomy service on a secondary basis for spectral line observations. (WRC-2000)
- 5.386 Additional allocation: the frequency band 1 750-1 850 MHz is also allocated to the space operation (Earth-to- space) and space research (Earth-to-space) services in Region 2 (except in Mexico), in Australia, Guam, India, Indonesia and Japan on a primary basis, subject to agreement obtained under No. 9.21, having particular regard to troposcatter systems. (WRC-15)
- 5.387 Additional allocation: in Belarus, Georgia, Kyrgyzstan, Romania, Tajikistan and Turkmenistan, the frequency band 1 770-1 790 MHz is also allocated to the meteorological-satellite service on a primary basis, subject to agreement obtained under No. 9.21. (WRC-23)
- 5.388 The frequency bands 1 885-2 025 MHz and 2 110-2 200 MHz are intended for use, on a worldwide basis, by administrations wishing to implement International Mobile Telecommunications (IMT). Such use does not preclude the use of these frequency bands by other services to which they are allocated. The frequency bands should be made available for IMT in accordance with Resolution 212 (Rev.WRC-23) (see also Resolution 223 (Rev. WRC-23)). (WRC-23)
- 5.388A The frequency bands 1 710-1 980 MHz, 2 010-2 025 MHz and 2 110-2 170 MHz in Regions 1 and 3 and the frequency bands 1 710-1 980 MHz and 2 110-2 160 MHz in Region 2 are identified for the use by high altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 221 (Rev.WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply. Such use of HIBS in the frequency bands 1 710-1 785 MHz in Regions 1 and 2, and 1 710-1 815 MHz in Region 3 is limited to reception by HIBS, and in the frequency band 2 110-2 170 MHz is limited to transmission from HIBS. (WRC-23)

5.388B SUP (WRC-23)

5.389A The use of the frequency bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service is subject to coordination under No. 9.11A and to the provisions of Resolution 716 (Rev.WRC-23). (WRC-23)

5.389B The use of the frequency band 1 980-1 990 MHz by the mobile-satellite service shall not cause harmful interference to or constrain the development of the fixed and mobile services in Argentina, Brazil, Canada, Chile, Ecuador, the United States, Honduras, Jamaica, Mexico, Paraguay, Peru, Suriname, Trinidad and Tobago, Uruguay and Venezuela. (WRC-19)

5.389C The use of the frequency bands 2 010-2 025 MHz and 2 160-2 170 MHz in Region 2 by the mobile-satellite service is subject to coordination under No. 9.11A and to the provisions of Resolution 716 (Rev.WRC-23). (WRC-23)

5.389E The use of the bands 2 010-2 025 MHz and 2 160-2 170 MHz by the mobile-satellite service in Region 2 shall not cause harmful interference to or constrain the development of the fixed and mobile services in Regions 1 and 3.

5.389F In Algeria, Cape Verde, Egypt, Iran (Islamic Republic of), Mali, Syrian Arab Republic and Tunisia, the use of the frequency bands 1 980-2 010 MHz and 2 170-2 200 MHz by the mobile-satellite service shall neither cause harmful interference to the fixed and mobile services, nor hamper the development of those services prior to 1 January 2005, nor shall the former service request protection from the latter services. (WRC-19)

5.390 SUP (WRC-07)

5.391 In making assignments to the mobile service in the frequency bands 2 025-2 110 MHz and 2 200-2 290 MHz, administrations shall not introduce high-density mobile systems, as described in Recommendation ITU-R SA.1154-0, and shall take that Recommendation into account for the introduction of any other type of mobile system. (WRC-15)

5.392 Administrations are urged to take all practicable measures to ensure that space-to-space transmissions between two or more non-geostationary satellites, in the space research, space operations and Earth exploration-satellite services in the bands 2 025-2 110 MHz and 2 200-2 290 MHz, shall not impose any constraints on Earth-to-space, space-to-Earth and other space-to-space transmissions of those services and in those bands between geostationary and non-geostationary satellites.

5.393 Additional allocation: in Canada, the United States and India, the frequency band 2 310-2 360 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial sound broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19), with the exception of resolves 3 in regard to the limitation on broadcasting-satellite systems in the upper 25 MHz.

Complementary terrestrial sound broadcasting stations shall be subject to bilateral coordination with neighbouring countries prior to their bringing into use. (WRC-19)

5.394 In the United States, the use of the frequency band 2 360-2 395 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. In Canada, the use of the frequency band 2 360-2 400 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile services. (WRC-23)

5.395 In France and Turkey, the use of the band 2 310-2 360 MHz by the aeronautical mobile service for telemetry has priority over other uses by the mobile service. (WRC-03)

5.396 SUP (WRC-19)

5.397 SUP (WRC-12)

5.398 In respect of the radiodetermination-satellite service in the band 2 483.5-2 500 MHz, the provisions of No. 4.10 do not apply

5.398A Different category of service: In Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, the band 2 483.5-2 500 MHz is allocated on a primary basis to the radiolocation service. The radiolocation stations in these countries shall not cause harmful interference to, or claim protection from, stations of the fixed, mobile and mobile-satellite services operating in accordance with the Radio Regulations in the frequency band 2 483.5-2 500 MHz. (WRC-12)

5.399 Except for cases referred to in No. 5.B118, stations of the radiodetermination-satellite service operating in the frequency band 2 483.5-2 500 MHz for which notification information is received by the Bureau after 17 February 2012, and the service area of which includes Armenia, Azerbaijan, Belarus, the Russian Federation, Kazakhstan, Uzbekistan, Kyrgyzstan, Tajikistan and Ukraine, shall not cause harmful interference to, and shall not claim protection from stations of the radiolocation service operating in these countries in accordance with No. 5.A118. (WRC-12)

5.400 SUP (WRC-12)

5.401 In Angola, Australia, Bangladesh, China, Eritrea, Eswatini, Ethiopia, India, Lebanon, Liberia, Libya, Madagascar, Mali, Pakistan, Papua New Guinea, Syrian Arab Republic, Dem. Rep. of the Congo, Sudan, Togo and Zambia, the frequency band 2 483.5-2 500 MHz was already allocated on a primary basis to the radiodetermination-satellite service before WRC- 12, subject to agreement obtained under No. 9.21 from countries not listed in this provision. Systems in the radiodetermination-satellite service for which complete coordination information has been received by the Radiocommunication Bureau before 18 February 2012 will retain their regulatory status, as of the date of receipt of the coordination request information. (WRC-19)

5.402 The use of the band 2 483.5-2 500 MHz by the mobile-satellite and the radiodetermination-satellite services is subject to the coordination under No. 9.11A. Administrations are urged to take all practicable steps to prevent harmful interference to the radio astronomy service from emissions in the 2 483.5-2 500 MHz band, especially those caused by second- harmonic radiation that would fall into the 4 990-5 000 MHz band allocated to the radio astronomy service worldwide.

5.403 Subject to agreement obtained under No. 9.21, the band 2 520-2 535 MHz may also be used for the mobile-satellite (space- to-Earth), except aeronautical mobile-satellite, service for operation limited to within national boundaries. The provisions of No. 9.11A apply. (WRC-07)

5.404 Additional allocation: in India and Iran (Islamic Republic of), the band 2 500-2 516.5 MHz may also be used for the radiodetermination-satellite service (space-to-Earth) for operation limited to within national boundaries, subject to agreement obtained under No. 9.21

5.405 SUP (WRC-12)

5.407 In the band 2 500-2 520 MHz, the power flux-density at the surface of the Earth from space stations operating in the mobile-satellite (space-to-Earth) service shall not exceed -152 dB(W/(m² 7 4 kHz)) in Argentina, unless otherwise agreed by the administrations concerned.

- 5.409A The frequency band 2 500-2 690 MHz in Regions 1 and 2, and the frequency band 2 500-2 655 MHz in Region 3 are identified for use by high-altitude platform stations as International Mobile Telecommunications (IMT) base stations (HIBS). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 218 (WRC-23) shall apply. HIBS shall not claim protection from existing primary services. No. 5.43A does not apply. Such use of HIBS in the frequency bands 2 500-2 510 MHz in Regions 1 and 2, and 2 500-2 535 MHz in Region 3 is limited to reception by HIBS. (WRC-23)
- 5.410 The band 2 500-2 690 MHz may be used for tropospheric scatter systems in Region 1, subject to agreement obtained under No. 9.21. No. 9.21 does not apply to tropospheric scatter links situated entirely outside Region 1. Administrations shall make all practicable efforts to avoid developing new tropospheric scatter systems in this band. When planning new tropospheric scatter radio-relay links in this band, all possible measures shall be taken to avoid directing the antennas of these links towards the geostationary-satellite orbit. (WRC-12)
- 5.412 Alternative allocation: In, Kyrgyzstan and Turkmenistan, the band 2 500-2 690 MHz is allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-12)
- 5.413 In the design of systems in the broadcasting-satellite service in the bands between 2 500 MHz and 2 690 MHz, administrations are urged to take all necessary steps to protect the radio astronomy service in the band 2 690-2 700 MHz.
- 5.414 The allocation of the frequency band 2 500-2 520 MHz to the mobile-satellite service (space-to-Earth) is subject to coordination under No. 9.11A. (WRC-07)
- 5.414A In Japan and India, the use of the bands 2 500-2 520 MHz and 2 520-2 535 MHz, under No. 5.403, by a satellite network in the mobile-satellite service (space-to-Earth) is limited to operation within national boundaries and subject to the application of No. 9.11A. The following pfd values shall be used as a threshold for coordination under No. 9.11A, for all conditions and for all methods of modulation, in an area of 1 000 km around the territory of the administration notifying the mobile-satellite service network:
- | | |
|--|-------------------|
| -136 dB(W/(m ² · MHz)) | for 0° ≤ 8 ≤ 5° |
| -136 + 0.55 (8 - 5) dB(W/(m ² · MHz)) | for 5° < 8 ≤ 25° |
| -125 dB(W/(m ² · MHz)) | for 25° < 8 ≤ 90° |
- where 8 is the angle of arrival of the incident wave above the horizontal plane, in degrees. Outside this area Table 21-4 of Article 21 shall apply. Furthermore, the coordination thresholds in Table 5-2 of Annex 1 to Appendix 5 of the Radio Regulations (Edition of 2004), in conjunction with the applicable provisions of Articles 9 and 11 associated with No. 9.11A, shall apply to systems for which complete notification information has been received by the Radiocommunication Bureau by 14 November 2007 and that have been brought into use by that date. (WRC-07)
- 5.415 The use of the bands 2 500-2 690 MHz in Region 2 and 2 500-2 535 MHz and 2 655-2 690 MHz in Region 3 by the fixed- satellite service is limited to national and regional systems, subject to agreement obtained under No. 9.21, giving particular attention to the broadcasting-satellite service in Region 1. (WRC-07)
- 5.415A Additional allocation: in India and Japan, subject to agreement obtained under No. 9.21, the band 2 515-2 535 MHz may also be used for the aeronautical mobile-satellite service (space-to-Earth) for operation limited to within their national boundaries. (WRC-2000)
- 5.416 The use of the band 2 520-2 670 MHz by the broadcasting-satellite service is limited to national and regional systems for community reception, subject to agreement obtained under

No. 9.21. The provisions of No. 9.19 shall be applied by administrations in this band in their bilateral and multilateral negotiations. (WRC-07)

5.417 SUP (WRC-2000)

5.417A SUP (WRC-15)

5.417B SUP (WRC-15)

5.417C SUP (WRC-15)

5.417D SUP (WRC-15)

5.418 Additional allocation: in India, the frequency band 2 535-2 655 MHz is also allocated to the broadcasting-satellite service (sound) and complementary terrestrial broadcasting service on a primary basis. Such use is limited to digital audio broadcasting and is subject to the provisions of Resolution 528 (Rev.WRC-19). The provisions of No. 5.416 and Table 21-4 of Article 21 do not apply to this additional allocation. Use of non-geostationary-satellite systems in the broadcastingsatellite service (sound) is subject to Resolution 539 (Rev.WRC-19). Geostationary broadcastingsatellite service (sound) systems for which complete Appendix 4 coordination information has been received after 1 June 2005 are limited to systems intended for national coverage. The power fluxdensity at the Earth's surface produced by emissions from a geostationary broadcasting-satellite service (sound) space station operating in the frequency band 2 630-2 655 MHz, and for which complete Appendix 4 coordination information has been received after 1 June 2005, shall not exceed the following limits, for all conditions and for all methods of modulation:

$-130 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for $0^\circ \leq \theta \leq 5^\circ$
$-130 + 0.4 (8 - 5) \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for $5^\circ < \theta \leq 25^\circ$
$-122 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for $25^\circ < \theta \leq 90^\circ$

where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees. These limits may be exceeded on the territory of any country whose administration has so agreed. As an exception to the limits above, the pfd value of $-122 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ shall be used as a threshold for coordination under No. 9.11 in an area of 1 500 km around the territory of the administration notifying the broadcasting-satellite service (sound) system.

In addition, an administration listed in this provision shall not have simultaneously two frequency assignments, one under this provision and the other under No. 5.416 for systems for which complete Appendix 4 coordination information has been received after 1 June 2005. (WRC-19)

5.418A In certain Region 3 countries listed in No. 5.418, use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound) for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. 9.12A, in respect of geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, is considered to have been received after 2 June 2000, and No. 22.2 does not apply. No. 22.2 shall continue to apply with respect to geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, is considered to have been received before 3 June 2000. (WRC-03)

5.418B Use of the band 2 630-2 655 MHz by non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418, for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000, is subject to the application of the provisions of No. 9.12. (WRC-03)

- 5.418C Use of the band 2 630-2 655 MHz by geostationary-satellite networks for which complete Appendix 4 coordination information, or notification information, has been received after 2 June 2000 is subject to the application of the provisions of No. 9.13 with respect to non-geostationary-satellite systems in the broadcasting-satellite service (sound), pursuant to No. 5.418 and No. 22.2 does not apply. (WRC-03)
- 5.419 When introducing systems of the mobile-satellite service in the band 2 670-2 690 MHz, administrations shall take all necessary steps to protect the satellite systems operating in this band prior to 3 March 1992. The coordination of mobile- satellite systems in the band shall be in accordance with No. 9.11A. (WRC-07)
- 5.420 The band 2 655-2 670 MHz may also be used for the mobile-satellite (Earth-to-space), except aeronautical mobile- satellite, service for operation limited to within national boundaries, subject to agreement obtained under No. 9.21. The coordination under No. 9.11A applies. (WRC-07)
- 5.422 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Brunei Darussalam, Congo (Rep. of the), Côte d'Ivoire, Cuba, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Georgia, Guinea, Guinea- Bissau, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Mauritania, , Mongolia, Montenegro, Nigeria, Oman, Pakistan, the Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, the Dem. Rep. of the Congo, Romania, Somalia, Tajikistan, Tunisia, Turkmenistan, Ukraine and Yemen, the band 2 690-2 700 MHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-12)
- 5.423 In the band 2 700-2 900 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the aeronautical radionavigation service.
- 5.424 Additional allocation: in Canada, the band 2 850-2 900 MHz is also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars.
- 5.424A In the band 2 900-3 100 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the radionavigation service. (WRC-03)
- 5.425 In the band 2 900-3 100 MHz, the use of the shipborne interrogator-transponder (SIT) system shall be confined to the sub-band 2 930 -2 950 MHz.
- 5.426 The use of the band 2 900-3 100 MHz by the aeronautical radionavigation service is limited to ground-based radars.
- 5.427 In the bands 2 900-3 100 MHz and 9 300-9 500 MHz, the response from radar transponders shall not be capable of being confused with the response from radar beacons (racons) and shall not cause interference to ship or aeronautical radars in the radionavigation service, having regard, however, to No. 4.9.
- 5.428 Additional allocation: in Kyrgyzstan and Turkmenistan, the frequency band 3 100-3 300 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
- 5.429 Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Benin, Brunei Darussalam, Cambodia, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lao P.D.R., Lebanon, Libya, Malaysia, Mongolia, Myanmar, New

Zealand, Oman, Uganda, Pakistan, Palestine*, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, Thailand, Viet Nam and Yemen, the frequency band 3 300-3 400 MHz is also allocated to the fixed and mobile services on a primary basis. Mongolia, New Zealand and the countries bordering the Mediterranean shall not claim protection for their fixed and mobile services from the radiolocation service. (WRC-23)

5.429A Additional allocation: in Angola, Botswana, Burkina Faso, Burundi, Cabo Verde, Central African Republic, Comoros, Djibouti, Eritrea, Eswatini, Ethiopia, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, Lesotho, Liberia, Madagascar, Malawi, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Palestine*, the Dem. Rep. of the Congo, Rwanda, Sao Tomé and Príncipe, Senegal, Seychelles, Sierra Leone, Somalia, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3 300-3 400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. Stations in the mobile service operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-23)

5.429B In the following countries of Region 1: Angola, Benin, Botswana, Burkina Faso, Burundi, Cabo Verde, Cameroon, Central African Republic, Comoros, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, Eritrea, Eswatini, Ethiopia, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, Kenya, Lesotho, Liberia, Madagascar, Malawi, Mauritius, Mauritania, Mongolia, Mozambique, Namibia, Niger, Nigeria, Uganda, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Somalia, Sudan, South Sudan, South Africa, Tanzania, Chad, Togo, Zambia and Zimbabwe, the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). The use of this frequency band shall be in accordance with Resolution 223 (Rev.WRC-23). The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-23)

5.429C Different category of service: in Argentina, Brazil, Cuba, the Dominican Republic, Guatemala, Mexico, Paraguay and Uruguay, the frequency band 3 300-3 400 MHz is allocated to the fixed service on a primary basis. Stations in the fixed service operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-23)

5.429D Region 2, the use of the mobile, except aeronautical mobile, service in the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution 223 (Rev.WRC-23). The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service, and administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to protect operations within the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-23)

5.429E Additional allocation: in Papua New Guinea, the frequency band 3 300-3 400 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis. Stations in the mobile service operating in the frequency band 3 300-3 400 MHz shall not cause harmful interference to, or claim protection from, stations operating in the radiolocation service. (WRC-15)

- 5.429F In the following countries in Region 3: Cambodia, India, Indonesia, Lao P.D.R., Pakistan, the Philippines, Singapore and Viet Nam, the use of the frequency band 3 300-3 400 MHz is identified for the implementation of International Mobile Telecommunications (IMT). Such use shall be in accordance with Resolution 223 (Rev.WRC-23). The use of the frequency band 3 300-3 400 MHz by IMT stations in the mobile service shall not cause harmful interference to, or claim protection from, systems in the radiolocation service. Before an administration brings into use a base or mobile station of an IMT system in this frequency band, it shall seek agreement under No. 9.21 with neighbouring countries to protect the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. (WRC-23)
- 5.429G Stations in the mobile, except aeronautical mobile, service operating in the frequency band 3 300-3 400 MHz in Region 2 shall not cause harmful interference to, or claim protection from, systems operating in the radiolocation service. (WRC- 23)
- 5.430 Additional allocation: in Kyrgyzstan and Turkmenistan, the frequency band 3 300-3 400 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
- 5.430A The allocation of the frequency band 3 400-3 600 MHz to the mobile, except aeronautical mobile, service is subject to agreement obtained under No. 9.21. This frequency band is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The provisions of Nos. 9.17 and 9.18 shall also apply in the coordination phase. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band, it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed -154.5 dB(W/(m² · 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station) and with the assistance of the Bureau if so requested. In case of disagreement, calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC- 15)
- 5.431 Additional allocation: in Germany, the frequency band 3 400-3 475 MHz is also allocated to the amateur service on a secondary basis. (WRC-19)
- 5.431A In Region 2, the allocation of the frequency band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service on a primary basis is subject to agreement obtained under No. 9.21. (WRC-15)
- 5.431B In Region 2, the frequency band 3 400-3 600 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a base or mobile station of an IMT system, it shall seek agreement under No. 9.21 with other administrations and ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed +154.5 dB(W/(m² · 4 kHz)) for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that

the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service, including IMT systems, in the frequency band 3 400-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC- 15)

5.432 Different category of service: in Korea (Rep. of), Japan, Pakistan and the Dem.People's Rep. of Korea, the allocation of the frequency band 3 400-3 500 MHz to the mobile, except aeronautical mobile, service is on a primary basis (see No. 5.33). (WRC-19)

5.432A In Korea (Rep. of), Japan, Pakistan and the Dem. People's Rep. of Korea, the frequency band 3 400-3 500 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \square 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-19)

5.432B Different category of service: in Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, India, Indonesia, Iran (Islamic Republic of), Malaysia, New Zealand, the Philippines, Singapore and Thailand, the frequency band 3 400-3 500 MHz is allocated to the mobile, except aeronautical mobile, service on a primary basis, subject to agreement obtained under No. 9.21 with other administrations and is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \square 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 400-3 500 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-19)

- 5.433 In Regions 2 and 3, in the band 3 400-3 600 MHz the radiolocation service is allocated on a primary basis. However, all administrations operating radiolocation systems in this band are urged to cease operations by 1985. Thereafter, administrations shall take all practicable steps to protect the fixed-satellite service and coordination requirements shall not be imposed on the fixed-satellite service.
- 5.433A In Australia, Bangladesh, Brunei Darussalam, China, French overseas communities of Region 3, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, New Zealand, Pakistan, the Philippines, the Dem. People's Rep. of Korea and Singapore, the frequency band 3 500-3 600 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. At the stage of coordination, the provisions of Nos. 9.17 and 9.18 also apply. Before an administration brings into use a (base or mobile) station of the mobile service in this frequency band it shall ensure that the power flux-density (pfd) produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of time at the border of the territory of any other administration. This limit may be exceeded on the territory of any country whose administration has so agreed. In order to ensure that the pfd limit at the border of the territory of any other administration is met, the calculations and verification shall be made, taking into account all relevant information, with the mutual agreement of both administrations (the administration responsible for the terrestrial station and the administration responsible for the earth station), with the assistance of the Bureau if so requested. In case of disagreement, the calculation and verification of the pfd shall be made by the Bureau, taking into account the information referred to above. Stations of the mobile service in the frequency band 3 500-3 600 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations (Edition of 2004). (WRC-23)
- 5.433B In Angola, Botswana, Guinea, Lesotho, Malawi and South Sudan, the frequency band 3 600-3 700 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of the frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The conditions of No. 5.434A shall apply. (WRC-23)
- 5.434 In Region 2, the frequency band 3 600-3 700 MHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to ensure the protection of the fixed-satellite service (space-to-Earth). (WRC-23)
- 5.434A The use of the frequency band 3 600-3 800 MHz by the mobile, except aeronautical mobile, service on a primary basis in Region 1 is subject to agreement obtained under No. 9.21 if the power flux-density (pfd) limit below is exceeded. The provisions of Nos. 9.17 and 9.18 shall also apply in the coordination phase. Before an administration in Region 1 brings into use a station in the mobile service in the frequency band 3 600-3 800 MHz, for the protection of stations in the fixed and fixed-satellite services, it shall ensure that the pfd produced at 3 m above ground does not exceed $-154.5 \text{ dB(W/(m}^2 \cdot 4 \text{ kHz))}$ for more than 20% of the time at the border of the territory of any other administration. Stations in the mobile service operating in the frequency band 3 600-3 800 MHz shall not claim more protection from space stations than that provided in Table 21-4 of the Radio Regulations. (WRC-23)
- 5.434B In Algeria, Saudi Arabia, Azerbaijan, Bahrain, Belarus, Benin, Burkina Faso, Burundi, Cameroon, Central African Rep., Comoros, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Gabon, Gambia, Ghana, Guinea, Iraq, Jordan, Kazakhstan, Kenya, Kuwait, Lebanon, Liberia, Libya, Madagascar, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Uganda, Uzbekistan,

Palestine*, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Sierra Leone, Somalia, Sudan, South Africa, Tanzania, Chad, Togo, Tunisia, Yemen, Zambia and Zimbabwe, the frequency band 3 600-3 800 MHz is identified for International Mobile Telecommunications (IMT). This identification does not preclude the use of the frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The conditions of No. 5.434A shall apply. (WRC-23)

5.435A Different category of service: In Angola, Botswana, Guinea, Lesotho, Malawi and South Sudan, the frequency band 3 700-3 800 MHz is allocated to the mobile service on a secondary basis. (WRC-23)

5.435B In the Bahamas, Belize, Brazil, Canada, Colombia, Costa Rica, United States, Guatemala, the French overseas departments and communities in Region 2, Greenland, the overseas countries and territories within the Kingdom of the Netherlands in Region 2, Paraguay, Peru, Trinidad and Tobago and Uruguay, the frequency band 3 700-3 800 MHz is identified for use by any of these administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Administrations wishing to implement IMT shall obtain the agreement of neighbouring countries to ensure the protection of the fixed-satellite service (space-to-Earth). (WRC-23)

5.436 Use of the frequency band 4 200-4 400 MHz by stations in the aeronautical mobile (R) service is reserved exclusively for wireless avionics intra-communication systems that operate in accordance with recognized international aeronautical standards. Such use shall be in accordance with Resolution 424 (Rev.WRC-23). (WRC-23)

Passive sensing in the Earth exploration-satellite and space research services may be authorized in the frequency band 4 200-4 400 MHz on a secondary basis. (WRC-15)

5.437 Use of the frequency band 4 200-4 400 MHz by the aeronautical radionavigation service is reserved exclusively for radio altimeters installed on board aircraft and for the associated transponders on the ground. (WRC-15)

5.438 Additional allocation: in Iran (Islamic Republic of), the band 4 200-4 400 MHz is also allocated to the fixed service on a secondary basis. (WRC-12)

5.439 The standard frequency and time signal-satellite service may be authorized to use the frequency 4 202 MHz for space-to- Earth transmissions and the frequency 6 427 MHz for Earth-to-space transmissions. Such transmissions shall be confined within the limits of ± 2 MHz of these frequencies, subject to agreement obtained under No. 9.21.

5.440A In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Paraguay, Uruguay and Venezuela), and in Australia, the band 4 400-4 940 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. 1.83). Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to, nor claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of these bands by other mobile service applications or by other services to which these bands are allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-07)

5.441 The use of the bands 4 500-4 800 MHz (space-to-Earth), 6 725-7 025 MHz (Earth-to-space) by the fixed-satellite service shall be in accordance with the provisions of Appendix 30B. The use of the bands 10.7-10.95 GHz (space-to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by geostationary-satellite systems in the fixed-

satellite service shall be in accordance with the provisions of Appendix 30B. The use of the bands 10.7-10.95 GHz (space- to-Earth), 11.2-11.45 GHz (space-to-Earth) and 12.75-13.25 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

5.441A In Brazil, Paraguay and Uruguay, the frequency band 4 800-4 900 MHz, or portions thereof, is identified for the implementation of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of this frequency band for the implementation of IMT is subject to agreement obtained with neighbouring countries, and IMT stations shall not claim protection from stations of other applications of the mobile service. Such use shall be in accordance with Resolution 223 (Rev.WRC-19). (WRC-19)

5.441B In Angola, Argentina, Armenia, Azerbaijan, Benin, Botswana, Brazil, Burkina Faso, Burundi, Cabo Verde, Cambodia, Cameroon, Chile, China, Colombia, Congo (Rep. of the), Côte d'Ivoire, Djibouti, Eswatini, Russian Federation, Gabon, Ghana, Guinea, Iran (Islamic Republic of), Iraq, Kazakhstan, Lao P.D.R., Lesotho, Liberia, Madagascar, Malawi, Mali, Mongolia, Namibia, Niger, Uganda, Uzbekistan, the Dem. Rep. of the Congo, Kyrgyzstan, the Dem. People's Rep. of Korea, South Sudan, South Africa, Chad, Togo, Viet Nam, Zambia and Zimbabwe, the frequency band 4 800-4 900 MHz, or portions thereof, is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. The use of IMT stations is subject to agreement obtained under No. 9.21 with concerned administrations, and IMT stations shall not claim protection from stations of other applications of the mobile service. In addition, before an administration brings into use an IMT station in the mobile service, it shall ensure that the power flux-density (pfd) produced by this station does not exceed $-155 \text{ dB(W/(m}^2 \cdot 1 \text{ MHz))}$ produced up to 19 km above sea level at 20 km from the coast, defined as the low-water mark, as officially recognized by the coastal State. Resolution 223 (Rev.WRC-23) applies. (WRC-23)

5.442 In the frequency bands 4 825-4 835 MHz and 4 950-4 990 MHz, the allocation to the mobile service is restricted to the mobile, except aeronautical mobile, service. In Region 2 (except Brazil, Cuba, Guatemala, Mexico, Paraguay, Uruguay and Venezuela), and in Australia, the frequency band 4 825-4 835 MHz is also allocated to the aeronautical mobile service, limited to aeronautical mobile telemetry for flight testing by aircraft stations. Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to the fixed service. (WRC-15)

5.443 Different category of service: in Argentina, Australia and Canada, the allocation of the bands 4 825-4 835 MHz and 4 950-4 990 MHz to the radio astronomy service is on a primary basis (see No. 5.33).

5.443A SUP (WRC-03)

- 5.443AA In the frequency bands 5 000-5 030 MHz and 5 091-5 150 MHz, the aeronautical mobile-satellite (R) service is subject to agreement obtained under No. 9.21. The use of these bands by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)
- 5.443B In order not to cause harmful interference to the microwave landing system operating above 5 030 MHz, the aggregate power flux-density produced at the Earth's surface in the frequency band 5 030-5 150 MHz by all the space stations within any radionavigation-satellite service system (space-to-Earth) operating in the frequency band 5 010-5 030 MHz shall not exceed -124.5 dB(W/m²) in a 150 kHz band. In order not to cause harmful interference to the radio astronomy service in the frequency band 4 990-5 000 MHz, radionavigation-satellite service systems operating in the frequency band 5 010-5 030 MHz shall comply with the limits in the frequency band 4 990-5 000 MHz defined in Resolution 741 (Rev.WRC-15). (WRC-15)
- 5.443C The use of the frequency band 5 030-5 091 MHz by the aeronautical mobile (R) service is limited to internationally standardized aeronautical systems. Unwanted emissions from the aeronautical mobile (R) service in the frequency band 5 030-5 091 MHz shall be limited to protect RNSS system downlinks in the adjacent 5 010-5 030 MHz band. Until such time that an appropriate value is established in a relevant ITU-R Recommendation, the e.i.r.p. density limit of -75 dBW/MHz in the frequency band 5 010-5 030 MHz for any AM(R)S station unwanted emission should be used. (WRC- 12)
- 5.443D In the frequency band 5 030-5 091 MHz, the aeronautical mobile-satellite (R) service is subject to coordination under No. 9.11A. The use of this frequency band by the aeronautical mobile-satellite (R) service is limited to internationally standardized aeronautical systems. (WRC-12)
- 5.444 The frequency band 5 030-5 150 MHz is to be used for the operation of the international standard system (microwave landing system) for precision approach and landing. In the frequency band 5 030-5 091 MHz, the requirements of this system shall have priority over other uses of this frequency band. For the use of the frequency band 5 091-5 150 MHz, No. 5.444A and Resolution 114 (Rev.WRC-15) apply. (WRC-15)
- 5.444A The use of the allocation to the fixed-satellite service (Earth-to-space) in the frequency band 5 091-5 150 MHz is limited to feeder links of non-geostationary satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A. The use of the frequency band 5 091-5 150 MHz by feeder links of non-geostationary satellite systems in the mobile-satellite service shall be subject to application of Resolution 114 (Rev.WRC-15). Moreover, to ensure that the aeronautical radionavigation service is protected from harmful interference, coordination is required for feeder-link earth stations of the non-geostationary satellite systems in the mobile-satellite service which are separated by less than 450 km from the territory of an administration operating ground stations in the aeronautical radionavigation service. (WRC-15)
- 5.444B The use of the frequency band 5 091-5 150 MHz by the aeronautical mobile service is limited to:
- systems operating in the aeronautical mobile (R) service and in accordance with international aeronautical standards, limited to surface applications at airports. Such use shall be in accordance with Resolution 748 (Rev.WRC-19);
 - aeronautical telemetry transmissions from aircraft stations (see No. 1.83) in accordance with Resolution 418 (Rev.WRC-19). (WRC-19)
- 5.446 Additional allocation: in the countries listed in No. 5.369, the frequency band 5 150-5 216 MHz is also allocated to the radiodetermination-satellite service (space-to-Earth) on a

primary basis, subject to agreement obtained under No. 9.21. In Region 2 (except in Mexico), the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a primary basis. In Regions 1 and 3, except those countries listed in No. 5.369 and Bangladesh, the frequency band is also allocated to the radiodetermination-satellite service (space-to-Earth) on a secondary basis. The use by the radiodetermination-satellite service is limited to feeder links in conjunction with the radiodetermination-satellite service operating in the frequency bands 1 610-1 626.5 MHz and/or 2 483.5-2 500 MHz. The total power flux density at the Earth's surface shall in no case exceed -159 dB(W/m²) in any 4 kHz band for all angles of arrival. (WRC-15)

5.446A The use of the frequency bands 5 150-5 350 MHz and 5 470-5 725 MHz by the stations in the mobile, except aeronautical mobile, service shall be in accordance with Resolution 229 (Rev.WRC-23). (WRC-23)

5.446B In the band 5 150-5 250 MHz, stations in the mobile service shall not claim protection from earth stations in the fixed- satellite service. No. 5.43A does not apply to the mobile service with respect to fixed-satellite service earth stations. (WRC-03)

5.446C Additional allocation: in Region 1 (except in Algeria, Saudi Arabia, Bahrain, Egypt, United Arab Emirates, Iraq, Jordan, Kuwait, Lebanon, Morocco, Oman, Qatar, Syrian Arab Republic, Sudan, South Sudan and Tunisia), the frequency band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (Rev.WRC-19). These stations shall not claim protection from other stations operating in accordance with Article 5. No. 5.43A does not apply. (WRC- 19)

5.446D Additional allocation: in Brazil, the band 5 150-5 250 MHz is also allocated to the aeronautical mobile service on a primary basis, limited to aeronautical telemetry transmissions from aircraft stations (see No. 1.83), in accordance with Resolution 418 (Rev.WRC-19). (WRC-19)

5.447 Additional allocation: in Côte d'Ivoire, Egypt, Lebanon, the Syrian Arab Republic and Tunisia, the frequency band 5 150- 5 250 MHz is also allocated to the mobile service, on a primary basis, subject to agreement obtained under No. 9.21. In this case, the provisions of Resolution 229 (Rev.WRC-23) do not apply. (WRC-23)

5.447A The allocation to the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to coordination under No. 9.11A.

5.447B Additional allocation: the band 5 150-5 216 MHz is also allocated to the fixed-satellite service (space-to-Earth) on a primary basis. This allocation is limited to feeder links of non-geostationary-satellite systems in the mobile-satellite service and is subject to provisions of No. 9.11A. The power flux-density at the Earth's surface produced by space stations of the fixed-satellite service operating in the space-to-Earth direction in the band 5 150-5 216 MHz shall in no case exceed

-164 dB(W/m²) in any 4 kHz band for all angles of arrival.

5.447C Administrations responsible for fixed-satellite service networks in the band 5 150-5 250 MHz operated under Nos. 5.447A and 5.447B shall coordinate on an equal basis in accordance with No. 9.11A with administrations responsible for non- geostationary-satellite networks operated under No. 5.446 and brought into use prior to 17 November 1995. Satellite networks operated under No. 5.446 brought into use after 17 November 1995 shall not claim protection from, and shall not cause harmful interference to, stations of the fixed-satellite service operated under Nos. 5.447A and 5.447B.

- 5.447D The allocation of the band 5 250-5 255 MHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the band by the space research service are on a secondary basis. (WRC-97)
- 5.447E Additional allocation: The frequency band 5 250-5 350 MHz is also allocated to the fixed service on a primary basis in the following countries in Region 3: Australia, Korea (Rep. of), India, Indonesia, Iran (Islamic Republic of), Japan, Malaysia, Papua New Guinea, the Philippines, Dem. People's Rep. of Korea, Sri Lanka, Thailand and Viet Nam. The use of this frequency band by the fixed service is intended for the implementation of fixed wireless access systems and shall comply with Recommendation ITU-R F.1613-0. In addition, the fixed service shall not claim protection from the radiodetermination, Earth exploration-satellite (active) and space research (active) services, but the provisions of No. 5.43A do not apply to the fixed service with respect to the Earth exploration-satellite (active) and space research (active) services. After implementation of fixed wireless access systems in the fixed service with protection for the existing radiodetermination systems, no more stringent constraints should be imposed on the fixed wireless access systems by future radiodetermination implementations. (WRC-15)
- 5.447F In the frequency band 5 250-5 350 MHz, stations in the mobile service shall not claim protection from the radiolocation service, the Earth exploration-satellite service (active) and the space research service (active). The radiolocation service, the Earth exploration-satellite service (active) and the space research service (active) shall not impose more stringent conditions upon the mobile service than those stipulated in Resolution 229 (Rev.WRC-23). (WRC-23)
5. 448 Additional allocation: in Kyrgyzstan, Romania and Turkmenistan, the frequency band 5 250-5 350 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
- 5.448A The Earth exploration-satellite (active) and space research (active) services in the frequency band 5 250-5 350 MHz shall not claim protection from the radiolocation service. No. 5.43A does not apply. (WRC-03)
- 5.448B The Earth exploration-satellite service (active) operating in the band 5 350-5 570 MHz and space research service (active) operating in the band 5 460-5 570 MHz shall not cause harmful interference to the aeronautical radionavigation service in the band 5 350-5 460 MHz, the radionavigation service in the band 5 460-5 470 MHz and the maritime radionavigation service in the band 5 470-5 570 MHz. (WRC-03)
- 5.448C The space research service (active) operating in the band 5 350-5 460 MHz shall not cause harmful interference to nor claim protection from other services to which this band is allocated. (WRC-03)
- 5.448D In the frequency band 5 350-5 470 MHz, stations in the radiolocation service shall not cause harmful interference to, nor claim protection from, radar systems in the aeronautical radionavigation service operating in accordance with No. 5.449. (WRC-03)
- 5.449 The use of the band 5 350-5 470 MHz by the aeronautical radionavigation service is limited to airborne radars and associated airborne beacons.
- 5.450 Additional allocation: in Austria, Azerbaijan, Iran (Islamic Republic of), Kyrgyzstan, Romania, Turkmenistan and Ukraine, the band 5 470-5 650 MHz is also allocated to the aeronautical radionavigation service on a primary basis. (WRC-12)
- 5.450A In the frequency band 5 470-5 725 MHz, stations in the mobile service shall not claim protection from radiodetermination services. The radiodetermination services shall not

impose more stringent conditions upon the mobile service than those stipulated in Resolution 229 (Rev.WRC-23). (WRC-23)

- 5.451B In the frequency band 5 470-5 650 MHz, stations in the radiolocation service, except ground-based radars used for meteorological purposes in the band 5 600-5 650 MHz, shall not cause harmful interference to, nor claim protection from, radar systems in the maritime radionavigation service. (WRC-03)
- 5.451 Additional allocation: in the United Kingdom, the band 5 470-5 850 MHz is also allocated to the land mobile service on a secondary basis. The power limits specified in Nos. 21.2, 21.3, 21.4 and 21.5 shall apply in the band 5 725-5 850 MHz.
- 5.452 Between 5 600 MHz and 5 650 MHz, ground-based radars used for meteorological purposes are authorized to operate on a basis of equality with stations of the maritime radionavigation service.
- 5.453 Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guinea, Equatorial Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lebanon, Libya, Madagascar, Malaysia, Niger, Nigeria, Oman, Uganda, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sri Lanka, Tanzania, Chad, Thailand, Togo, Viet Nam and Yemen, the frequency band 5 650-5 850 MHz is also allocated to the fixed and mobile services on a primary basis. In this case, the provisions of Resolution 229 (Rev.WRC-23) do not apply. In addition, in Afghanistan, Angola, Benin, Bhutan, Botswana, Burkina Faso, Burundi, Dem. Rep. of the Congo, Fiji, Ghana, Kiribati, Lesotho, Malawi, Maldives, Mauritius, Micronesia, Mongolia, Mozambique, Myanmar, Namibia, Nauru, New Zealand, Papua New Guinea, Rwanda, Solomon Islands, South Sudan, South Africa, Tonga, Vanuatu, Zambia and Zimbabwe, the frequency band 5 725-5 850 MHz is allocated to the fixed service on a primary basis, and stations operating in the fixed service shall not cause harmful interference to and shall not claim protection from other primary services in the frequency band. (WRC-23)
- Different category of service: in Azerbaijan, the Russian Federation, Georgia, , Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 5 670-5 725 MHz to the space research service is on a primary basis (see No. 5.33). (WRC-12)
- 5.454 Additional allocation: in Armenia, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Kazakhstan, Moldova, Uzbekistan, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the frequency band 5 670-5 850 MHz is also allocated to the fixed service on a primary basis. (WRC-19)
- 5.456 SUP (WRC-15)
- 5.457 In Australia, Burkina Faso, Cote d'Ivoire, Mali and Nigeria, the allocation to the fixed service in the bands 6 440-6 520 MHz (HAPS-to-ground direction) and 6 560-6 640 MHz (ground-to- HAPS direction) may also be used by gateway links for high-altitude platform stations (HAPS) within the territory of these countries. Such use is limited to operation in HAPS gateway links and shall not cause harmful interference to, and shall not claim protection from, existing services, and shall be in compliance with Resolution 150 (WRC-12). Existing services shall not be constrained in future development by HAPS gateway links. The use of HAPS gateway links in these bands requires explicit agreement with other administrations whose territories are located within 1 000 kilometres from the border of an administration intending to use the HAPS gateway links. (WRC-12)

- 5.457A In the frequency bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may communicate with space stations of the fixed-satellite service. Such use shall be in accordance with Resolution 902 (Rev.WRC-23). In the frequency band 5 925-6 425 MHz, earth stations located on board vessels and communicating with space stations of the fixed-satellite service may employ transmit antennas with minimum diameter of 1.2 m and operate without prior agreement of any administration if located at least 330 km away from the low-water mark as officially recognized by the coastal State. All other provisions of Resolution 902 (Rev.WRC-23) shall apply. (WRC-23)
- 5.457B In the frequency bands 5 925-6 425 MHz and 14-14.5 GHz, earth stations located on board vessels may operate with the characteristics and under the conditions contained in Resolution 902 (Rev.WRC-23) in Algeria, Saudi Arabia, Bahrain, Comoros, Djibouti, Egypt, United Arab Emirates, Jordan, Kuwait, Libya, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Sudan, Tunisia and Yemen, in the maritime mobile-satellite service on a secondary basis. Such use shall be in accordance with Resolution 902 (Rev.WRC-23). (WRC-23)
- 5.457C In Region 2 (except Brazil, Cuba, French overseas departments and communities, Guatemala, Mexico, Paraguay, Uruguay and Venezuela), the frequency band 5 925-6 700 MHz may be used for aeronautical mobile telemetry for flight testing by aircraft stations (see No. 1.83). Such use shall be in accordance with Resolution 416 (WRC-07) and shall not cause harmful interference to, or claim protection from, the fixed-satellite and fixed services. Any such use does not preclude the use of this frequency band by other mobile service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. (WRC-15)
- 5.457D In Cambodia, Lao P.D.R. and the Maldives, the frequency band 6 425-7 025 MHz is identified for the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 220 (WRC-23) applies. (WRC-23)
- 5.457E The frequency bands 6 425-7 125 MHz in Region 1 and 7 025-7 125 MHz in Region 3 are identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of these frequency bands by any application of the services to which they are allocated and does not establish priority in the Radio Regulations. Resolution 220 (WRC-23) applies.
- The frequency bands are also used for the implementation of wireless access systems (WAS), including radio local area networks (RLANs). (WRC-23)
- 5.457F In Brazil and Mexico, the frequency band 6 425-7 125 MHz is identified for the terrestrial component of International Mobile Telecommunications (IMT). The use of this frequency band for the implementation of IMT is subject to seeking agreement under No. 9.21 with neighbouring countries. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 220 (WRC-23) applies.
- The frequency band is also used for the implementation of wireless access systems (WAS), including radio local area networks (RLANs). (WRC-23)
- 5.458 In the band 6 425-7 075 MHz, passive microwave sensor measurements are carried out over the oceans. In the band 7 075- 7 250 MHz, passive microwave sensor measurements are carried out. Administrations should bear in mind the needs of the Earth exploration-satellite (passive) and space research (passive) services in their future planning of the bands 6 425- 7 025 MHz and 7 075-7 250 MHz.

- 5.458A In making assignments in the band 6 700-7 075 MHz to space stations of the fixed-satellite service, administrations are urged to take all practicable steps to protect spectral line observations of the radio astronomy service in the band 6 650- 6 675.2 MHz from harmful interference from unwanted emissions.
- 5.458B The space-to-Earth allocation to the fixed-satellite service in the band 6 700-7 075 MHz is limited to feeder links for non- geostationary satellite systems of the mobile-satellite service and is subject to coordination under No. 9.11A. The use of the band 6 700-7 075 MHz (space-to-Earth) by feeder links for non-geostationary satellite systems in the mobile-satellite service is not subject to No. 22.2.
- 5.458C SUP (WRC-15)
- 5.459 Additional allocation: in the Russian Federation, the frequency bands 7 100-7 155 MHz and 7 190-7 235 MHz are also allocated to the space operation service (Earth-to-space) on a primary basis, subject to agreement obtained under No. 9.21. In the frequency band 7 190-7 235 MHz, with respect to the Earth exploration satellite service (Earth-to-space), No. 9.21 does not apply. (WRC-15)
- 5.460 No emissions from space research service (Earth-to-space) systems intended for deep space shall be effected in the frequency band 7 190-7 235 MHz. Geostationary satellites in the space research service operating in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the fixed and mobile services and No. 5.43A does not apply. (WRC-15)
- 5.460A The use of the frequency band 7 190-7 250 MHz (Earth-to-space) by the Earth exploration-satellite service shall be limited to tracking, telemetry and command for the operation of spacecraft. Space stations operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 250 MHz shall not claim protection from existing and future stations in the fixed and mobile services, and No. 5.43A does not apply. No. 9.17 applies. Additionally, to ensure protection of the existing and future deployment of fixed and mobile services, the location of earth stations supporting spacecraft in the Earth exploration-satellite service in non-geostationary orbits or geostationary orbit shall maintain a separation distance of at least 10 km and 50 km, respectively, from the respective border(s) of neighbouring countries, unless a shorter distance is otherwise agreed between the corresponding administrations. (WRC-15)
- 5.460B Space stations on the geostationary orbit operating in the Earth exploration-satellite service (Earth-to-space) in the frequency band 7 190-7 235 MHz shall not claim protection from existing and future stations of the space research service, and No. 5.43A does not apply. (WRC-15)
- 5.461 Additional allocation: the frequency bands 7 250-7 375 MHz (space-to-Earth) and 7 900-8 025 MHz (Earth-to-space) are also allocated to the mobile-satellite service on a primary basis, subject to agreement obtained under No. 9.21, with the exception that No. 9.21 shall not apply to the geostationary-satellite networks in the mobile-satellite service for which complete coordination information is received by the Bureau as of 1 January 2025 with respect to nongeostationary- satellite systems for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025. Non-geostationary-satellite systems for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025 shall not cause unacceptable interference to and shall not claim protection from geostationary-satellite networks in the mobile-satellite service operating in accordance with these Regulations. No. 5.43A does not apply. (WRC-23)

- 5.461A The use of the band 7 450-7 550 MHz by the meteorological-satellite service (space-to-Earth) is limited to geostationary- satellite systems. Non-geostationary meteorological-satellite systems in this band notified before 30 November 1997 may continue to operate on a primary basis until the end of their lifetime. (WRC-97)
- 5.461AA The use of the frequency band 7 375-7 750 MHz by the maritime mobile-satellite service is limited to geostationary- satellite networks. (WRC-15)
- 5.461AB In the frequency band 7 375-7 750 MHz, earth stations in the maritime mobile-satellite service shall not claim protection from, nor constrain the use and development of, stations in the fixed and mobile, except aeronautical mobile, services. No. 5.43A does not apply. (WRC-15)
- 5.461AC In the frequency band 7 375-7 750 MHz, non-geostationary-satellite systems operating in the fixed-satellite service for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025 shall not cause unacceptable interference to and shall not claim protection from geostationary-satellite networks in the maritime mobile-satellite service operating in accordance with these Regulations. No. 5.43A does not apply. (WRC- 23)
- 5.461B The use of the band 7 750-7 900 MHz by the meteorological-satellite service (space-to-Earth) is limited to non- geostationary satellite systems. (WRC-12)
- 5.462 SUP (WRC-97)
- 5.462A In Regions 1 and 3 (except for Japan), in the band 8 025-8 400 MHz, the Earth exploration-satellite service using geostationary satellites shall not produce a power flux-density in excess of the following provisional values for angles of arrival (8), without the consent of the affected administration:
- | | | | |
|--|-----|-----|-----------------|
| –135 dB(W/m ²) in a 4 kHz band | for | 0° | 8 < 5° |
| –135 + 0.5 (8 – 5) dB(W/m ²) in a 4 kHz band | for | 5° | 8 < 25° |
| –125 dB(W/m ²) in a 1 MHz band | for | 25° | 8 90° (WRC-12) |
- 5.463 Aircraft stations are not permitted to transmit in the band 8 025-8 400 MHz. (WRC-97)
- 5.465 In the space research service, the use of the band 8 400-8 450 MHz is limited to deep space.
- 5.466 Different category of service: in , Singapore and Sri Lanka, the allocation of the band 8 400-8 500 MHz to the space research service is on a secondary basis (see No. 5.32). (WRC-12)
- 5.468 Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Burundi, Cameroon, China, Congo (Rep. of the), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guyana, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Senegal, Singapore, Somalia, Sudan, Chad, Togo, Tunisia and Yemen, the frequency band 8 500-8 750 MHz is also allocated to the fixed and mobile services on a primary basis. (WRC-19)
- 5.469 Additional allocation: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, Hungary, Lithuania, Uzbekistan, Poland, Kyrgyzstan, the Czech Rep., Romania, Tajikistan, Turkmenistan and Ukraine, the frequency band 8 500-8 750 MHz is also allocated to the land mobile and radionavigation services on a primary basis. (WRC-23)

5.470A In the band 8 550-8 650 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, or constrain the use and development of, stations of the radiolocation service. (WRC-97)

The use of the band 8 750-8 850 MHz by the aeronautical radionavigation service is limited to airborne Doppler navigation aids on a centre frequency of 8 800 MHz.

5.470 Additional allocation: in Algeria, Germany, Bahrain, Belgium, China, Egypt, the United Arab Emirates, France, Greece, Indonesia, Iran (Islamic Republic of), Libya, the Netherlands, Qatar and Sudan, the frequency bands 8 825-8 850 MHz and 9 000-9 200 MHz are also allocated to the maritime radionavigation service, on a primary basis, for use by shore-based radars only. (WRC-15)

5.471 In the bands 8 850-9 000 MHz and 9 200-9 225 MHz, the maritime radionavigation service is limited to shore-based radars.

5.472 Additional allocation: in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Mongolia, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC-07)

5.473A Additional allocation: in Armenia, Austria, Azerbaijan, Belarus, Cuba, the Russian Federation, Georgia, Hungary, Uzbekistan, Poland, Kyrgyzstan, Romania, Tajikistan, Turkmenistan and Ukraine, the frequency bands 8 850-9 000 MHz and 9 200-9 300 MHz are also allocated to the radionavigation service on a primary basis. (WRC-19)

5.474 In the band 9 200-9 500 MHz, search and rescue transponders (SART) may be used, having due regard to the appropriate ITU-R Recommendation (see also Article 31).

5.474A The use of the frequency bands 9 200-9 300 MHz and 9 900-10 400 MHz by the Earth exploration-satellite service (active) is limited to systems requiring necessary bandwidth greater than 600 MHz that cannot be fully accommodated within the frequency band 9 300-9 900 MHz. Such use is subject to agreement to be obtained under No. 9.21 from Algeria, Saudi Arabia, Bahrain, Egypt, Indonesia, Iran (Islamic Republic of), Lebanon and Tunisia. An administration that has not replied under No. 9.52 is considered as not having agreed to the coordination request. In this case, the notifying administration of the satellite system operating in the Earth exploration-satellite service (active) may request the assistance of the Bureau under Sub-Section IID of Article 9. (WRC-15)

5.474B Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2066- 0. (WRC-15)

5.474C Stations operating in the Earth exploration-satellite (active) service shall comply with Recommendation ITU-R RS.2065- 0. (WRC-15)

5.474D Stations in the Earth exploration-satellite service (active) shall not cause harmful interference to, or claim protection from, stations of the maritime radionavigation and radiolocation services in the frequency band 9 200-9 300 MHz, the radionavigation and radiolocation services in the frequency band 9 900-10 000 MHz and the radiolocation service in the frequency band 10.0-10.4 GHz. (WRC-15)

5.475 The use of the band 9 300-9 500 MHz by the aeronautical radionavigation service is limited to airborne weather radars and ground-based radars. In addition, ground-based radar beacons in the aeronautical radionavigation service are permitted in the band 9 300-9 320 MHz on condition that harmful interference is not caused to the maritime radionavigation service. (WRC-07)

- 5.475A The use of the band 9 300-9 500 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 300 MHz that cannot be fully accommodated within the 9 500-9 800 MHz band. (WRC-07)
- 5.475B In the band 9 300-9 500 MHz, stations operating in the radiolocation service shall not cause harmful interference to, nor claim protection from, radars operating in the radionavigation service in conformity with the Radio Regulations. Ground-based radars used for meteorological purposes have priority over other radiolocation uses. (WRC-07)
- 5.476 SUP (WRC-07)
- 5.476A In the band 9 300-9 800 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from, stations of the radionavigation and radiolocation services. (WRC-07)
- 5.477 Different category of service: in Algeria, Saudi Arabia, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guyana, India, Indonesia, Iran (Islamic Republic of), Iraq, Jamaica, Japan, Jordan, Kuwait, Lebanon, Liberia, Malaysia, Nigeria, Oman, Uganda, Pakistan, Qatar, Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Trinidad and Tobago, and Yemen, the allocation of the frequency band 9 800-10 000 MHz to the fixed service is on a primary basis (see No. 5.33). (WRC-15)
- 5.478 Additional allocation: in Azerbaijan, Kyrgyzstan, Romania, Turkmenistan and Ukraine, the frequency band 9 800-10 000 MHz is also allocated to the radionavigation service on a primary basis. (WRC-19)
- 5.478A The use of the band 9 800-9 900 MHz by the Earth exploration-satellite service (active) and the space research service (active) is limited to systems requiring necessary bandwidth greater than 500 MHz that cannot be fully accommodated within the 9 300-9 800 MHz band. (WRC-07)
- 5.478B In the band 9 800-9 900 MHz, stations in the Earth exploration-satellite service (active) and space research service (active) shall not cause harmful interference to, nor claim protection from stations of the fixed service to which this band is allocated on a secondary basis. (WRC-07)
- 5.479 The band 9 975-10 025 MHz is also allocated to the meteorological-satellite service on a secondary basis for use by weather radars.
- 5.480 Additional allocation: in Argentina, Brazil, Chile, Colombia, Costa Rica, Cuba, the Dominican Republic, El Salvador, Ecuador, Guatemala, Honduras, Jamaica, Mexico, Paraguay, the overseas countries and territories within the Kingdom of the Netherlands in Region 2, Peru, Suriname and Uruguay, the frequency band 10-10.45 GHz is also allocated to the fixed and mobile services on a primary basis. In Venezuela, the frequency band 10-10.45 GHz is also allocated to the fixed service on a primary basis. (WRC-23)
- 5.580A In the following countries in Region 2: Brazil, Colombia, Costa Rica, Cuba, the Dominican Republic, Ecuador, Guatemala, Jamaica, Mexico, Paraguay, Peru and Uruguay, the frequency band 10-10.5 GHz is identified for the implementation of the terrestrial component of International Mobile Telecommunications (IMT). The implementation of this identification in Mexico is subject to seeking agreement with the United States under No. 9.21. The use of the frequency band 10-10.5 GHz by IMT stations in the mobile service shall not claim protection from systems in the radiolocation service. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated

and does not establish priority in the Radio Regulations. Resolution 219 (WRC-23) applies. (WRC-23)

- 5.481 Additional allocation: in Algeria, Germany, Angola, Brazil, China, Colombia, Costa Rica, Côte d'Ivoire, Cuba, Djibouti, the Dominican Republic, Egypt, El Salvador, Ecuador, Spain, Guatemala, Hungary, Jamaica, Japan, Kenya, Morocco, Mexico, Nigeria, Oman, Uzbekistan, Pakistan, Palestine*, Paraguay, Peru, the Dem. People's Rep. of Korea, Romania, Somalia, Suriname, Tunisia and Uruguay, the frequency band 10.45-10.5 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-23)
- 5.482 In the band 10.6-10.68 GHz, the power delivered to the antenna of stations of the fixed and mobile, except aeronautical mobile, services shall not exceed -3 dBW. This limit may be exceeded, subject to agreement obtained under No. 9.21. However, in Algeria, Saudi Arabia, Armenia, Azerbaijan, Bahrain, Bangladesh, Belarus, Egypt, United Arab Emirates, Georgia, India, Indonesia, Iran (Islamic Republic of), Iraq, Jordan, Libyan Arab Jamahiriya, Kazakhstan, Kuwait, Lebanon, Morocco, Mauritania, Moldova, Nigeria, Oman, Uzbekistan, Pakistan, Philippines, Qatar, Syrian Arab Republic, Kyrgyzstan, Singapore, Tajikistan, Tunisia, Turkmenistan and Viet Nam, this restriction on the fixed and mobile, except aeronautical mobile, service is not applicable. (WRC-07)
- 5.482A For sharing of the band 10.6-10.68 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile, except aeronautical mobile, services, Resolution 751 (WRC-07) applies. (WRC-07)
- 5.483 Additional allocation: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, China Colombia, Korea (Rep. of), Egypt, the United Arab Emirates, Georgia, Iran (Islamic Republic of) Iraq, Israel, Jordan, Kazakhstan, Kuwait, Lebanon, Mongolia, Qatar, Kyrgyzstan, the Dem People's Rep. of Korea, Tajikistan, Turkmenistan and Yemen, the frequency band 10.68-10.7 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. Such use is limited to equipment in operation by 1 January 1985. (WRC-19)
- 5.484 In Region 1, the use of the band 10.7-11.7 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service.
- 5.484A The use of the frequency bands 10.95-11.2 GHz (space-to-Earth), 11.45-11.7 GHz (space-to-Earth), 11.7-12.2 GHz (space-to-Earth) in Region 2, 12.2-12.75 GHz (space-to-Earth) in Region 3, 12.5-12.75 GHz (space-to-Earth) in Region 1, 13.75-14.5 GHz (Earth-to-space), 17.3-17.7 GHz (space-to-Earth) in Region 2, 17.8-18.6 GHz (space-to-Earth), 9.7- 20.2 GHz (space-to-Earth), 27.5-28.6 GHz (Earth-to-space), 29.5-30 GHz (Earth-to-space) by a nongeostationary-satellite system in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. In Region 2, No. 22.2 shall continue to apply in the frequency band 17.3-17.7 GHz. (WRC-23)
- 5.484B Resolution 155 (WRC-15) shall apply. (WRC-15)

- 5.485 In Region 2, in the band 11.7-12.2 GHz, transponders on space stations in the fixed-satellite service may be used additionally for transmissions in the broadcasting-satellite service, provided that such transmissions do not have a maximum e.i.r.p. greater than 53 dBW per television channel and do not cause greater interference or require more protection from interference than the coordinated fixed-satellite service frequency assignments. With respect to the space services, this band shall be used principally for the fixed-satellite service.
- 5.486 Different category of service: in the United States, the allocation of the frequency band 11.7-12.1 GHz to the fixed service is on a secondary basis (see No. 5.32). (WRC-15)
- 5.487 In the band 11.7-12.5 GHz in Regions 1 and 3, the fixed, fixed-satellite, mobile, except aeronautical mobile, and broadcasting services, in accordance with their respective allocations, shall not cause harmful interference to, or claim protection from, broadcasting-satellite stations operating in accordance with the Regions 1 and 3 Plan in Appendix 30. (WRC-03)
- 5.487A Additional allocation: in Region 1, the band 11.7-12.5 GHz, in Region 2, the band 12.2-12.7 GHz and, in Region 3, the band 11.7-12.2 GHz, are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis, limited to non-geostationary systems and subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the broadcasting-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-03)
- 5.488 The use of the band 11.7-12.2 GHz by geostationary-satellite networks in the fixed-satellite service in Region 2 is subject to application of the provisions of No. 9.14 for coordination with stations of terrestrial services in Regions 1, 2 and 3. For the use of the band 12.2-12.7 GHz by the broadcasting-satellite service in Region 2, see Appendix 30. (WRC-03)
- 5.489 Additional allocation: in Peru, the band 12.1-12.2 GHz is also allocated to the fixed service on a primary basis.
- 5.490 In Region 2, in the band 12.2-12.7 GHz, existing and future terrestrial radiocommunication services shall not cause harmful interference to the space services operating in conformity with the broadcasting-satellite Plan for Region 2 contained in Appendix 30.
- 5.492 Assignments to stations of the broadcasting-satellite service which are in conformity with the appropriate regional Plan or included in the Regions 1 and 3 List in Appendix 30 may also be used for transmissions in the fixed-satellite service (space-to-Earth), provided that such transmissions do not cause more interference, or require more protection from interference, than the broadcasting-satellite service transmissions operating in conformity with the Plan or the List, as appropriate. (WRC-2000)
- 5.493 The broadcasting-satellite service in the band 12.5-12.75 GHz in Region 3 is limited to a power flux-density not exceeding $-111 \text{ dB(W/(m}^2 \cdot 27 \text{ MHz))}$ for all conditions and for all methods of modulation at the edge of the service area. (WRC-97)

- 5.494 Additional allocation: in Algeria, Saudi Arabia, Bahrain, Cameroon, the Central African Rep., Congo (Rep. of the), Côte d'Ivoire, Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Gabon, Ghana, Guinea, Iraq, Israel, Jordan, Kuwait, Lebanon, Libya, Madagascar, Mali, Morocco, Mongolia, Nigeria, Oman, Palestine*, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a primary basis. (WRC-23)
- 5.495 Additional allocation: in Greece, Monaco, Montenegro, Uganda and Tunisia, the frequency band 12.5-12.75 GHz is also allocated to the fixed and mobile, except aeronautical mobile, services on a secondary basis. (WRC-19)
- 5.496 Additional allocation: in Austria, Azerbaijan, Kyrgyzstan and Turkmenistan, the band 12.5-12.75 GHz is also allocated to the fixed service and the mobile, except aeronautical mobile, service on a primary basis. However, stations in these services shall not cause harmful interference to fixed-satellite service earth stations of countries in Region 1 other than those listed in this footnote. Coordination of these earth stations is not required with stations of the fixed and mobile services of the countries listed in this footnote. The power flux-density limit at the Earth's surface given in Table 21-4 of Article 21, for the fixed-satellite service shall apply on the territory of the countries listed in this footnote. (WRC-2000)
- 5.496A The frequency band 12.75-13.25 GHz (Earth-to-space) may be used by earth stations in motion, limited to earth stations on aircraft and vessels, communicating with geostationary space stations in the fixed-satellite service. Resolution 121 (WRC-23) shall apply. (WRC-23)
- 5.497 The use of the band 13.25-13.4 GHz by the aeronautical radionavigation service is limited to Doppler navigation aids.
- 5.498 SUP (WRC-97)
- 5.498A The Earth exploration-satellite (active) and space research (active) services operating in the band 13.25-13.4 GHz shall not cause harmful interference to, or constrain the use and development of, the aeronautical radionavigation service. (WRC-97)
- 5.499 Additional allocation: in Bangladesh, and India, the band 13.25-14 GHz is also allocated to the fixed service on a primary basis. In Pakistan, the band 13.25-13.75 GHz is allocated to the fixed service on a primary basis. (WRC 12)
- 5.499A The use of the frequency band 13.4-13.65 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary- satellite systems and is subject to agreement obtained under No. 9.21 with respect to satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015. (WRC-15)
- 5.499B Administrations shall not preclude the deployment and operation of transmitting earth stations in the standard frequency and time signal-satellite service (Earth-to-space) allocated on a secondary basis in the frequency band 13.4-13.65 GHz due to the primary allocation to FSS (space-to-Earth). (WRC-15)
- 5.499C The allocation of the frequency band 13.4-13.65 GHz to the space research service on a primary basis is limited to:

- satellite systems operating in the space research service (space-to-space) to relay data from space stations in the geostationary-satellite orbit to associated space stations in non-geostationary satellite orbits for which advance publication information has been received by the Bureau by 27 November 2015,
- active spaceborne sensors,
- satellite systems operating in the space research service (space-to-Earth) to relay data from space stations in the geostationary-satellite orbit to associated earth stations.

Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)

5.499D In the frequency band 13.4-13.65 GHz, satellite systems in the space research service (space-to-Earth) and/or the space research service (space-to-space) shall not cause harmful interference to, nor claim protection from, stations in the fixed, mobile, radiolocation and Earth exploration-satellite (active) services. (WRC-15)

5.499E In the frequency band 13.4-13.65 GHz, geostationary-satellite networks in the fixed-satellite service (space-to-Earth) shall not claim protection from space stations in the Earth exploration-satellite service (active) operating in accordance with these Regulations, and No. 5.43A does not apply. The provisions of No. 22.2 do not apply to the Earth exploration-satellite service (active) with respect to the fixed-satellite service (space-to-Earth) in this frequency band. (WRC-15)

5.500 Additional allocation: in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, Djibouti, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Madagascar, Malaysia, Mali, Morocco, Mauritania, Niger, Nigeria, Oman, Qatar, the Syrian Arab Republic, Singapore, Somalia, Sudan, South Sudan, Chad and Tunisia, the frequency band 13.4-14 GHz is also allocated to the fixed and mobile services on a primary basis. In Pakistan, the frequency band 13.4-13.75 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-23)

5.501 Additional allocation: in Hungary, Japan, Kyrgyzstan, Romania and Turkmenistan, the frequency band 13.4-14 GHz is also allocated to the radionavigation service on a primary basis. (WRC-23)

5.501A The allocation of the frequency band 13.65-13.75 GHz to the space research service on a primary basis is limited to active spaceborne sensors. Other uses of the frequency band by the space research service are on a secondary basis. (WRC-15)

5.501B In the band 13.4-13.75 GHz, the Earth exploration-satellite (active) and space research (active) services shall not cause harmful interference to, or constrain the use and development of, the radiolocation service. (WRC-97)

5.502 In the band 13.75-14 GHz, an earth station of a geostationary fixed-satellite service network shall have a minimum antenna diameter of 1.2 m and an earth station of a non-geostationary fixed-satellite service system shall have a minimum antenna diameter of 4.5 m. In addition, the e.i.r.p., averaged over one second, radiated by a station in the radiolocation or radionavigation services shall not exceed 59 dBW for elevation angles above 2° and 65 dBW at lower angles. Before an administration brings into use an earth station in a geostationary-satellite network in the fixed-satellite service in this band with an antenna diameter smaller than 4.5 m, it shall ensure that the power flux-density produced by this earth station does not exceed:

–115 dB(W/(m² · 10 MHz)) for more than 1% of the time produced at 36 m above sea level at the low water mark, as officially recognized by the coastal State;

–115 dB(W/(m² · 10 MHz)) for more than 1% of the time produced 3 m above ground at the border of the territory of an administration deploying or planning to deploy land mobile radars in this band, unless prior agreement has been obtained.

For earth stations within the fixed-satellite service having an antenna diameter greater than or equal to 4.5 m, the e.i.r.p. of any emission should be at least 68 dBW and should not exceed 85 dBW. (WRC-03)

5.503 In the band 13.75-14 GHz, geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 shall operate on an equal basis with stations in the fixed-satellite service; after that date, new geostationary space stations in the space research service will operate on a secondary basis. Until those geostationary space stations in the space research service for which information for advance publication has been received by the Bureau prior to 31 January 1992 cease to operate in this band:

– in the band 13.77-13.78 GHz, the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in geostationary-satellite orbit shall not exceed:

i) $4.7D + 28$ dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 1.2 m and less than 4.5 m;

ii) $49.2 + 20 \log(D/4.5)$ dB(W/40 kHz), where D is the fixed-satellite service earth station antenna diameter (m) for antenna diameters equal to or greater than 4.5 m and less than 31.9 m;

iii) 66.2 dB(W/40 kHz) for any fixed-satellite service earth station for antenna diameters (m) equal to or greater than 31.9 m;

iv) 56.2 dB(W/4 kHz) for narrow-band (less than 40 kHz of necessary bandwidth) fixed-satellite service earth station emissions from any fixed-satellite service earth station having an antenna diameter of 4.5 m or greater;

– the e.i.r.p. density of emissions from any earth station in the fixed-satellite service operating with a space station in non-geostationary-satellite orbit shall not exceed 51 dBW in the 6 MHz band from 13.772 to 13.778 GHz. Automatic power control may be used to increase the e.i.r.p. density in these frequency ranges to compensate for rain attenuation, to the extent that the power flux-density at the fixed-satellite service space station does not exceed the value resulting from use by an earth station of an e.i.r.p. meeting the above limits in clear-sky conditions. (WRC-03)

5.504 The use of the band 14-14.3 GHz by the radionavigation service shall be such as to provide sufficient protection to space stations of the fixed-satellite service.

5.504A In the band 14-14.5 GHz, aircraft earth stations in the secondary aeronautical mobile-satellite service may also communicate with space stations in the fixed-satellite service. The provisions of Nos. 5.29, 5.30 and 5.31 apply. (WRC- 03)

5.504B Aircraft earth stations operating in the aeronautical mobile-satellite service in the frequency band 14-14.5 GHz shall comply with the provisions of Annex 1, Part C of Recommendation

ITU-R M.1643-0, with respect to any radio astronomy station performing observations in the 14.47-14.5 GHz frequency band located on the territory of Spain, France, India, Italy, the United Kingdom and South Africa. (WRC-15)

- 5.504C In the frequency band 14-14.25 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Kuwait, Nigeria, Oman, the Syrian Arab Republic and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC-15)
- 5.505 Additional allocation: in Algeria, Saudi Arabia, Bahrain, Botswana, Brunei, Darussalam, Cameroon, China, Congo (Rep. of the), Korea (Rep. of), Djibouti, Egypt, the United Arab Emirates, Eswatini, Gabon, Guinea, India, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Oman, the Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Chad, Viet Nam and Yemen, the frequency band 14-14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-19)
- 5.506 The band 14-14.5 GHz may be used, within the fixed-satellite service (Earth-to-space), for feeder links for the broadcasting-satellite service, subject to coordination with other networks in the fixed-satellite service. Such use of feeder links is reserved for countries outside Europe.
- 5.506A In the frequency band 14-14.5 GHz, ship earth stations with an equivalent isotropically radiated power (e.i.r.p.) greater than 21 dBW shall operate under the same conditions as earth stations located on board vessels, as provided in Resolution 902 (Rev.WRC-23). This footnote shall not apply to ship earth stations for which the complete Appendix 4 information has been received by the Bureau prior to 5 July 2003. (WRC-23)
- 5.506B Earth stations located on board vessels communicating with space stations in the fixed-satellite service may operate in the frequency band 14-14.5 GHz without the need for prior agreement from Cyprus and Malta, within the minimum distance given in Resolution 902 (Rev.WRC-23) from these countries. (WRC-23)
- 5.508 Additional allocation: in Germany, Italy, Libya, North Macedonia and the United Kingdom, the frequency band 14.25- 14.3 GHz is also allocated to the fixed service on a primary basis. (WRC-23)
- 5.508A In the frequency band 14.25-14.3 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, China, Côte d'Ivoire, Egypt, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Nigeria, Oman, the Syrian Arab Republic, the United Kingdom and Tunisia by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC-23)
- 5.509 SUP (WRC-07)
- 5.509A In the frequency band 14.3-14.5 GHz, the power flux-density produced on the territory of the countries of Saudi Arabia, Bahrain, Botswana, Cameroon, China, Côte d'Ivoire, Egypt, Gabon, Guinea, India, Iran (Islamic Republic of), Italy, Kuwait, Morocco, Nigeria, Oman,

the Syrian Arab Republic, the United Kingdom, Sri Lanka, Tunisia and Viet Nam by any aircraft earth station in the aeronautical mobile-satellite service shall not exceed the limits given in Annex 1, Part B of Recommendation ITU-R M.1643-0, unless otherwise specifically agreed by the affected administration(s). The provisions of this footnote in no way derogate the obligations of the aeronautical mobile-satellite service to operate as a secondary service in accordance with No. 5.29. (WRC-23)

- 5.509B The use of the frequency bands 14.5-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.5-14.8 GHz in countries listed in Resolution 164 (WRC-15) by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service is limited to geostationary-satellites. (WRC-15)
- 5.509C For the use of the frequency bands 14.5-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.5-14.8 GHz in countries listed in Resolution 164 (WRC-15) by the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service, the fixed-satellite service earth stations shall have a minimum antenna diameter of 6 m and a maximum power spectral density of -44.5 dBW/Hz at the input of the antenna. The earth stations shall be notified at known locations on land. (WRC-15)
- 5.509D Before an administration brings into use an earth station in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service in the frequency bands 14.5-14.75 GHz (in countries listed in Resolution 163 (WRC-15)) and 14.5-14.8 GHz (in countries listed in Resolution 164 (WRC-15)), it shall ensure that the power flux-density produced by this earth station does not exceed -151.5 dB(W/(m² · 4 kHz)) produced at all altitudes from 0 m to 19 000 m above sea level at 22 km seaward from all coasts, defined as the low-water mark, as officially recognized by each coastal State. (WRC-15)
- 5.509E In the frequency bands 14.50-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.50-14.8 GHz in countries listed in Resolution 164 (WRC-15), the location of earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall maintain a separation distance of at least 500 km from the border(s) of other countries unless shorter distances are explicitly agreed by those administrations. No. 9.17 does not apply. When applying this provision, administrations should consider the relevant parts of these Regulations and the latest relevant ITU-R Recommendations. (WRC-15)
- 5.509F In the frequency bands 14.50-14.75 GHz in countries listed in Resolution 163 (WRC-15) and 14.50-14.8 GHz in countries listed in Resolution 164 (WRC-15), earth stations in the fixed-satellite service (Earth-to-space) not for feeder links for the broadcasting-satellite service shall not constrain the future deployment of the fixed and mobile services. (WRC-15)
- 5.509G The frequency band 14.5-14.8 GHz is also allocated to the space research service on a primary basis. However, such use is limited to the satellite systems operating in the space research service (Earth-to-space) to relay data to space stations in the geostationary-satellite orbit from associated earth stations. Stations in the space research service shall not cause harmful interference to, or claim protection from, stations in the fixed and mobile services and in the fixed satellite service limited to feeder links for the broadcasting-satellite service and associated space operations functions using the guardbands under Appendix 30A and feeder links for the broadcasting-satellite service in Region 2. Other uses of this frequency band by the space research service are on a secondary basis. (WRC-15)
- 5.510 Except for use in accordance with Resolution 163 (WRC-15) and Resolution 164 (WRC-15), the use of the frequency band 14.5-14.8 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. This use is reserved for countries outside Europe. Uses other than feeder links for the broadcasting-satellite service are not authorized in Regions 1 and 2 in the frequency band 14.75-14.8 GHz. (WRC-15)

- 5.510A The allocation of the frequency band 14.8-15.35 GHz to the space research service on a primary basis is limited to satellite systems operating in the space-to-space, space-to-Earth and Earth-to-space directions at distances from the Earth of less than 2×10^6 km in accordance with Resolution 678 (WRC-23). Other uses of the frequency band by the space research service are on a secondary basis. The use of the frequency band 14.8-15.35 GHz by the space research service (space-to-Earth) (Earth-to-space) is on a secondary basis with respect to the terrestrial services in Algeria, Saudi Arabia, Bahrain, Korea (Rep. of), Egypt, the United Arab Emirates, the United States, India, Iraq, Japan, Kuwait, Libya, Morocco, Mauritania, Oman, Qatar, the Syrian Arab Republic, Tunisia and Yemen. (WRC-23)
- 5.511 Additional allocation: in Saudi Arabia, Bahrain, Cameroon, Djibouti, Egypt, the United Arab Emirates, Guinea, Iran (Islamic Republic of), Iraq, Israel, Kuwait, Lebanon, Oman, Pakistan, Qatar, the Syrian Arab Republic and Somalia, the frequency band 15.35-15.4 GHz is also allocated to the fixed and mobile services on a secondary basis. (WRC-23)
- 5.511A Use of the frequency band 15.43-15.63 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of non-geostationary systems in the mobile-satellite service, subject to coordination under No. 9.11A. (WRC-15)
- 5.511C Stations operating in the aeronautical radionavigation service shall limit the effective e.i.r.p. in accordance with Recommendation ITU-R S.1340-0. The minimum coordination distance required to protect the aeronautical radionavigation stations (No. 4.10 applies) from harmful interference from feeder-link earth stations and the maximum e.i.r.p. transmitted towards the local horizontal plane by a feeder-link earth station shall be in accordance with Recommendation ITU-R S.1340-0. (WRC-15)
- 5.511D SUP (WRC-12)
- 5.511E In the frequency band 15.4-15.7 GHz, stations operating in the radiolocation service shall not cause harmful interference to, or claim protection from, stations operating in the aeronautical radionavigation service. (WRC-12)
- 5.511F In order to protect the radio astronomy service in the frequency band 15.35-15.4 GHz, radiolocation stations operating in the frequency band 15.4-15.7 GHz shall not exceed the power flux-density level of -156 dB(W/m²) in a 50 MHz bandwidth in the frequency band 15.35-15.4 GHz, at any radio astronomy observatory site for more than 2 per cent of the time. (WRC-12)
- 5.511G Stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 15.35-15.4 GHz. The aggregate power flux-density (pfd) received from stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz at any radio astronomy station operating in the frequency band 15.35-15.4 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). (WRC-23)
- 5.511H Additional allocation: in Indonesia, the frequency band 15.41-15.7 GHz is also allocated to the aeronautical mobile (OR) service on a secondary basis. Stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 15.35-15.4 GHz. The aggregate power flux-density (pfd) received from stations in the aeronautical mobile (OR) service operating in the frequency band 15.41-15.7 GHz at any radio astronomy station operating in the frequency band 15.35-15.4 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). (WRC-23)

- 5.512 Additional allocation: in Algeria, Saudi Arabia, Austria, Bahrain, Bangladesh, Brunei Darussalam, Cameroon, Congo (Rep. of the), Egypt, El Salvador, the United Arab Emirates, Eritrea, Finland, Guatemala, India, Indonesia, Iran (Islamic Republic of), Jordan, Kenya, Kuwait, Lebanon, Libya, Malaysia, Mali, Morocco, Mauritania, Montenegro, Nepal, Nicaragua, Niger, Oman, Pakistan, Qatar, Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, South Sudan, Chad, Togo and Yemen, the frequency band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-15)
- 5.513 Additional allocation: in Israel, the band 15.7-17.3 GHz is also allocated to the fixed and mobile services on a primary basis. These services shall not claim protection from or cause harmful interference to services operating in accordance with the Table in countries other than those included in No. 5.512.
- 5.513A Spaceborne active sensors operating in the band 17.2-17.3 GHz shall not cause harmful interference to, or constrain the development of, the radiolocation and other services allocated on a primary basis. (WRC-97)
- 5.514 Additional allocation: in Algeria, Saudi Arabia, Bahrain, Bangladesh, Cameroon, Djibouti, El Salvador, the United Arab Emirates, Guatemala, India, Iran (Islamic Republic of), Iraq, Israel, Italy, Japan, Jordan, Kuwait, Libya, Lithuania, Nepal, Nicaragua, Nigeria, Oman, Uzbekistan, Pakistan, Qatar, Kyrgyzstan, Somalia, Sudan and South Sudan, the frequency band 17.3-17.7 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits given in Nos. 21.3 and 21.5 shall apply. (WRC-23)
- 5.515 In the band 17.3-17.8 GHz, sharing between the fixed-satellite service (Earth-to-space) and the broadcasting-satellite service shall also be in accordance with the provisions of 1 of Annex 4 of Appendix 30A.
- 5.515A In addition to the need to comply with the coordination criteria in Annex 4 to Appendix 30A, under assumed free-space propagation conditions, the power flux-density of an assignment in the fixed-satellite service (space to-Earth) of a geostationary-satellite network in the frequency band 17.3-17.7 GHz in Region 2 shall not exceed the value of $-98 \text{ dB(W/(m}^2 \cdot 27 \text{ MHz))}$ at points in the geostationary-satellite orbit with geocentric orbital separation angles between 152.6° and 162.6° . (WRC-23)
- 5.515B In the frequency band 17.3-17.7 GHz, the use of the fixed-satellite service (space-to-Earth) by geostationary-satellite space stations in Region 2 shall not cause harmful interference to space station receivers nor claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A in all three Regions, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. The notifying administration for the fixed-satellite service (space-to-Earth), when submitting Appendix 4 information elements, shall provide a firm, objective, actionable, measurable and enforceable commitment that, in the event of harmful interference being reported to space station receivers in Appendix 30A, it shall take immediate action to eliminate the interference or reduce it to an acceptable level. (WRC-23)
- 5.516 The use of the band 17.3-18.1 GHz by geostationary-satellite systems in the fixed-satellite service (Earth-to-space) is limited to feeder links for the broadcasting-satellite service. The use of the band 17.3-17.8 GHz in Region 2 by systems in the fixed-satellite service (Earth-to-space) is limited to geostationary satellites. For the use of the band 17.3-17.8 GHz in Region 2 by feeder links for the broadcasting-satellite service in the band 12.2-12.7 GHz, see Article 11. The use of the bands 17.3-18.1 GHz (Earth-to-space) in Regions 1 and 3 and 17.8-18.1 GHz (Earth-to-space) in Region 2 by non-geostationary-satellite systems in the fixed-satellite service is subject to application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service. Non-geostationary-satellite

systems in the fixed-satellite service shall not claim protection from geostationary-satellite networks in the fixed-satellite service operating in accordance with the Radio Regulations, irrespective of the dates of receipt by the Bureau of the complete coordination or notification information, as appropriate, for the non-geostationary-satellite systems in the fixed-satellite service and of the complete coordination or notification information, as appropriate, for the geostationary-satellite networks, and No. 5.43A does not apply. Non-geostationary-satellite systems in the fixed-satellite service in the above bands shall be operated in such a way that any unacceptable interference that may occur during their operation shall be rapidly eliminated. (WRC-2000)

5.516A In the band 17.3-17.7 GHz, earth stations of the fixed-satellite service (space-to-Earth) in Region 1 shall not claim protection from the broadcasting-satellite service feeder-link earth stations operating under Appendix 30A, nor put any limitations or restrictions on the locations of the broadcasting-satellite service feeder-link earth stations anywhere within the service area of the feeder link. (WRC-03)

5.516B The following bands are identified for use by high-density applications in the fixed-satellite service:

17.3-17.7 GHz	(space-to-Earth) in Region 1,
18.3-19.3 GHz	(space-to-Earth) in Region 2,
19.7-20.2 GHz	(space-to-Earth) in all Regions,
39.5-40 GHz	(space-to-Earth) in Region 1,
40-40.5 GHz	(space-to-Earth) in all Regions,
40.5-42 GHz	(space-to-Earth) in Region 2,
47.5-47.9 GHz	(space-to-Earth) in Region 1,
48.2-48.54 GHz	(space-to-Earth) in Region 1,
49.44-50.2 GHz	(space-to-Earth) in Region 1, and
27.5-27.82 GHz	(Earth-to-space) in Region 1,
28.35-28.45 GHz	(Earth-to-space) in Region 2,
28.45-28.94 GHz	(Earth-to-space) in all Regions,
28.94-29.1 GHz	(Earth-to-space) in Region 2 and 3,
29.25-29.46 GHz	(Earth-to-space) in Region 2,
29.46-30 GHz	(Earth-to-space) in all Regions,
48.2-50.2 GHz	(Earth-to-space) in Region 2.

This identification does not preclude the use of these frequency bands by other fixed-satellite service applications or by other services to which these frequency bands are allocated on a co-primary basis and does not establish priority in these Radio Regulations among users of the frequency bands. Administrations should take this into account when considering regulatory provisions in relation to these frequency bands. See Resolution 143 (Rev.WRC-19). (WRC-19)

5.517 In Region 2, use of the fixed-satellite (space-to-Earth) service in the frequency band 17.3-17.8 GHz shall not cause harmful interference to nor claim protection from assignments in the broadcasting-satellite service operating in conformity with the Radio Regulations. (WRC-23)

5.517A The operation of earth stations in motion communicating with geostationary fixed-satellite service space stations within the frequency bands 17.7-19.7 GHz (space-to-Earth) and 27.5-29.5 GHz (Earth-to-space) shall be subject to the application of Resolution 169 (Rev.WRC-23). (WRC-23)

5.517B The operation of aeronautical and maritime earth stations in motion communicating with non-geostationary space stations in the fixed-satellite service in the frequency bands 17.7-18.6 GHz, 18.8-19.3 GHz and 19.7-20.2 GHz (space-to-Earth) and 27.5-29.1 GHz and 29.5-

30 GHz (Earth-to-space) shall be subject to the application of Resolution 123 (WRC-23). (WRC-23)

5.518 SUP (WRC-07)

5.519 Additional allocation: the bands 18-18.3 GHz in Region 2 and 18.1-18.4 GHz in Regions 1 and 3 are also allocated to the meteorological-satellite service (space-to-Earth) on a primary basis. Their use is limited to geostationary satellites. (WRC-07)

5.520 The use of the band 18.1-18.4 GHz by the fixed-satellite service (Earth-to-space) is limited to feeder links of geostationary-satellite systems in the broadcasting-satellite service. (WRC-2000)

5.521 Alternative allocation: in the United Arab Emirates, the frequency band 18.1-18.4 GHz is allocated to the fixed, fixed-satellite (space-to-Earth) and mobile services on a primary basis (see No. 5.33). The provisions of No. 5.519 also apply. (WRC-23)

5.521A For use of the frequency bands 18.1-18.6 GHz, 18.8-20.2 GHz and 27.5-30 GHz, or parts thereof, by space stations in the inter-satellite service, Resolution 679 (WRC-23) shall apply. Such use is limited to space research, space operation and/or Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space. When using these frequencies, administrations shall ensure that this inter-satellite service is used only for the aforementioned purposes and is not subject to coordination under No. 9.11A. For use of the frequency bands 18.1-18.6 GHz, 18.8-20.2 GHz, 27.5-29.1 GHz and 29.5-30 GHz by space stations, the allocation is limited to inter-satellite links between non-geostationary satellites or between non-geostationary satellites and geostationary satellites. For use of the frequency band 29.1-29.5 GHz by space stations, the allocation is limited to inter-satellite links between non-geostationary satellites and geostationary satellites. No. 4.10 does not apply. (WRC-23)

5.522 SUP (WRC-2000)

5.522A The emissions of the fixed service and the fixed-satellite service in the band 18.6-18.8 GHz are limited to the values given in Nos. 21.5A and 21.16.2, respectively. (WRC-2000)

5.522B The use of the band 18.6-18.8 GHz by the fixed-satellite service is limited to geostationary systems and systems with an orbit of apogee greater than 20 000 km. (WRC-2000)

5.522C In the band 18.6-18.8 GHz, in Algeria, Saudi Arabia, Bahrain, Egypt, the United Arab Emirates, the Libyan Arab Jamahiriya, Jordan, Lebanon, Morocco, Oman, Qatar, the Syrian Arab Republic, Tunisia and Yemen, fixed-service systems in operation at the date of entry into force of the Final Acts of WRC-2000 are not subject to the limits of No. 21.5A. (WRC-2000)

5.523 SUP (WRC-2000)

5.523A The use of the bands 18.8-19.3 GHz (space-to-Earth) and 28.6-29.1 GHz (Earth-to-space) by geostationary and non-geostationary fixed-satellite service networks is subject to the application of the provisions of No. 9.11A and No. 22.2 does not apply. Administrations having geostationary-satellite networks under coordination prior to 18 November 1995 shall cooperate to the maximum extent possible to coordinate pursuant to No. 9.11A with non-geostationary-satellite networks for which notification information has been received by the Bureau prior to that date, with a view to reaching results acceptable to all the parties concerned. Non-geostationary-satellite networks shall not cause unacceptable interference to geostationary fixed-satellite service networks for which complete Appendix 4 notification

information is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)

- 5.523B The use of the band 19.3-19.6 GHz (Earth-to-space) by the fixed-satellite service is limited to feeder links for non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A, and No. 22.2 does not apply.
- 5.523C No. 22.2 shall continue to apply in the bands 19.3-19.6 GHz and 29.1-29.4 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau prior to 18 November 1995. (WRC-97)
- 5.523D The use of the band 19.3-19.7 GHz (space-to-Earth) by geostationary fixed-satellite service systems and by feeder links for non-geostationary-satellite systems in the mobile-satellite service is subject to the application of the provisions of No. 9.11A, but not subject to the provisions of No. 22.2. The use of this band for other non-geostationary fixed-satellite service systems, or for the cases indicated in Nos. 5.523C and 5.523E, is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2. (WRC-97)
- 5.523DA In order to protect feeder links of non-geostationary networks in the mobile-satellite service in the frequency band 19.3-19.7 GHz, the power flux-density values produced at the surface of the Earth for all angles of arrival by a space station in the inter-satellite service operating in this band in accordance with Resolution 679 (WRC-23) shall not exceed $-140 \text{ dB(W/m}^2\text{)}$ in any 1 MHz within 150 km of any of the above feeder-link earth stations recorded in the Master International Frequency Register. (WRC-23)
- 5.523E No. 22.2 shall continue to apply in the bands 19.6-19.7 GHz and 29.4-29.5 GHz, between feeder links of non-geostationary mobile-satellite service networks and those fixed-satellite service networks for which complete Appendix 4 coordination information, or notification information, is considered as having been received by the Bureau by 21 November 1997. (WRC-97)
- 5.524 Additional allocation: in Afghanistan, Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Costa Rica, Djibouti, Egypt, the United Arab Emirates, Gabon, Guatemala, Guinea, India, Iran (Islamic Republic of), Iraq, Israel, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, Palestine*, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, the Dem. People's Rep. of Korea, Singapore, Somalia, Sudan, South Sudan, Chad, Togo and Tunisia, the frequency band 19.7-21.2 GHz is also allocated to the fixed and mobile services on a primary basis. This additional use shall not impose any limitation on the power flux-density of space stations in the fixed-satellite service in the frequency band 19.7-21.2 GHz and of space stations in the mobile-satellite service in the frequency band 19.7-20.2 GHz where the allocation to the mobile-satellite service is on a primary basis in the latter frequency band. (WRC-23)
- 5.525 In order to facilitate interregional coordination between networks in the mobile-satellite and fixed-satellite services, carriers in the mobile-satellite service that are most susceptible to interference shall, to the extent practicable, be located in the higher parts of the bands 19.7-20.2 GHz and 29.5-30 GHz.
- 5.526 In the bands 19.7-20.2 GHz and 29.5-30 GHz in Region 2, and in the bands 20.1-20.2 GHz and 29.9-30 GHz in Regions 1 and 3, networks which are both in the fixed-satellite service and in the mobile-satellite service may include links between earth stations at specified or

unspecified points or while in motion, through one or more satellites for point-to-point and point-to-multipoint communications.

- 5.527 In the bands 19.7-20.2 GHz and 29.5-30 GHz, the provisions of No. 4.10 do not apply with respect to the mobile-satellite service.
- 5.527A The operation of earth stations in motion communicating with the FSS is subject to Resolution 156 (Rev.WRC-23). (WRC- 23)
- 5.528 The allocation to the mobile-satellite service is intended for use by networks which use narrow spot-beam antennas and other advanced technology at the space stations. Administrations operating systems in the mobile-satellite service in the band 19.7-20.1 GHz in Region 2 and in the band 20.1-20.2 GHz shall take all practicable steps to ensure the continued availability of these bands for administrations operating fixed and mobile systems in accordance with the provisions of No. 5.524.
- 5.529 The use of the bands 19.7-20.1 GHz and 29.5-29.9 GHz by the mobile-satellite service in Region 2 is limited to satellite networks which are both in the fixed-satellite service and in the mobile-satellite service as described in No. 5.526.
- 5.529A In the frequency bands 20.2-21.2 GHz and 30-31 GHz, non-geostationary-satellite systems for which complete coordination or notification information, according to the case, is received by the Bureau as of 1 January 2025 shall not cause unacceptable interference to and shall not claim protection from geostationary-satellite networks in the mobile-satellite service operating in accordance with these Regulations. No. 5.43A does not apply. (WRC-23)
- 5.530 SUP (WRC-12)
- 5.530A Unless otherwise agreed between the administrations concerned, any station in the fixed or mobile services of an administration shall not produce a power flux-density in excess of $-120.4 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ at 3 m above the ground of any point of the territory of any other administration in Regions 1 and 3 for more than 20% of the time. In conducting the calculations, administrations should use the most recent version of Recommendation ITU-R P.452 (see also the most recent version of Recommendation ITU-R BO.1898). (WRC-15)
- 5.530B In the band 21.4-22 GHz, in order to facilitate the development of the broadcasting satellite service, administrations in Regions 1 and 3 are encouraged not to deploy stations in the mobile service and are encouraged to limit the deployment of stations in the fixed service to point to-point links. (WRC-12)
- 5.530C SUP (WRC-15)
- 5.530D SUP (WRC-19)
- 5.530E The allocation to the fixed service in the frequency band 21.4-22 GHz is identified for use in Region 2 by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which it is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS-to-ground direction, and shall be in accordance with the provisions of Resolution 165 (Rev. WRC-23). (WRC-23)
- 5.531 Additional allocation: in Japan, the band 21.4-22 GHz is also allocated to the broadcasting service on a primary basis.

5.531A The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz is limited to non-safety applications. (WRC-23)

5.531B Aircraft stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz are subject to agreement obtained under No. 9.21 with respect to the fixed service and shall not cause harmful interference to, nor claim protection from, the fixed service. The following power flux-density values shall be used as a threshold for coordination under No. 9.21:

$-110 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$0^\circ \leq \theta \leq 12.6^\circ$
$2.86 \theta - 146 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$12.6^\circ < \theta \leq 15^\circ$
$0.87 \theta - 116 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$15^\circ < \theta \leq 30^\circ$
$0.067 \theta - 92 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$30^\circ < \theta \leq 90^\circ$

where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees.

This criterion should be applied at the border of the territory of another administration for any aircraft station located at an altitude of up to 15 km above the ground. In conducting the calculations, the most recent version of Recommendation ITU-R P.525 should be used. (WRC-23)

5.531C Stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 22.21-22.5 GHz. The aggregate power flux-density (pfd) received from these stations at any radio astronomy station operating in the frequency band 22.21-22.5 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). (WRC-23)

5.531D The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz outside national boundaries shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations. (WRC-23)

5.531E Alternative allocation: in Brunei Darussalam, Iran (Islamic Republic of), Malaysia, Singapore and Thailand, the frequency band 22-22.2 GHz is allocated to the mobile, except aeronautical mobile (R), service on a primary basis. The use of the service is limited to non-safety applications within national boundaries. The use of the aeronautical mobile (OR) service in the frequency band 22-22.2 GHz shall not cause harmful interference to, or claim protection from, services in other countries operating in accordance with the Table of Frequency Allocations. Furthermore, stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz shall not cause harmful interference to the radio astronomy service operating in the frequency band 22.21-22.5 GHz in other countries in accordance with the Table of Frequency Allocations. The aggregate power flux-density (pfd) received from these stations at any radio astronomy station operating in the frequency band 22.21-22.5 GHz shall be in compliance with the protection criteria provided in Recommendations ITU-R RA.769-2 and ITU-R RA.1513-2, unless specifically agreed by the affected administration(s). In order to protect stations of the Earth exploration-satellite service (passive) operating in the frequency band 22.21-22.5 GHz, the unwanted equivalent isotropically radiated power (e.i.r.p.) of stations operating in the aeronautical mobile (OR) service shall not exceed -23 dBW in any 100 MHz band in the frequency band 22.21-22.5 GHz. Aircraft stations in the aeronautical mobile (OR) service operating in the frequency band 22-22.2 GHz are subject to agreement obtained under No. 9.21 with respect to the fixed service and shall not cause harmful interference to, nor claim protection from, the fixed service. The following pfd values shall be used as a threshold for coordination under No. 9.21:

$-110 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$0^\circ \leq \theta \leq 12.6^\circ$
$2.86 \theta - 146 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$12.6^\circ < \theta \leq 15^\circ$
$0.87 \theta - 116 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$15^\circ < \theta \leq 30^\circ$
$0.067 \theta - 92 \text{ dB(W/(m}^2 \cdot \text{MHz))}$	for	$30^\circ < \theta \leq 90^\circ$

where θ is the angle of arrival of the incident wave above the horizontal plane, in degrees.

This criterion should be applied at the border of the territory of another administration for any aircraft station located at an altitude of up to 15 km above the ground. In conducting the calculations, the most recent version of Recommendation ITU-R P.525 should be used. (WRC-23)

- 5.531F In order to protect stations of the Earth exploration-satellite service (passive) operating in the frequency band 22.21-22.5 GHz, the unwanted equivalent isotropically radiated power (e.i.r.p.) of stations operating in the aeronautical mobile (OR) service shall not exceed -23 dBW in any 100 MHz band in the frequency band 22.21-22.5 GHz. (WRC-23)
- 5.532 The use of the band 22.21-22.5 GHz by the Earth exploration-satellite (passive) and space research (passive) services shall not impose constraints upon the fixed and mobile, except aeronautical mobile, services.
- 5.532A The location of earth stations in the space research service shall maintain a separation distance of at least 54 km from the respective border(s) of neighbouring countries to protect the existing and future deployment of fixed and mobile services unless a shorter distance is otherwise agreed between the corresponding administrations. Nos. 9.17 and 9.18 do not apply. (WRC 12)
- 5.532AA The allocation to the fixed service in the frequency band 24.25-25.25 GHz is identified for use in Region 2 by high- altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed- service applications or by other services to which this frequency band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS is limited to the HAPS-to- ground direction and shall be in accordance with the provisions of Resolution 166 (Rev.WRC-23). (WRC-23)
- 5.532AB The frequency band 24.25-27.5 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 242 (Rev.WRC-23) applies. (WRC-23)
- 5.532B Use of the band 24.65-25.25 GHz in Region 1 and the band 24.65-24.75 GHz in Region 3 by the fixed-satellite service (Earth-to-space) is limited to earth stations using a minimum antenna diameter of 4.5m. (WRC-12)
- 5.533 The inter-satellite service shall not claim protection from harmful interference from airport surface detection equipment stations of the radionavigation service.
- 5.534 SUP (WRC-03)
- 5.534A The allocation to the fixed service in the frequency band 25.25-27.5 GHz is identified in Region 2 for use by high-altitude platform stations (HAPS) in accordance with the provisions of Resolution 166 (Rev.WRC-23). Such use of the fixed- service allocation by HAPS shall be limited to the ground-to-HAPS direction in the frequency band 25.25-27.0 GHz and to the HAPS-to-ground direction in the frequency band 27.0-27.5 GHz. Furthermore, the use of the

frequency band 25.5-27.0 GHz by HAPS shall be limited to gateway links. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this band is allocated on a coprimary basis, and does not establish priority in the Radio Regulations. (WRC-23)

- 5.535 In the band 24.75-25.25 GHz, feeder links to stations of the broadcasting-satellite service shall have priority over other uses in the fixed-satellite service (Earth-to-space). Such other uses shall protect and shall not claim protection from existing and future operating feeder-link networks to such broadcasting satellite stations.
- 5.535A The use of the band 29.1-29.5 GHz (Earth-to-space) by the fixed-satellite service is limited to geostationary-satellite systems and feeder links to non-geostationary-satellite systems in the mobile-satellite service. Such use is subject to the application of the provisions of No. 9.11A, but not subject to the provisions of No. 22.2, except as indicated in Nos. 5.523C and 5.523E where such use is not subject to the provisions of No. 9.11A and shall continue to be subject to Articles 9 (except No. 9.11A) and 11 procedures, and to the provisions of No. 22.2. (WRC-97)
- 5.536 Use of the 25.25-27.5 GHz band by the inter-satellite service is limited to space research and Earth exploration-satellite applications, and also transmissions of data originating from industrial and medical activities in space.
- 5.536A Administrations operating earth stations in the Earth exploration-satellite service or the space research service shall not claim protection from stations in the fixed and mobile services operated by other administrations. In addition, earth stations in the Earth exploration-satellite service or in the space research service should be operated taking into account the most recent version of Recommendation ITU-R SA.1862. Resolution 242 (Rev.WRC-23) applies. (WRC-23)
- 5.536B In Algeria, Saudi Arabia, Austria, Bahrain, Belgium, Brazil, China, Korea (Rep. of), Denmark, Egypt, United Arab Emirates, Estonia, Finland, Hungary, India, Iran (Islamic Republic of), Iraq, Ireland, Israel, Italy, Jordan, Kenya, Kuwait, Lebanon, Libya, Lithuania, Moldova, Norway, Oman, Uganda, Pakistan, the Philippines, Poland, Portugal, Qatar, the Syrian Arab Republic, Türkiye, Dem. People's Rep. of Korea, Slovakia, the Czech Rep., Romania, the United Kingdom, Singapore, Slovenia, Somalia, Sudan, Sweden, Tanzania, Viet Nam and Zimbabwe, earth stations operating in the Earth exploration-satellite service in the frequency band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. Resolution 242 (Rev.WRC-23) applies. (WRC-23)
- 5.536C In Algeria, Saudi Arabia, Bahrain, Botswana, Brazil, Cameroon, Comoros, Cuba, Djibouti, Egypt, United Arab Emirates, Estonia, Finland, Iran (Islamic Republic of), Israel, Jordan, Kenya, Kuwait, Lithuania, Malaysia, Morocco, Nigeria, Oman, Qatar, Syrian Arab Republic, Somalia, Sudan, South Sudan, Tanzania, Tunisia, Uruguay, Zambia and Zimbabwe, earth stations operating in the space research service in the band 25.5-27 GHz shall not claim protection from, or constrain the use and deployment of, stations of the fixed and mobile services. (WRC-12)
- 5.537 Space services using non-geostationary satellites operating in the inter-satellite service in the band 27-27.5 GHz are exempt from the provisions of No. 22.2.
- 5.537A In Bhutan, Cameroon, China, Korea (Rep. of), the Russian Federation, India, Indonesia, Iran (Islamic Republic of), Iraq, Japan, Kazakhstan, Malaysia, Maldives, Mongolia, Myanmar, Uzbekistan, Pakistan, the Philippines, Kyrgyzstan, the Dem. People's Rep. of Korea, Sudan, Sri Lanka, Thailand and Viet Nam, the allocation to the fixed service in the band 27.9-28.2 GHz may also be used by high altitude platform stations (HAPS) within the territory of these countries. Such use of 300 MHz of the fixed-service allocation by HAPS in the above

- countries is further limited to operation in the HAPS-to-ground direction and shall not cause harmful interference to, nor claim protection from, other types of fixed- service systems or other co-primary services. Furthermore, the development of these other services shall not be constrained by HAPS. See Resolution 145 (Rev.WRC-19). (WRC-19)
- 5.538 Additional allocation: the bands 27.500-27.501 GHz and 29.999-30.000 GHz are also allocated to the fixed-satellite service (space-to-Earth) on a primary basis for the beacon transmissions intended for up-link power control. Such space- to-Earth transmissions shall not exceed an equivalent isotropically radiated power (e.i.r.p.) of ± 10 dBW in the direction of adjacent satellites on the geostationary-satellite orbit. (WRC-07)
- 5.539 The band 27.5-30 GHz may be used by the fixed-satellite service (Earth-to-space) for the provision of feeder links for the broadcasting-satellite service.
- 5.540 Additional allocation: the band 27.501-29.999 GHz is also allocated to the fixed-satellite service (space-to-Earth) on a secondary basis for beacon transmissions intended for up-link power control.
- 5.541 In the band 28.5-30 GHz, the earth exploration-satellite service is limited to the transfer of data between stations and not to the primary collection of information by means of active or passive sensors.
- 5.541A Feeder links of non-geostationary networks in the mobile-satellite service and geostationary networks in the fixed-satellite service operating in the band 29.1-29.5 GHz (Earth-to-space) shall employ uplink adaptive power control or other methods of fade compensation, such that the earth station transmissions shall be conducted at the power level required to meet the desired link performance while reducing the level of mutual interference between both networks. These methods shall apply to networks for which Appendix 4 coordination information is considered as having been received by the Bureau after 17 May 1996 and until they are changed by a future competent world radiocommunication conference. Administrations submitting Appendix 4 information for coordination before this date are encouraged to utilize these techniques to the extent practicable. (WRC-2000)
- 5.542 Additional allocation: in Algeria, Saudi Arabia, Bahrain, Brunei Darussalam, Cameroon, China, Congo (Rep. of the), Djibouti, Egypt, the United Arab Emirates, Eritrea, Ethiopia, Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kuwait, Lebanon, Malaysia, Mali, Morocco, Mauritania, Nepal, Oman, Pakistan, Palestine*, Philippines, Qatar, the Syrian Arab Republic, the Dem. People's Rep. of Korea, Somalia, Sudan, South Sudan, Sri Lanka and Chad, the frequency band 29.5-31 GHz is also allocated to the fixed and mobile services on a secondary basis. The power limits specified in Nos. 21.3 and 21.5 shall apply. (WRC-23)
- 5.543 The band 29.95-30 GHz may be used for space-to-space links in the Earth exploration-satellite service for telemetry, tracking, and control purposes, on a secondary basis.
- 5.543A SUP (WRC-19)
- 5.543B The allocation to the fixed service in the frequency band 31-31.3 GHz is identified for worldwide use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution 167 (Rev.WRC-23). (WRC-23)

- 5.544 In the band 31-31.3 GHz the power flux-density limits specified in Article 21, Table 21-4 shall apply to the space research service.
- 5.545 Different category of service: in Armenia, Georgia, Mongolia, Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 31-31.3 GHz to the space research service is on a primary basis (see No. 5.33). (WRC-07)
- 5.546 Different category of service: in Saudi Arabia, Armenia, Azerbaijan, Bahrain, Belarus, Djibouti, Egypt, the United Arab Emirates, Spain, Estonia, the Russian Federation, Georgia, Hungary, Iran (Islamic Republic of), Israel, Jordan, Lebanon, Moldova, Mongolia, Oman, Uzbekistan, Poland, the Syrian Arab Republic, Türkiye, Kyrgyzstan, Romania, the United Kingdom, Somalia, South Africa, Tajikistan and Turkmenistan, the allocation of the frequency band 31.5-31.8 GHz to the fixed and mobile, except aeronautical mobile, services is on a primary basis (see No. 5.33). (WRC-23)
- 5.547 The frequency bands 31.8-33.4 GHz, 37-40 GHz, 40.5-43.5 GHz, 51.4-52.6 GHz, 55.78-59 GHz and 64-66 GHz are available for high-density applications in the fixed service. Administrations should take this into account when considering regulatory provisions in relation to these bands. Because of the potential deployment of high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz and 40.5-42 GHz (see No. 5.516B), administrations should further take into account potential constraints to high-density applications in the fixed service, as appropriate. (WRC-23)
- 5.547A Administrations should take practical measures to minimize the potential interference between stations in the fixed service and airborne stations in the radionavigation service in the 31.8-33.4 GHz band, taking into account the operational needs of the airborne radar systems. (WRC-2000)
- 5.547B Alternative allocation: in the United States, the band 31.8-32 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-97)
- 5.547C Alternative allocation: in the United States, the band 32-32.3 GHz is allocated to the radionavigation and space research (deep space) (space-to-Earth) services on a primary basis. (WRC-03)
- 5.547D Alternative allocation: in the United States, the band 32.3-33 GHz is allocated to the inter-satellite and radionavigation services on a primary basis. (WRC-97)
- 5.547E Alternative allocation: in the United States, the band 33-33.4 GHz is allocated to the radionavigation service on a primary basis. (WRC-97)
- 5.548 In designing systems for the inter-satellite service in the frequency band 32.3-33 GHz, for the radionavigation service in the frequency band 32-33 GHz, and for the space research service (deep space) in the frequency band 31.8-32.3 GHz, administrations shall take all necessary measures to prevent harmful interference between these services, bearing in mind the safety aspects of the radionavigation service (see Recommendation 707 (Rev.WRC-23)). (WRC-23)
- 5.549 Additional allocation: in Saudi Arabia, Bahrain, Bangladesh, Egypt, the United Arab Emirates, Gabon, Indonesia, Iran (Islamic Republic of), Iraq, Israel, Jordan, Kuwait, Lebanon, Libya, Malaysia, Mali, , Morocco, Mauritania, Nepal, Nigeria, Oman, Pakistan, the Philippines, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Singapore, Somalia, Sudan, South Sudan Sri Lanka, Togo, Tunisia and Yemen, the band 33.4-36 GHz is also allocated to the fixed and mobile services on a primary basis. (WRC-12)

- 5.549A In the band 35.5-36.0 GHz, the mean power flux-density at the Earth's surface, generated by any spaceborne sensor in the Earth exploration-satellite service (active) or space research service (active), for any angle greater than 0.8° from the beam centre shall not exceed -73.3 dB(W/m²) in this band. (WRC-03)
- 5.550 Different category of service: in Armenia, Azerbaijan, Belarus, the Russian Federation, Georgia, , Kyrgyzstan, Tajikistan and Turkmenistan, the allocation of the band 34.7-35.2 GHz to the space research service is on a primary basis (see No. 5.33). (WRC-12)
- 5.550A For sharing of the band 36-37 GHz between the Earth exploration-satellite (passive) service and the fixed and mobile services, Resolution 752 (WRC-07) shall apply. (WRC-07)
- 5.550B The frequency band 37-43.5 GHz, or portions thereof, is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Because of the potential deployment of FSS earth stations within the frequency range 37.5-42.5 GHz and high-density applications in the fixed-satellite service in the frequency bands 39.5-40 GHz in Region 1, 40-40.5 GHz in all Regions and 40.5-42 GHz in Region 2 (see No. 5.516B), administrations should further take into account potential constraints to IMT in these frequency bands, as appropriate. Resolution 243 (Rev.WRC-23) applies. (WRC-23)
- 5.550C The use of the frequency bands 37.5-39.5 GHz (space-to-Earth), 39.5-42.5 GHz (space-to-Earth), 47.2-50.2 GHz (Earth- to-space) and 50.4-51.4 GHz (Earth-to-space) by a non-geostationary-satellite system in the fixed-satellite service is subject to the application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite service but not with non-geostationary-satellite systems in other services. Resolution 770 (WRC- 19) shall also apply, and No. 22.2 shall continue to apply. (WRC-19)
- 5.550CA Non-geostationary-satellite systems in the fixed-satellite service operating with an apogee altitude above 407 km and below 2 000 km in the frequency band 37.5-38 GHz shall not exceed an unwanted emission e.i.r.p. density of -21 dB(W/100 MHz) per space station for angles greater than 65.0° from nadir relative to the space station in the fixed satellite service in the frequency band 36-37 GHz in order to protect the Earth exploration-satellite service (passive) operating in the latter frequency band. (WRC-23)
- 5.550D The allocation to the fixed service in the frequency band 38-39.5 GHz is identified for worldwide use by administrations wishing to implement high-altitude platform stations (HAPS). In the HAPS-to-ground direction, the HAPS ground station shall not claim protection from stations in the fixed, mobile and fixed-satellite services; and No. 5.43A does not apply. This identification does not preclude the use of this frequency band by other fixed-service applications or by other services to which this frequency band is allocated on a co-primary basis and does not establish priority in the Radio Regulations. Furthermore, the development of the fixed-satellite, fixed and mobile services shall not be unduly constrained by HAPS. Such use of the fixed-service allocation by HAPS shall be in accordance with the provisions of Resolution 168 (Rev.WRC-23). (WRC-23)
- 5.550E The use of the frequency bands 39.5-40 GHz and 40-40.5 GHz by non-geostationary-satellite systems in the mobile- satellite service (space-to-Earth) and by non-geostationary-satellite systems in the fixed-satellite service (space-to-Earth) is subject to the application of the provisions of No. 9.12 for coordination with other non-geostationary-satellite systems in the fixed-satellite and mobile-satellite services but not with non-geostationary-satellite systems in other services. No.22.2 shall continue to apply for non-geostationary-satellite-systems. (WRC-19)
- 5.551B SUP (WRC-2000)

5.551C SUP (WRC-2000)

5.551D SUP (WRC-2000)

5.551E SUP (WRC-2000)

5.551F Different category of service: in Japan, the allocation of the band 41.5-42.5 GHz to the mobile service is on a primary basis (see No. 5.33). (WRC-97)

5.551G SUP (WRC-03)

5.551H The equivalent power flux-density (epfd) produced in the frequency band 42.5-43.5 GHz by all space stations in any non- geostationary-satellite system in the fixed-satellite service (space-to-Earth), or in the broadcasting-satellite service operating in the frequency band 42-42.5 GHz, shall not exceed the following values at the site of any radio astronomy station for more than 2% of the time:

- 230 dB(W/m²) in 1 GHz and –246 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and
- 209 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These epfd values shall be evaluated using the methodology given in Recommendation ITU-R S.1586-1 and the reference antenna pattern and the maximum gain of an antenna in the radio astronomy service given in Recommendation ITU-R RA.1631-0 and shall apply over the whole sky and for elevation angles higher than the minimum operating angle θ_{\min} of the radiotelescope (for which a default value of 5° should be adopted in the absence of notified information).

These values shall apply at any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-15)

5.551I The power flux-density in the band 42.5-43.5 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth), or the broadcasting-satellite service operating in the 42-42.5 GHz band, shall not exceed the following values at the site of any radio astronomy station:

- 137 dB(W/m²) in 1 GHz and –153 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a single-dish telescope; and

- 116 dB(W/m²) in any 500 kHz of the 42.5-43.5 GHz band at the site of any radio astronomy station registered as a very long baseline interferometry station.

These values shall apply at the site of any radio astronomy station that either:

- was in operation prior to 5 July 2003 and has been notified to the Bureau before 4 January 2004; or
- was notified before the date of receipt of the complete Appendix 4 information for coordination or notification, as appropriate, for the space station to which the limits apply.

Other radio astronomy stations notified after these dates may seek an agreement with administrations that have authorized the space stations. In Region 2, Resolution 743 (WRC-03) shall apply. The limits in this footnote may be exceeded at the site of a radio astronomy station of any country whose administration so agreed. (WRC-03)

5.552 The allocation of the spectrum for the fixed-satellite service in the bands 42.5-43.5 GHz and 47.2-50.2 GHz for Earth-to-space transmission is greater than that in the band 37.5-39.5 GHz for space-to-Earth transmission in order to accommodate feeder links to broadcasting satellites. Administrations are urged to take all practicable steps to reserve the band 47.2-49.2 GHz for feeder links for the broadcasting-satellite service operating in the band 40.5-42.5 GHz.

5.552A The allocation to the fixed service in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz is identified for use by high-altitude platform stations (HAPS). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated on a co-primary basis, and does not establish priority in the Radio Regulations. Such use of the fixed-service allocation in the frequency bands 47.2-47.5 GHz and 47.9-48.2 GHz by HAPS shall be in accordance with the provisions of Resolution 122 (Rev.WRC-19). (WRC-19)

5.553A In Algeria, Angola, Bahrain, Belarus, Benin, Botswana, Brazil, Burkina Faso, Cabo Verde, Korea (Rep. of), Côte d'Ivoire, Croatia, Djibouti, Egypt, United Arab Emirates, Estonia, Eswatini, Gabon, Gambia, Ghana, Greece, Guinea, Guinea-Bissau, Hungary, Iran (Islamic Republic of), Iraq, Jordan, Kuwait, Lesotho, Latvia, Liberia, Lithuania, Madagascar, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger, Nigeria, Oman, Qatar, Senegal, Seychelles, Sierra Leone, Slovenia, Somalia, Sudan, South Africa, Sweden, Tanzania, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 45.5-47 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT), taking into account No. 5.553. With respect to the aeronautical mobile service and radionavigation service, the use of this frequency band for the implementation of IMT is subject to agreement obtained under No. 9.21 with concerned administrations and shall not cause harmful interference to or claim protection from these services. This identification does not preclude the use of this frequency band by any application of the services to which it is allocated and does not establish priority in the Radio Regulations. Resolution 244 (Rev.WRC-23) applies. (WRC-23)

5.553B In Region 2 and Algeria, Angola, Saudi Arabia, Australia, Bahrain, Benin, Botswana, Burkina Faso, Burundi, Cameroon, Central African Rep., Comoros, Congo (Rep. of the), Korea (Rep. of), Côte d'Ivoire, Djibouti, Egypt, United Arab Emirates, Eswatini, Ethiopia, Gabon, Gambia, Ghana, Guinea, Guinea-Bissau, Equatorial Guinea, India, Iran (Islamic Republic of), Iraq, Japan, Jordan, Kenya, Kuwait, Lesotho, Liberia, Libya, Lithuania, Madagascar, Malaysia, Malawi, Mali, Morocco, Mauritius, Mauritania, Mozambique, Namibia, Niger,

Nigeria, Oman, Uganda, Qatar, the Syrian Arab Republic, the Dem. Rep. of the Congo, Rwanda, Sao Tome and Principe, Senegal, Seychelles, Sierra Leone, Singapore, Slovenia, Somalia, Sudan, South Sudan, South Africa, Sweden, Tanzania, Chad, Togo, Tunisia, Zambia and Zimbabwe, the frequency band 47.2-48.2 GHz is identified for use by administrations wishing to implement International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which it is allocated, and does not establish any priority in the Radio Regulations. Resolution 243 (Rev.WRC-23) applies. (WRC-23)

- 5.553 In the bands 43.5-47 GHz and 66-71 GHz, stations in the land mobile service may be operated subject to not causing harmful interference to the space radiocommunication services to which these bands are allocated (see No. 5.43). (WRC-2000)
- 5.554 In the bands 43.5-47 GHz, 66-71 GHz, 95-100 GHz, 123-130 GHz, 191.8-200 GHz and 252-265 GHz, satellite links connecting land stations at specified fixed points are also authorized when used in conjunction with the mobile-satellite service or the radionavigation-satellite service. (WRC-2000)
- 5.554A The use of the bands 47.5-47.9 GHz, 48.2-48.54 GHz and 49.44-50.2 GHz by the fixed-satellite service (space-to-Earth) is limited to geostationary satellites. (WRC-03)
- 5.555 Additional allocation: the band 48.94-49.04 GHz is also allocated to the radio astronomy service on a primary basis. (WRC-2000)
- 5.555A SUP (WRC-03)
- 5.555B The power flux-density in the band 48.94-49.04 GHz produced by any geostationary space station in the fixed-satellite service (space-to-Earth) operating in the bands 48.2-48.54 GHz and 49.44-50.2 GHz shall not exceed $-151.8 \text{ dB(W/m}^2\text{)}$ in any 500 kHz band at the site of any radio astronomy station. (WRC-03)
- 5.555C The use of the frequency band 51.4-52.4 GHz by the fixed-satellite service (Earth-to-space) is limited to geostationary- satellite networks. The earth stations shall be limited to gateway earth stations with a minimum antenna diameter of 2.4 metres. (WRC-19)
- 5.556 In the bands 51.4-54.25 GHz, 58.2-59 GHz and 64-65 GHz, radio astronomy observations may be carried out under national arrangements. (WRC-2000)
- 5.556A Use of the bands 54.25-56.9 GHz, 57-58.2 GHz and 59-59.3 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, shall not exceed $-147 \text{ dB(W/(m}^2 \text{ 7 100 MHz))}$ for all angles of arrival. (WRC-97)
- 5.556B Additional allocation: in Japan, the band 54.25-55.78 GHz is also allocated to the mobile service on a primary basis for low-density use. (WRC-97)
- 5.557 Additional allocation: in Japan, the band 55.78-58.2 GHz is also allocated to the radiolocation service on a primary basis. (WRC-97)
- 5.557A In the band 55.78-56.26 GHz, in order to protect stations in the Earth exploration-satellite service (passive), the maximum power density delivered by a transmitter to the antenna of a fixed service station is limited to -26 dB(W/MHz) . (WRC-2000)
- 5.558 In the bands 55.78-58.2 GHz, 59-64 GHz, 66-71 GHz, 122.25-123 GHz, 130-134 GHz, 167-174.8 GHz and 191.8-200 GHz, stations in the aeronautical mobile service may be operated

subject to not causing harmful interference to the inter-satellite service (see No. 5.43). (WRC-2000)

5.558A Use of the band 56.9-57 GHz by inter-satellite systems is limited to links between satellites in geostationary-satellite orbit and to transmissions from non-geostationary satellites in high-Earth orbit to those in low-Earth orbit. For links between satellites in the geostationary-satellite orbit, the single entry power flux-density at all altitudes from 0 km to 1 000 km above the Earth's surface, for all conditions and for all methods of modulation, shall not exceed -147 dB (W/(m² 7 100 MHz)) for all angles of arrival. (WRC-97)

5.559 In the band 59-64 GHz, airborne radars in the radiolocation service may be operated subject to not causing harmful interference to the inter-satellite service (see No. 5.43). (WRC-2000)

5.559A SUP (WRC-07)

5.559AA The frequency band 66-71 GHz is identified for use by administrations wishing to implement the terrestrial component of International Mobile Telecommunications (IMT). This identification does not preclude the use of this frequency band by any application of the services to which this frequency band is allocated and does not establish priority in the Radio Regulations. Resolution 241 (Rev.WRC-23) applies. (WRC-23)

5.559B The use of the frequency band 77.5-78 GHz by the radiolocation service shall be limited to short-range radar for ground-based applications, including automotive radars. The technical characteristics of these radars are provided in the most recent version of Recommendation ITU-R M.2057. The provisions of No. 4.10 do not apply. (WRC-15)

5.560 In the band 78-79 GHz radars located on space stations may be operated on a primary basis in the Earth exploration-satellite service and in the space research service.

5.561 In the band 74-76 GHz, stations in the fixed, mobile and broadcasting services shall not cause harmful interference to stations of the fixed-satellite service or stations of the broadcasting-satellite service operating in accordance with the decisions of the appropriate frequency assignment planning conference for the broadcasting-satellite service. (WRC-2000)

5.561A The 81-81.5 GHz band is also allocated to the amateur and amateur-satellite services on a secondary basis. (WRC-2000)

5.561B In Japan, use of the band 84-86 GHz, by the fixed-satellite service (Earth-to-space) is limited to feeder links in the broadcasting-satellite service using the geostationary-satellite orbit. (WRC-2000)

5.562 The use of the band 94-94.1 GHz by the Earth exploration-satellite (active) and space research (active) services is limited to spaceborne cloud radars. (WRC-97)

5.562A In the bands 94-94.1 GHz and 130-134 GHz, transmissions from space stations of the Earth exploration-satellite service (active) that are directed into the main beam of a radio astronomy antenna have the potential to damage some radio astronomy receivers. Space agencies operating the transmitters and the radio astronomy stations concerned should mutually plan their operations so as to avoid such occurrences to the maximum extent possible. (WRC-2000)

5.562B In the bands 105-109.5 GHz, 111.8-114.25 GHz and 217-226 GHz, the use of this allocation is limited to space-based radio astronomy only. (WRC-19)

- 5.562C Use of the band 116-122.25 GHz by the inter-satellite service is limited to satellites in the geostationary-satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 km to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed $-148 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for all angles of arrival. (WRC-2000)
- 5.562D Additional allocation: In Korea (Rep. of), the frequency bands 128-130 GHz, 171-171.6 GHz, 172.2-172.8 GHz and 173.3-174 GHz are also allocated to the radio astronomy service on a primary basis. Radio astronomy stations in Korea (Rep. of) operating in the frequency bands referred to in this footnote shall not claim protection from, or constrain the use and development of, services in other countries operating in accordance with the Radio Regulations. (WRC-15)
- 5.562E The allocation to the Earth exploration-satellite service (active) is limited to the band 133.5-134 GHz. (WRC-2000)
- 5.562F SUP (WRC-19)
- 5.562G SUP (WRC-19)
- 5.562H Use of the bands 174.8-182 GHz and 185-190 GHz by the inter-satellite service is limited to satellites in the geostationary- satellite orbit. The single-entry power flux-density produced by a station in the inter-satellite service, for all conditions and for all methods of modulation, at all altitudes from 0 to 1 000 km above the Earth's surface and in the vicinity of all geostationary orbital positions occupied by passive sensors, shall not exceed $-144 \text{ dB(W/(m}^2 \cdot \text{MHz))}$ for all angles of arrival. (WRC-2000)
- 5.563 SUP (WRC-03)
- 5.563A In the bands 200-209 GHz, 235-238 GHz, 250-252 GHz and 265-275 GHz, ground-based passive atmospheric sensing is carried out to monitor atmospheric constituents. (WRC-2000)
- 5.663AA In the frequency band 235-238 GHz, stations in the Earth exploration-satellite service (passive) shall not claim protection from stations in the fixed and mobile services. (WRC-23)
- 5.563B The band 237.9-238 GHz is also allocated to the Earth exploration-satellite service (active) and the space research service (active) for spaceborne cloud radars only. (WRC-2000)
- 5.564 SUP (WRC-2000)
- 5.564A For the operation of fixed and land mobile service applications in frequency bands in the range 275-450 GHz:
- The frequency bands 275-296 GHz, 306-313 GHz, 318-333 GHz and 356-450 GHz are identified for use by administrations for the implementation of land mobile and fixed service applications where no specific conditions are necessary to protect Earth exploration-satellite service (passive) applications.
- The frequency bands 296-306 GHz, 313-318 GHz and 333-356 GHz may only be used by fixed and land mobile service applications when specific conditions to ensure the protection of Earth exploration-satellite service (passive) applications are determined in accordance with Resolution 731 (Rev.WRC-23).
- In those portions of the frequency range 275-450 GHz where radio astronomy applications are used, specific conditions (e.g. minimum separation distances and/or avoidance angles)

may be necessary to ensure protection of radio astronomy sites from land mobile and/or fixed service applications, on a case-by-case basis, in accordance with Resolution 731 (Rev. WRC-23).

The use of the above-mentioned frequency bands by land mobile and fixed service applications does not preclude use by, and does not establish priority over, any other applications of radio services in the range of 275-450 GHz. (WRC-23)

- 5.565 The following frequency bands in the range 275-1 000 GHz are identified for use by administrations for passive service applications:

– radio astronomy service: 275-323 GHz, 327-371 GHz, 388-424 GHz, 426-442 GHz, 453 510 GHz, 623-711 GHz, 795-909 GHz and 926-945 GHz;

– Earth exploration-satellite service (passive) and space research service (passive):

275-286 GHz, 296-306 GHz, 313-356 GHz, 361-365 GHz, 369-392 GHz, 397-399 GHz, 409-411 GHz, 416-434 GHz, 439-467 GHz, 477-502 GHz, 523-527 GHz, 538-581 GHz, 611-630 GHz, 634-654 GHz, 657-692 GHz, 713-718 GHz, 729-733 GHz, 750-754 GHz, 771-776 GHz, 823-846 GHz, 850-854 GHz, 857-862 GHz, 866-882 GHz, 905-928 GHz, 951-956 GHz, 968-973 GHz and 985-990 GHz.

The use of the range 275-1 000 GHz by the passive services does not preclude use of this range by active services. Administrations wishing to make frequencies in the 275-1 000 GHz range available for active service applications are urged to take all practicable steps to protect these passive services from harmful interference until the date when the Table of Frequency Allocations is established in the above-mentioned 275-1 000 GHz frequency range.

All frequencies in the range 1 000-3 000 GHz may be used by both active and passive services. (WRC-12)
